PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 11310

, "Front Matter: Volume 11310," Proc. SPIE 11310, Optical Architectures for Displays and Sensing in Augmented, Virtual, and Mixed Reality (AR, VR, MR), 1131001 (13 March 2020); doi: 10.1117/12.2564447

Event: SPIE AR VR MR, 2020, San Francisco, California, United States

PROCEEDINGS OF SPIE

Optical Architectures for Displays and Sensing in Augmented, Virtual, and Mixed Reality (AR, VR, MR)

**Bernard C. Kress
Christophe Peroz**
Editors

**2 February 2020
San Francisco, California, United States**

Sponsored and Published by
SPIE

Volume 11310

Proceedings of SPIE 0277-786X, V. 11310

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Optical Architectures for Displays and Sensing in Augmented, Virtual, and Mixed Reality (AR, VR, MR),
edited by Bernard C. Kress, Christophe Peroz, Proc. of SPIE Vol. 11310, 1131001
© 2020 SPIE · CCC code: 0277-786X/20/\$21 · doi: 10.1117/12.2564447

Proc. of SPIE Vol. 11310 1131001-1

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optical Architectures for Displays and Sensing in Augmented, Virtual, and Mixed Reality (AR, VR, MR)*, edited by Bernard C. Kress, Christophe Peroz, Proceedings of SPIE Vol. 11310 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510633872

ISBN: 9781510633889 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**
SPIEDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

vii	<i>Authors</i>
ix	<i>Conference Committee</i>
xi	<i>Introduction</i>

OPTICAL DESIGN CHALLENGE PRESENTATIONS

11310 02	A retinal-scanning-based near-eye display with diffractive optical element [11310-1]
11310 03	Planar optics enables chromatic aberration correction in immersive near-eye displays (Student Optical Design Challenge 2020 1st Place) [11310-2]
11310 04	A foveated contact lens display for augmented reality [11310-3]
11310 06	Computing high quality phase-only holograms for holographic displays (Student Optical Design Challenge 2020 3rd Place) [11310-5]
11310 07	A portable projection mapping device for medical augmented reality in single-stage cranioplasty (Student Optical Design Challenge 2020 2nd Place) [11310-6]
11310 08	Qualitative and quantitative visual information detected by portable eye-tracking technology [11310-28]

HUMAN FACTORS IN AR/VR

11310 09	Eyebox centering using chromatic aberrations of virtual reality head-mounted displays [11310-7]
11310 0A	Method for evaluating 3D display systems based on perceived retinal image [11310-8]
11310 0B	Clearing key barriers to mass adoption of augmented reality with computer-generated holography [11310-9]
11310 0D	Augmented reality and human factors regarding the neurosurgical operating room workflow [11310-11]
11310 0E	Evaluation of the effects of field-of-view in augmented reality for marine navigation [11310-12]

IMPROVEMENT OF WAVEGUIDE COMBINERS FOR AR

11310 0F	Eye-box expansion using waveguide and holographic optical element for augmented reality head-mounted display [11310-13]
11310 0I	Wide field of view multiplexed photopolymer consumer AR displays [11310-17]

TECHNOLOGY TRENDS IN AR/VR	
11310 OJ	Electronic see-through head mounted display with minimal peripheral obscuration [11310-45]
11310 OK	Birds do it, bees do it: a bio-inspired look at wayfinding and navigation tools for augmented reality [11310-42]
NOVEL AR OPTICAL ARCHITECTURES	
11310 OM	Design and fabrication of a lightweight AR headset demonstrator using a buried Fresnel mirror combiner [11310-19]
VISUAL COMFORT IN AR	
11310 ON	Effects of image focal depth in geometrical lightguide head mounted displays [11310-20]
11310 OP	Screen door effect reduction using mechanical shifting for virtual reality displays [11310-22]
AR/VR DISPLAY OPTICS MEASUREMENTS AND ANALYSIS	
11310 OS	Measuring and qualifying optical performance of AR/VR/MR device displays and addressing the unique visual requirements of transparent AR/MR displays [11310-25]
SENSORS FOR AR/VR HEADSETS	
11310 OT	Eye-tracking for human-centered mixed reality: promises and challenges [11310-27]
AR DISPLAY BUILDING BLOCKS	
11310 OU	Utilisation of micron scale LED arrays as display projection light sources [11310-29]
11310 OV	Holographic near-eye 3D display based on amplitude-only wavefront modulation [11310-30]
11310 OW	Angular and spatial light modulation by single digital micromirror device for display applications [11310-31]
11310 OX	High dynamic range near-eye displays [11310-32]
11310 OZ	Monolithic and heterogeneous integration of RGB micro-LED arrays with pixel-level optics array and CMOS image processor to enable small form-factor display applications [11310-78]
FABRICATION PROCESSES, MATERIALS, AND DESIGN TOOLS FOR AR	
11310 10	Nanoimprint lithography for augmented reality waveguide manufacturing [11310-34]
11310 13	Negative thermal expansion ALLVAR Alloys for smaller optics [11310-37]

APPLIED AR/VR

- 11310 16 **VR archaeological museum with applying at student education processes** [11310-39]
- 11310 17 **The impact of color coding in Virtual Reality navigation tasks** [11310-40]

NEW TECHNOLOGIES IN VR

- 11310 1C **Portal to knowledge: a virtual library using marker-less augmented reality system for mobile devices** [11310-48]

POSTER SESSION

- 11310 1E **Holographic AR display based on the cylindrical holographic optical element for wide viewing zone** [11310-49]
- 11310 1F **Ultracompact eye and pupil tracking device using VCSEL arrays and position sensitive detector** [11310-50]
- 11310 1G **Virtual scalpel simulation in the VR and AR environments** [11310-51]
- 11310 1H **Eyeball camera based calibration and performance verification for spatial computing systems** [11310-52]

Authors

Numbers in the index correspond to the last two digits of the seven-digit citation identifier (CID) article numbering system used in Proceedings of SPIE. The first five digits reflect the volume number. Base 36 numbering is employed for the last two digits and indicates the order of articles within the volume. Numbers start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B...0Z, followed by 10-1Z, 20-2Z, etc.

Afanashev, Sergey, 0F	Heide, Felix, 06
Alão, Nuno, 08	Hellman, Brandon, 0W
Androustos, Dimitrios, 0D	Hong, Sung-Hoon, 0F
Armand, Mehran, 07	Hua, Hong, 0A, 0N
Badano, Aldo, 09	Huang, Wei-Lun, 07
Barada, D., 1E	Jensen, Jens, 0S
Beams, Ryan, 09	Jia, Zhiheng, 1H
Berger, G., 10	Jiang, Jinghui, 04
Bodemann, Axel, 0M	Joshi, Yashas, 1C
Borodin, Yuriy, 0F	Jurisch, Michael, 10
Boulanger, Pierre, 17	Kaczorowski, A., 0B
Browne, Michael P., 0J	Kim, Andrea S., 09
Brunyé, Tad T., 0T	Kim, Sunil, 0F
Butkiewicz, Thomas, 0E	Kim, Yun-Tae, 0F
Cardinell, Jillian, 0D	Kollin, Joel, 06
Chakravarthula, Praneeth, 06	Kopenkin, Sergey, 0F
Chang, Chenliang, 0V	Lanman, Douglas, 0X
Chen, Chao Ping, 02, 04	Larroque, Stan, 0J
Chen, Hao, 03	Lee, Chang-Kun, 0F
Chen, Jie, 02, 04	Lee, Hong-Seok, 0F
Cherepanov, Konstantin V., 1G	Lee, Ted, 0W
Chouiki, M., 10	Lindeman, Robert W., 0T
Chuang, Chih-Li, 0Z	Liu, Haowen, 04
Chung, Hyunsun, 1H	Liu, Sheng, 03
Chung, Jae-Seung, 0F	Liu, Shuya, 07
Content, David S., 13	Liu, Yuan, 02, 04
Cui, Wei, 0V	Madison, Richard W., 0K
Daiker, Jeffrey, 1H	Magoz, Ziv, 0P
Dominguez, Daniel, 1H	Malinina, Polina, 0F
Dong, Yajie, 03	Martens, Stephan, 10
Druzhin, Vladislav, 0F	Matsuda, Nathan, 0X
Dubinin, German, 0F	McAllister, Jeremy S., 13
Dubynin, Sergey, 0F	Melzer, James E., 0K
Dudus, Anna, 10	Mezouari, Samir, 0U
Durrant, T. J., 0B	Mi, Lantian, 02, 04
Eibelhuber, Martin, 10	Michaelis, Dirk, 0M
Eisenberg, Eric, 0S	Milne, D. F., 0B
El Guendy, M., 0B	Minaev, Evgeniy Yu., 16
El-Ghoroury, Hussein S., 0Z	Monroe, James A., 13
Fischer, Stephanie, 0M	Morley, Nicholas, 1H
Fuchs, Henry, 06	Newman, A. J., 0B
Fursov, Vladimir A., 16	Nguyen, Jilian, 0P
Gao, Liang, 0V	Nguyen, Nhu Q., 0D
Gardony, Aaron L., 0T	Peng, Yifan, 06
Gordon, Chad, 07	Popovich, Milan M., 0I
Grant, Alastair J., 0I	Poullis, Charalambos, 1C
Grata, Jeremy, 1H	Punithakumar, Kumaradevan, 17
Hartbaum, Julian, 10	Putilin, Andrey, 0F
Harzendorf, Torsten, 0M	Ramjist, Joel M., 0D

Rosenberger, Ralf, 0M
 Sando, Y., 1E
 Sangu, Suguru, 1F
 Satoh, K., 1E
 Schreiber, Peter, 0M
 Sears, Jasmine, 0P
 Sedighi, Sina, 1H
 Seo, Juwon, 0F
 Seo, Wontaek, 0F
 Shimokawa, Tatsuya, 1F
 Shin, Austin, 07
 Shin, Bongsu, 0F
 Smith, Clinton, 0P
 Spiess, A. O., 0B
 Stevens, Andrew H., 0E
 Sullivan, D. M., 0B
 Sung, Geeyoung, 0F
 Takashima, Yuzuru, 0W
 Tanaka, Shu, 1F
 Tastemur, O. A., 0B
 Thanner, Christine, 10
 Treiblmayr, Dominik, 10
 Vinden, Kat, 0U
 Waldern, Jonathan D., 0I
 Wang, Xuan, 0X
 Wang, Yiran (Thea), 17
 Welch, Hudson, 1H
 Widjanarko, T., 0B
 Wu, Shin-Tson, 03
 Xiong, Jianghao, 03
 Xu, Miaomiao, 0N
 Xu, Mohan, 0A
 Yadavalli, Kameshwar, 0Z
 Yang, Victor X. D., 0D
 Yatagai, T., 1E
 Zannoli, Marina, 0X
 Zgarba, Jay, 13
 Zhan, Tao, 03
 Zhang, Wenbo, 02, 04
 Zhao, Yang, 0X
 Zherdev, Denis A., 16, 1G
 Zherdeva, Larisa A., 16, 1G
 Zhu, Changzhao, 02
 Zou, Junyu, 03
 Zubov, Sergey E., 16

Conference Committee

Conference Chairs

Bernard C. Kress, Microsoft Corporation (United States)
Christophe Peroz, Magic Leap, Inc. (United States)

Conference Program Committee

Martin S. Banks, University of California, Berkeley (United States)
Pablo Benítez, Universidad Politécnica de Madrid (Spain)
Julie L. Bentley, University of Rochester (United States)
Michael P. Browne, SA Photonics, Inc. (United States)
Weichuan Gao, Facebook Technologies, LLC (United States)
Andreas G. Georgiou, Microsoft Research Cambridge (United Kingdom)
Hong Hua, James C. Wyant College of Optical Sciences, The University of Arizona (United States)
Mary Lou Jepsen, Openwater (United States)
Fernando Mendoza-Santoyo, Centro de Investigaciones en Óptica, A.C. (Mexico)
Jannick P. Rolland, The Institute of Optics (United States)
Zhujun Shi, Harvard University (United States)

Session Chairs

- 1A Optical Design Challenge Presentations
Weichuan Gao, Facebook Technologies, LLC (United States)
- 1B Human Factors in AR/VR
Martin S. Banks, University of California, Berkeley (United States)
- 1C Improvement of Waveguide Combiners for AR
Zhujun Shi, Harvard University (United States)
- 1D Technology Trends in AR/VR
Hong Hua, James C. Wyant College of Optical Sciences, The University of Arizona (United States)
- 2A Novel AR Optical Architectures
Weichuan Gao, Facebook Technologies, LLC (United States)
- 2B Visual Comfort in AR
Hong Hua, Wyant College of Optical Sciences (United States)

- 2C AR/VR Display Optics Measurements and Analysis
Jannick P. Rolland-Thompson, The Center for Freeform Optics
(United States)
- 3A Sensors for AR/VR Headsets
Weichuan Gao, Facebook Technologies, LLC (United States)
- 4A AR Display Building Blocks
Bernard C. Kress, Microsoft Corporation (United States)
- 4B Fabrication Processes, Materials, and Design Tools for AR
Christophe Peroz, Magic Leap, Inc. (United States)
- 4C Applied AR/VR
Rubén Mohedano, Limbak 4PI S.L. (Spain)
- 4D New Technologies in VR
Pablo Benítez, Universidad Politécnica de Madrid (Spain)

Introduction to the SPIE proceeding of AR/VR/MR 2020 conference

“Optical Architectures for Display and Sensing in Augmented, Virtual and Mixed Reality”

Bernard Kress

Microsoft Corporation, HoloLens project, 1 Microsoft Way, Redmond WA 98052

1. Abstract

This is an introduction paper to the 2020 SPIEW AR/VR/MR conference held in San Francisco, at Moscone Center, co-located with the 2020 SPIE Photonics West main symposium. The subject of this conference is to share the world state of the art in optical architectures for AR/VR/MR headsets and smart glasses. A heavier than usual industry participation has been present since the inception of this conference in 2018.

The 2020 version of the SPIE AR/VR/MR conference includes a list of invited industry talks, and a list of conference papers which are edited in this proceeding.

In addition to these papers, a list of student papers attempting at solving industry challenges in AR/VRMR hardware have also been presented. The challenges include those of

- wearable comfort (weight, size, center of gravity, thermals)
- visual comfort (angular resolution, optical foveation, vergence accommodation conflict, pixel occlusion, peripheral displays, low latency sensors,...)
- social comfort (unobstructed eye contact, high transparency of combiner optics, low profile optics,...)
- immersion (audio, display and see-through field of view, gesture sensing and eye tracking, spatial scanning,...)

The invited industry papers are mostly discussing existing new product architecture integrations, and are not listed in this proceeding, but are available as videos on the SPIE web site.

In addition to the industry talks, conference papers and optical design challenge papers, a large demo room has been set-up at the conference location to allow participants to experience the latest headsets available in 2020.

This proceeding is a good source of information about new optical architectures targeting entire headset systems, or rather specific building blocks either on the display side, the optical combiners side or the optical sensors side.

The industry talks available as videos are a good companion to this proceeding list.

This introduction paper review the current market position for AR/VR/MR, and lists the various products that have been discussed throughout the conference and have been shown to the attendance as demo headsets.

2. Introduction

Defense has been the first application sector for augmented reality (AR) and virtual reality (VR), as far back as the 1950s.¹ Based on such early developments, the first consumer VR/AR boom expanded in the early 1990s and contracted considerably throughout that decade, a poster child of a technology ahead of its time and also ahead of its markets.² However, due to the lack of available consumer display technologies and related sensors, novel optical display concepts were introduced throughout the 90s^{3,4} that are still considered as state of the art, such as the “Private Eye” smart glass from Reflection Technology (1989) and the “Virtual Boy” from Nintendo (1995)—both based on scanning displays rather than flat panel displays. Although such display technologies were well ahead of their time,^{5–7} the lack of consumer-grade IMU sensors, low-power 3D-rendering GPUs, and wireless data transfer technologies contributed to the end of this first VR boom. The other reason was the lack of digital content, or rather the lack of a clear vision of adapted VR/AR content for enterprise or consumer spaces.^{8,9}

This is very similar to the demise of the early iPod developments at General Magic Corp. in the late 90s, which provided an initial hardware concept but without wireless connectivity or an online music store. Once all three conditions were met at Apple 10 years later (hardware, WIFI connectivity, online music store), the iPod concept resonated with a strong consumer market as a music-experience ecosystem, not solely as a desirable music-playing product, no matter how excellent it might have been designed and produced.

The only AR/VR sector that saw sustained efforts and developments throughout the next decade was the defense industry (flight simulation and training, helmet-mounted displays (HMDs) for rotary-wing and head-up displays (HUDs) for fixed-wing aircraft).¹⁰ The only effective consumer efforts during the 00s was in the field of automotive HUDs and personal binocular headset video players.

Today’s engineers, exposed at an early age to ever-present flat panel display technologies, tend to act as creatures of habit much more than their peers 20 years ago, who had to invent novel immersive display technologies from scratch. We have therefore seen since 2012 the initial implementations of immersive AR/VR HMDs based on readily available smartphone display panels (LTPS-LCD, IPS-LCD, AMOLED) and pico-projector micro-display panels (HTPS-LCD, mu-OLED, DLP, LCoS), IMUs, and camera and depth map sensors (structured light time of flight (TOF)). Currently, HMD display architectures are evolving slowly to more specific technologies, which might be a better fit for immersive requirements than flat panels were, resembling the display technologies invented throughout the first AR/VR boom two decades earlier (inorganic mu-LED

panels, 1D scanned arrays, 2D laser/VCSEL MEMS scanners, etc.).

The smartphone technology ecosystem, including the associated display, connectivity, and sensor systems, shaped the emergence of the second VR/AR boom and formed the first building blocks used by early product integrators. Such traditional display technologies will serve as an initial catalyst for what is coming next.

The immersive display experience in AR/VR is, however, a paradigm shift from the traditional panel display experiences that have existed for more than half a century, going from CRT TVs, to LCD computer monitors and laptop screens, to OLED tablets and smartphones, to LCoS, DLP, and MEMS scanner digital projectors, to iLED smartwatches (see Figure 1).

When flat panel display technologies and architectures (smartphone or micro-display panels) are used to implement immersive near-to-eye (NTE) display devices, factors such as etendue, fixed focus, and low brightness become severe limitations. Alternative display technologies are required to address the needs of NTE immersive displays to match the specifics of the human visual system.

The second emergence of the VR/AR/smart-glasses boom in the early 2010s introduced new naming trends, more inclusive than AR or VR: mixed (or merged) reality (MR), more generally known today as “XR,” a generic acronym for “extended reality.” The phrase “smart eyewear” (including both digital information display and prescription eyewear) tends to replace the initial “smart glasses” naming convention.

Figure 1: Immersive NTE displays: a paradigm shift in personal information display.

3. Current AR/VR/MR market positions

Unlike in the previous AR/VR boom, contemporary investors, market analysts, and AR/VR/MR system integrators, as well as enterprise users, expect to see a real return on investment (ROI) for these unique technologies in the next five years, as underlined by the Gartner Hype Cycles for Emerging Technologies (see Figure 2). This figure represents 9 graphs over more than a decade, dating back to 2006 up to 2019. For sake of clarity, we chose to leave on the graphs only technologies related to AR/VR/MR. These graphs represent emerging technologies that are poised to become commodities changing the life of millions of users worldwide. Getting pushed off that cycle either indicates an achievement (such as for the smart phone tech disappearing off the graph in 2006) or rather a failure (such as for the 3D flat screen TV tech appearing on the graph in 2008 and disappearing just one year later).

Figure 2: Gartner Hype Cycles for emerging technologies (2006-2019) for AR/VR/MR.

AR has been introduced to the Gartner hype cycle for emerging technologies all the way back in 2006, the same year the Smart Phone dropped out with the iPhone introduction by Apple.

AR is the longest living technology on the Gartner cycle spanning more than one decade. Not many technologies can boast such a long and steady path along this twisted hype cycle. Remaining on the cycle for so long is neither a token of exception nor a token of failure. It relates to the maturity of the underlying market (which is based on the existence - or not - of a use case) rather than the maturity of the technology itself (hardware and software). Gartner chose to keep AR on the cycle for over 12 years, dropping it only in 2019, as market analysts kept expecting year after year the emergence of a huge AR market, first for enterprise (which happened) and second for consumer (which has not happened yet).

The 2008 - 2010 span has introduced on the cycle several technologies that are now critical pillars to AR experience, such as location aware applications, gesture recognition and speech recognition. Gesture recognition has had a tremendous boost with the Kinect technology development for Xbox through 2009-2015 (structured illumination and then TOF), as well as speech recognition for personal assistants in smart phones.

IOT technologies appeared on the graph in 2012, culminated in hype in 2014 and dropped promptly the next year, becoming a real product used by millions, in consumer and enterprise fields. Many IOT core technologies share functionality with AR hardware.

AR culminated at its hype from 2010 to 2012, the years when Google Glass was introduced, along with many other smart glass devices (Lumus, Optinvent, Reconjet, Epson Moverio, Sony, ODG, and many others...).

VR appeared on the graph in 2014, the year Oculus was bought by Facebook for \$3B, and coincided also with the first large round of investment by Magic Leap Corp. (\$1/2B by Google and Qualcomm), which was followed by many similar rounds (a round E continuing this trend even today, 7 years after its creation and 2 years after its first product introduction).

AR spent also a long time in the trough of disillusionment, from 2013 to 2018), without managing to drop off the curve.

The 2017 Gartner graph showed AR and VR poised to reach the plateau of productivity within 2–10 years, with VR preceding AR by a few years.

VR has dropped off the graph in 2018. Instead, MR has been introduced on the graph as departing from the peak of inflated expectations. VR appeared in 2018 to analysts to be at a mature stage, even becoming a commodity, moving it out of the emerging-technology class of innovation profiles.

The 2019 hype cycle dropped both MR and AR (finally after 13 years of the cycle), and introduced AR Cloud, as well the concepts of immersive workspaces and augmented intelligence. The initial AR tech might have also dropped from the graph due to many market readjustments that happened in 2018-2019, leading the way to various companies closing down (ODG, Meta, Cast-AR, Daqri, Google DayDream, etc...) or reducing drastically their workforce (Avegant, North,...).

AR cloud is the major ROI vehicle for AR/MR: it makes therefore much sense to replace AR (more related to hardware) by AR Cloud (more related to services). AR cloud will also be enabled by 5G and WiGig. Mobile 5G technology (low latency and large bandwidth), appeared on the graph in 2016, culminating in hype in 2019, and expecting to make it as a commodity next year in 2020. Major telecom companies developing 5G technology have invested heavily in AR/MR related technologies in 2019, such as ATT and NTT (\$280M) for Magic Leap, Deutsche Telekom for Tooz/Zeiss and Verizon for Lytro.

Market expectations come with a word of caution: the only market sector that has proven to be sustainable is MR for enterprise, where the ROI is mainly cost avoidance:

- faster learning curves for new employees, fewer errors, higher yields, higher productivity and efficiency;
- lower downtime and waste, lower operational costs
- collaborative design, remote expert guidance, better servicing, enhanced monitoring;
- higher quality assurance in manufacturing; and
- enhanced product display and demos, and better end-user experiences.

Moreover, experienced workers are retiring, and finding skilled labor for many specialized industry sectors is becoming more difficult than ever, while at the same time operations are expanding globally and products are becoming increasingly customized. Traditional methods for training and upskilling workers are also falling short. AR and MR can provide new tools and technologies to overcome these challenges.

Enterprise sectors that have already shown a tangible MR ROI are concentrated in manufacturing (automotive, avionics, heavy industrial products), power, energy, mining and utilities, technology, media and telecom, healthcare and surgery, financial services, and retail/hospitality/leisure fields.

Proof of an existing consumer market for smart glasses/AR/MR is less obvious; hardware experiments have yielded mixed results for smart glasses (Google Glass, Snap Spectacles, Intel Vaunt, and North “Focals”). VR headset developments have also slowed down recently (Oculus/Facebook VR, Sony Playstation VR). The hyped VR project at Google “DayDream” was terminated in October 2019, mainly because developers were not sufficiently enticed to develop quality apps for Google’s Pixel phone series. Other VR efforts have been halted, such as the video see-through (or video pass-through) project Alloy from Intel and the ACER/StarVR wide-FOV VR headset. However, the potential of video see-through MR remains strong in the long term, with technology reducing the video latency and providing optical foveation over wide FOV VR.

2018 saw many medium-sized AR headset companies closing down, such as MetaVision Corp. (Meta2 MR headset), CastAR Corp., ODG Corp. (ODG R8 and R9 glasses) and, more recently, Daqri Corp., even after all four companies had strong initial product introductions and strong VC capital support. Such companies were championing very exciting international AR shows as AWE (Augmented World Expo) from 2014 to 2018. Others went through major re-structuring, such as Avegant Corp. (multifocal AR headset). MetaVision and CastAR saw a partial return in mid-2019, showing that the field is still uncertain and full of surprises. Others (Vuzix Corp.) saw continuous growth as well as continuous VC backing (Digilens Corp.) throughout 2019.

On the smart-glasses front, audio-only smart eyewear has made a strong return. Audio smart glasses, which provide audio immersion as well as world-locked audio (based on IMU solely), is not a new concept, but it has received recent upgrades such as surround sound leaving the ear free (no bone conduction) and external noise-cancelling (such as the Bose Frames). They can provide essential input and commands for consumer and enterprise products and are an essential part of the augmented-world experience. Major companies such as Huawei and Amazon have introduced their own version of audio-augmented-reality smart glasses (Gentle Monster and Amazon Echo Frames, respectively). Camera glasses such as the Snap Spectacles (1st, 2nd, and 3rd generation) have had a difficult time with consumer acceptance, as did the Google Glass Explorer version back in 2014, after a hyped 2012–2013 period.

In addition to spatial world locked audio, if an IMU is present (as in the Bose AR Frames and Amazon Echo Frame), a number of different head and body gestures can also be detected, including push-ups, squats, nod, shake, double tap, look up, look down, spin around, and roll head around.

Figure 3 shows a historical timeline for VR, AR and MR, with their ups and downs from 2012 up to 2019.

Figure 3: Ups and downs in AR,VR,MR industry (2012 to 2019).

Figure 3 shows three consecutive periods spanning from 2012 to today, starting with the “glorious origins” which include the introduction of Google Glass in 2012 and the purchase of Oculus by Facebook in 2014 for \$3B (officially \$2B).

Then comes the euphoria period starting mid 2014, where venture capital was ramping up wildly, lots of AR/VR/MR start-ups created, including Magic Leap, and MR product introductions such as HoloLens V1 and Meta2 MR headsets, HTC Vive, Oculus DK2 and CV1 VR headsets, Google Glass V2 enterprise edition and Intel Vaunt smart glasses.

From 2018 on, as it happens in many hyped technology cycles, reality starts to kick in, many start-ups created during the euphoria period are closing, while new products are introduced specifically for the enterprise sector (HoloLens V2, Google Glass V3,...). This is a healthy development, paving the way to a strong potential XR market relying on industries which are able to develop not only the required hardware but also the development platforms and the software/cloud ecosystem to sustain a durable MR effort in industry providing real ROI for such industries.

Table 1 summarizes the current hardware offerings targeting consumer/enterprise/defense sectors for the different types of smart glasses/AR/VR/MR headsets available today.

Small-form-factor smart glasses that included minimal displays (around 10-deg-FOV monocular) and prescription correction saw a renewal in 2018 (after the 2014 Google Glass failure in the consumer market) with the hyped project Vaunt at Intel. However, this project was halted later that year, as Intel invested instead in a very similar architecture the "Focals" developed by North Inc. in Kitchener, Canada. But after a price drop of nearly 50% in early 2019 and a significant workforce layoff by North, the short-term outlook for consumer smart glasses remains uncertain. Other smart glass concepts targeted solely to enterprise sectors have had quiet but steady growth, such as the rugged RealWear headsets (Vancouver, Canada) and the more stylish Google Glass Enterprise V2 glasses.

		Product examples	Consumer		Enterprise			Medical		Defense	
			Daylong usage	Occasional indoor usage	Factory floor usage (shifts)	Heavy outdoor industry	R&D	Non surgical usage	Surgical usage	Training usage	Battlefield usage
Smart glasses	Audio only smart eyewear w prescription correction	Bose Frames Huawei/Gentle Monster, Amazon Echo Frames	+++	+++	++	+++	+	++	++	+	+
	Rugged Smart Glasses, monocular, opaque	RealWear HMT-1 Vuzix m300	+	+	++	+++	++	+	---	---	++
	Smart Glasses, monocular, see-through	Vuzix Blade Digilens Mono HUD Optinvent ORA	+	++	++	++	++	+++	+	+	++
	Smart eyewear w display and prescription correction	Google Glass North Focals Lumus DK32	+++	+	+	---	---	+++	+	+	---
VR	Standalone VR without video see through (3DOF)	Oculus GO Google DayDream VR Samsung Gear VR	---	+++	---	---	+	---	---	+++	---
	Standalone VR with video see through	Oculus Quest NTC Vive Focus 2.0 Pico Neo	---	+++	+++	+	+++	+	+++	+++	---
	PC tethered VR with inside out sensors (6DOF)	Oculus Rift "s" HTC Vive Pro Windows MR 3rd party	---	+++	-	---		---	+	+++	---
	Large FOV PC tethered VR headsets	Varjo VR Foveated PiMax 8k Acer Star VR	---	+	-	---	+++	---	+	+++	---
AR and entry level MR	Tethered AR headsets to PC	Meta 2 DreamWorld Glasses	-	+	++	---	++	--	+++	++	---
	Standalone AR headsets	Epson Moverio Lumus DK50 / Vision Digilens Cristal	-	+++	++	++	++	++	+	+	++
	Standalone AR headsets w 6DOF and gesture sensing	ODG R9 nReal AR glasses Daqri, Atheer Labs,	--	++	+++	+++	++	+++	+	++	+++
High end MR	High end see through untethered MR	HoloLens V1 / V2	---	+	+++	++	+++	+	+++	+++	+++
	Pod-tethered high end see through MR	Magic Leap One Lenovo ThinkReality	---	++	++	+	+	+	++	+	+

Table 1: Current product offerings in consumer, enterprise, and defense markets.

On the other hand, the current VC investment hype fueling frenetic single start-ups such as Magic Leap, Inc. (totaling >\$3B VC investment pushing up a >\$7B company valuation before seeing any revenues) is a harsh reminder of the ever-present "fear of missing out" behavior from late-stage investors (Alibaba, Singapore Temasek, and Saudi funds) eager to jump on the bandwagon fueled by the early investment decisions from major tech VC firms (Google ventures, Amazon, Qualcomm). The two last VC investments in Magic Leap (late 2018 and mid-2019) were by major communication companies (ATT/USA in 2018 for an unknown amount, and NTT/Docomo-Japan in 2019 for \$280M), indicating that large-bandwidth communication channels (5G, WiGig, etc.) will be fueled in the future by demanding AR markets, which will also allow sustained ROI over MR cloud services (AR/MR hardware returns being razor thin). This is also the case with the Carl Zeiss spin-off "TooZ," which is developing small-form-factor smart glasses in a joint venture with Deutsche Telekom (2018). The telecom company Verizon in the US acquired also the VR company Jaunt in 2019 for similar reasons.

No matter the investment hype, it might take a major consumer electronics company to simultaneously create the ultimate consumer headset architecture (addressing visual/wearable comfort and immersion experience) and the necessary consumer market. Unlike for the enterprise market, where the content is provided by each individual enterprise through the development of custom applications for specific needs, the consumer market relies solely on the entire MR ecosystem development, from generic hardware to generic content and applications.

The smartphone revolution spurred the creation of successful developers in various parts of the world who organically created brand-new apps that took unique advantage of the phone form factor. Today, numerous small companies are trying to replicate such developments for AR and VR, with limited success.

Even though Q3 2018 saw for the first time a worldwide decline in both smartphone and tablet sales (hinting at Apple's

Q4 2018 30% stock fallout), it is unclear whether MR consumer hardware has the potential (or even the will) to replace existing smartphone/tablets or, alternatively, be the ultimate companion to a smartphone, providing an immersive experience that is out of reach for any other traditional display screen concept.

Apart from consumer and enterprise markets discussed here, there remains a considerable defense market for MR headsets. Microsoft has secured in Q4/18 a \$480M defense contract to develop and provide the U.S. Army special versions of HoloLens, dubbed IVAS (Integrated Visual Augmentation System). An additional budget multiple times the initial one will secure the delivery of the headsets to the US Army. This being the largest contract ever in AR/VR/MR—consumer, enterprise, and defense combined—this deal will boost the entire MR ecosystem worldwide.

References

- [1] W.S. Colburn B.J. Chang, **Holographic combiners for head up displays**, Tech Report No. AFAL-TR-77-110 , 1977
- [2] Jason Jerald, “**The VR book: human centered design for virtual reality**”. ISBN 978-1-97000-112-9 (2016).
- [3] Woodrow Barfield, “**Fundamentals of wearable computers and augmented reality**”, second edition, ISBN 978-1-482243595 (2015).
- [4] Laura Inzerillo, “**Augmented reality: Past, Present and Future**”. The Engineering Reality of Virtual Reality 2013, edited by Margaret Dolinsky, Ian E. McDowall, Proc. of SPIE-IS&T Electronic Imaging, SPIE Vol. 8649,
- [5] R. T. Azuma, “**A survey of augmented reality: Presence, Teleoperators and Virtual Environments**” 6, 355- 385 (1997).
- [6] O. Cakmakci, and J. Rolland, “**Head-worn displays: a review,**” J. of Disp. Tech. 2, 199-216 (2006).
- [7] J. Rolland, and O. Cakmakci, “**Head-worn displays: The future through new eyes,**” Opt. and Phot. News 20, ¹¹~~20~~₂₇ (2009).
- [8] D. W. F.Van Krevelen, and R. Poelman, “**A survey of augmented reality technologies, applications and limitations,**” The International Journal of Virtual Reality 9, 1-20 (2010).
- [9] Kok-Lim Low, Adrian Ilie, Greg Welch, Anselmo Lastra, “**Combining Head-Mounted and Projector-Based Displays for Surgical Training**”, IEEE Virtual reality 2003, Proceedings 10.1109/VR.2003.
- [10] Y. Amitai, A. Friesem, and V. Weiss, “**Holographic elements with high efficiency and low aberrations for helmet displays,**” Appl. Opt. 28, 3405-3416 (1989).
- [11] Nick Baker “**Mixed Reality**” Keynote at Hot Chips HC28 – Symposium for High Performance Chips, Aug. 21-23 2016, (www.hotchips.org).