PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 11617

, "Front Matter: Volume 11617," Proc. SPIE 11617, International Conference on Optoelectronic and Microelectronic Technology and Application, 1161701 (4 December 2020); doi: 10.1117/12.2589811

SPIE.

Event: International Conference on Optoelectronic and Microelectronic Technology and Application, 2020, Nanjing, China

PROCEEDINGS OF SPIE

International Conference on Optoelectronic and Microelectronic Technology and Application

Yi Luo
Lianhui Wang
Yi Shi
Xiaodi Tan
Zhengyuan Xu
Editors

20–22 October 2020
Nanjing, China

Organized by
Chinese Society for Optical Engineering (CSOE)
Nanjing University of Science and Technology (China)
Nanjing University (China)
Fujian Normal University (China)
Nanjing University of Posts and Telecommunications (China)
Jiangsu Key Laboratory of Spectral Imaging and Intelligent Sense (China)
School of Electronic Information, Hangzhou Dianzi University (China)
Jiangsu Optical Society (China)

Sponsored by
Chinese Society for Optical Engineering (CSOE)

Published by
SPIE

Volume 11617

Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 11617

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

International Conference on Optoelectronic and Microelectronic Technology and Application, edited by
Yi Luo, Lianhui Wang, Yi Shi, Xiaodi Tan, and Zhengyuan Xu, Proc. of SPIE Vol. 11617, 1161701
© 2020 SPIE · CCC code: 0277-786X/20/\$21 · doi: 10.1117/12.2589811

Proc. of SPIE Vol. 11617 1161701-1

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *International Conference on Optoelectronic and Microelectronic Technology and Application*, edited by Yi Luo, Lianhui Wang, Yi Shi, Xiaodi Tan, Zhengyuan Xu, Proceedings of SPIE Vol. 11617 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X
ISSN: 1996-756X (electronic)

ISBN: 9781510640696
ISBN: 9781510640702 (electronic)

Published by
SPIE
P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time)- Fax +1 360 647 1445
SPIE.org
Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY
SPIEDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

Part One

INTERNATIONAL CONFERENCE ON OPTOELECTRONIC AND MICROELECTRONIC TECHNOLOGY AND APPLICATION

11617 02	Germanium/germanium-tin heterojunction phototransistors: towards high-efficient [11617-2]
11617 03	Performance comparison of two OAM shift keying CNN demodulating schemes [11617-3]
11617 04	Photoacoustic detection of glucose for the milk-glucose mixed solution [11617-4]
11617 05	Intelligent reflecting surfaces -assisted petahertz mobile communication system [11617-5]
11617 06	A framing method to enhance the system throughput of LED-camera based OCC system [11617-6]
11617 07	A soft x-ray emission flat-field grating spectrometer for time-resolved spectroscopy [11617-8]
11617 08	Quantum decoding integrated chip for quantum key distribution based on silica planar lightwave circuit technology [11617-9]
11617 09	Graphene-assisted microwave photonics filter with flat passband [11617-10]
11617 0A	Spatial beam modulator based on electrowetting liquid lens/prism array [11617-11]
11617 0B	Research progress of molybdenum disulfide field-effect transistor biosensors [11617-12]
11617 0D	Hundredfold surface plasmon enhancement of fluorescence from up-conversion micro-nano particles emissions [11617-15]
11617 0E	Optical resonant measurement applied in magnetic field sensor [11617-16]
11617 0F	Guest effect of N-butylammonium iodide for stable α -phase formamidinium perovskite via sequential deposition method [11617-17]
11617 0G	Design of circularly polarized folded transmitarray antenna [11617-18]
11617 0H	Fabrication of NiS ₂ nanomaterial for Ca ²⁺ , Mg ²⁺ sensing [11617-21]
11617 0I	Quantum dot luminescence amplifier based on optical metamaterial for visible light [11617-22]

11617 OJ	Study on optimal layout method of LED light source for indoor visible light communication [11617-25]
11617 OK	Monochromatic Kirkpatrick–Baez microscope using two spherically bent crystals [11617-27]
11617 OL	Microstructure evolution during vacuum sintering of Tm,Ho:(Lu_{2/3}Sc_{1/3})₂O₃ transparent ceramics [11617-28]
11617 OM	Study on laser-induced damage characteristics of optical gain material [11617-30]
11617 ON	Propagation of optical pin beams through water turbulence [11617-31]
11617 OO	Characterization method of electric field controlled magnetism with tunneling magnetoresistive sensor [11617-32]
11617 OP	Optical characteristic measurement and analysis of large-field micro-nano optical lenses used in LIDAR [11617-36]
11617 OQ	Silicon-based polarization insensitive grating coupler [11617-37]
11617 OR	Study on β-Ga₂O₃(010) surface characteristics: a first-principle study [11617-39]
11617 OS	Research on a potential electron source for BEPC [11617-40]
11617 OT	Wireless ultra violet light positioning and guidance system during UAV flight [11617-43]
11617 OU	Research on the positioning and assemblage algorithm of wireless ultraviolet light guiding UAVs [11617-45]
11617 OV	Design of a low light level image compression circuit based on improved EZW algorithm [11617-46]
11617 OW	Research progress of chlorine-free synthetic silica glass [11617-47]
11617 OX	High speed data access algorithm for automatic weather station NAND flash extended storage based on STM32 [11617-48]
11617 OY	Ultra-broadband generalized M/I/M absorber for visible-near infrared band [11617-49]
11617 OZ	Tunable electroluminescence in ionic liquid gated atomically thin p-n junction [11617-51]
11617 10	Research on diagnostic system integrated nucleic acid extraction and detection [11617-52]
11617 11	A brightness-enhanced and low color shift optical film with micro-prism for LCD and OLED [11617-53]
11617 12	Capacity of atmosphere link with carrier Bessel-Gaussian localized vortex wave [11617-54]

- 11617 13 **HDecoder: a hardware LDPC decoder using high level synthesis for phase modulated collinear holographic storage** [11617-55]
- 11617 14 **All-normal-dispersion figure-8 and figure-9 femtosecond Yb-doped fiber lasers** [11617-56]
- 11617 15 **Drawn a flexible, low-cost, eco-friendly, and multifunctional humidity sensor on paper using carbon ink** [11617-59]
- 11617 16 **Cognitive cooperation optimization scheme for spectrum sharing between LEO satellite group and GEO satellite** [11617-60]
- 11617 17 **Research on the cutting-edge application of high energy laser C-UAS technology** [11617-61]
- 11617 18 **Detection method and evaluation of zoom CAM curve based on linear displacement** [11617-63]
- 11617 19 **A novel integrated fully passive optical network for free-space optics and visible light communication for last-mile access network based on composite phosphor film** [11617-65]
- 11617 1A **Study on diffraction efficiency of Cr nanograting prepared by laser-focused atomic deposition** [11617-67]
- 11617 1B **Morphology-modeled chitosan nanoparticles/WS₂ nanosheets for advancing the sensing properties of triboelectric acetone sensor** [11617-70]
- 11617 1C **New insights into the controlled growth of hierarchical MoS₂ nanospheres** [11617-72]
- 11617 1D **Error rate performance of MIMO FSO communications for high-speed trains** [11617-73]
- 11617 1E **Preparation technology of ultra thin fused silica glass sheet** [11617-74]
- 11617 1F **Influence of mixed argon on synthesizing type IV silica glass** [11617-76]
- 11617 1G **All-dielectric nanowire waveguide with subwavelength mode confinement** [11617-77]
- 11617 1H **Ultra-long curvature radius control technology of spherical optical element during full aperture polishing** [11617-78]
- 11617 1I **Analytical solution of few-body fermionic model in synthetic gauge field** [11617-79]
- 11617 1J **Ultrathin niobium carbide nanosheets for humidity sensing** [11617-80]
- 11617 1K **A flexible piezoresistive pressure sensor with micro-papillae structure for high sensitivity and wide detection range** [11617-81]
- 11617 1L **High-Q microresonator characterization by optical frequency domain reflectometry** [11617-82]
- 11617 1M **Calculation and verification of linear target deposition distribution** [11617-83]

- 11617 1N **Design of electrically pumped sub-micron lasers on patterned SOI substrates** [11617-84]
- 11617 1O **Active frequency selective surface with tunability** [11617-85]
- 11617 1P **Application of RHEED in low vacuum environment** [11617-87]
- 11617 1Q **Synchronization control based on phase compensation of tracking error of wafer and reticle stage in step and scan lithographic equipment** [11617-88]
- 11617 1R **User pairing and power allocation scheme for NOMA-based indoor VLC systems** [11617-89]
- 11617 1S **Possibility of processing a glass plate by heating the material with an ultraviolet laser** [11617-90]
- 11617 1T **In-line fiber-optic sensor based multi-core fiber for simultaneous transverse pressure and temperature sensing** [11617-92]
- 11617 1U **A comprehensive framework for cross domain mission planning with multiple satellite resources** [11617-93]
- 11617 1V **Photonic time-stretch analog-to-digital conversion based on complementary parallel single-sideband modulation architecture** [11617-94]
- 11617 1W **Intelligent sensor array based on machine learning** [11617-95]
- 11617 1X **Hydrothermal synthesis of flower-shaped NiO nanomaterials and its fault detection in XLPE power cables** [11617-96]
- 11617 1Y **Ultrathin transmission-type bent crystals for XFEL spectral diagnostic** [11617-97]

Part Two

- 11617 20 **Research on microstructure of optical disc and its master disc for long-life holographic storage** [11617-99]
- 11617 21 **Design of feasible Si-Si₃N₄ interlayer polarization beam splitter toward 3D optical interconnect** [11617-101]
- 11617 22 **Detection of CO₂ concentration using a fiber-optic cantilever acoustic sensor in 2.0-μm band** [11617-102]
- 11617 23 **High performance optical 90° hybrid at 2 μm wavelength range based on 2×4 MMI using Si₃N₄ technology** [11617-103]
- 11617 24 **Enhanced reconstruction of NR-LDPC codes for high capacity PHz communication** [11617-104]
- 11617 25 **Research on the perceived brightness for laser projection television based on RGB diode laser** [11617-105]

- 11617 26 **Dither removing of three-dimensional OCT retinal image [11617-106]**
- 11617 27 **An 1.96 kHz linewidth semiconductor laser with external dual-cavity self-injection structure of the adjustable time-delay fiber [11617-107]**
- 11617 28 **Application of diffractive structure in micro-projection light path [11617-108]**
- 11617 29 **A new approach of wavefront sensorless adaptive optics based on moment estimation [11617-109]**
- 11617 2A **Design of diffractive optical element for ultra-thin deep ultraviolet imaging system [11617-110]**
- 11617 2B **Correction of different spatial frequency errors of large and thin optical windows based on ion beam figuring [11617-112]**
- 11617 2C **TiX₂ (X=Cl, Br, I) monolayer and type II heterostructures as promising efficient solar cells [11617-113]**
- 11617 2E **Research on online monitoring system of submarine cable based on bidirectional Mach Zehnder interferometer [11617-115]**
- 11617 2F **Diffraction optical elements with broadband and large incident angles [11617-117]**
- 11617 2G **Multi-field simulation of thin film filter with CW laser oblique incidence [11617-118]**
- 11617 2H **Study of AlGaAs/GaAs low loss semiconductor coatings for precision measurement [11617-119]**
- 11617 2I **Study on the optical loss of thin-film narrowband filter [11617-120]**
- 11617 2J **The convergence of mid-spatial-frequency error of transmitted wavefront of large-aperture spherical lens by numerical control polishing [11617-122]**
- 11617 2K **Enhanced NiO_x hole transport layer via graphene assisted annealing for perovskite solar cell [11617-123]**
- 11617 2L **Frame ratio control algorithm for improving display accuracy of liquid crystal on silicon [11617-124]**
- 11617 2M **Genetic optimization of short block-length PAC codes for high capacity PHz communications [11617-125]**
- 11617 2N **Optimization of line edge roughness before and after etching with photoresist in soft x-ray interference lithography [11617-127]**
- 11617 2O **A 32×32 SPAD array based readout integrated circuit for LiDAR applications [11617-128]**
- 11617 2P **Self-traceable nano-grating frequency doubling based on polarization gradient light field [11617-130]**

- 11617 2Q **The effects of thermocompression bonding on Si/SiO₂ multilayer thin-film based critical dimension structures** [11617-131]
- 11617 2R **Effect of mixed spacer cation on the performance of quasi-2D blue perovskite light-emitting diodes** [11617-132]
- 11617 2S **On-chip high-order mode converter and a 10-channel simultaneous polarization- and mode-division-multiplexer** [11617-133]
- 11617 2T **Demonstration of polarization-independent broadband multilayer gratings** [11617-134]
- 11617 2U **CNN-assisted inverse design of wavelength demultiplexer with digital metamaterials** [11617-137]
- 11617 2V **Design and optimization of a novel resonant gauge pressure sensor** [11617-138]
- 11617 2W **Wavefront measurement of membrane diffractive lens using line structured light deflectometry** [11617-139]
- 11617 2X **Method for fabricating small space period phase elements based on magnetorheological polishing** [11617-140]
- 11617 2Y **Research on intelligent network control mechanism and protocol verification of spatial information network** [11617-142]
- 11617 2Z **Structured illumination microscopy under low modulation-depth based on U-net learning** [11617-143]
- 11617 30 **Self-propagating welding of sapphire and Kovar by NiAl nano multilayers** [11617-144]
- 11617 31 **Back-illuminated modified uni-traveling-carrier photo-diodes (MUTC-PDs) with 3-dB bandwidth over 40 GHz** [11617-145]
- 11617 32 **Optimized fabrication and detection of nanomechanical resonators based on graphene membranes** [11617-146]
- 11617 33 **The characteristics of the channel-cut crystal modulating collimated synchrotron radiation beam** [11617-148]
- 11617 34 **Complementary linearly chirped microwave waveform pair generation based on a Fourier domain mode locking optoelectronic oscillator** [11617-149]
- 11617 35 **The control technical research of the subsecond accuracy parallelism in polishing sapphire window** [11617-150]
- 11617 36 **A new method to calibrate an atomic force microscope with the self-traceable chromium grating fabricated by atomic lithography** [11617-151]
- 11617 37 **Design and fabrication of diamond-based coherent x-ray compound refractive lens** [11617-152]

11617 38	Research on wavefront metrology of continuous phase plate with large gradient based on phase retrieval [11617-154]
11617 39	Error analysis and correction method of axial multi-intensity phase retrieval imaging [11617-155]
11617 3A	Compact portable 795nm DFB diode laser system for atom interferometer [11617-156]
11617 3B	Chromatic dispersion monitoring for coherent optical communications using artificial neural network [11617-157]
11617 3C	Transceiver design for two-user SIMO FSO communication systems over lognormal channels [11617-158]
11617 3D	An optimal piecewise Chebyshev fitting method to calibrate cryogenic temperature sensors [11617-160]
11617 3E	Research on accelerated storage life test for laser detectors [11617-161]
11617 3F	Research on FBG wavelength demodulation system based on tilted fiber grating [11617-163]
11617 3G	A design with high spectral efficiency and high laser induced damage threshold for 1064nm partially reflective coatings [11617-164]
11617 3H	Improved performance of spin-coating processed Cu₂ZnSnS₄ solar cells using a temporary Ge layer [11617-165]
11617 3I	Study on the silica immersed grating for the short-wave infrared [11617-166]
11617 3J	Piezoelectric ceramics control model based on neural network [11617-167]
11617 3K	Optically assisted FM demodulation of a graphene resonator [11617-169]
11617 3L	Optical force induced squeezing effect in a graphene resonator [11617-170]
11617 3M	A compact and robust magneto-optical trap for atom interferometry based on free space optical bench technology [11617-171]
11617 3N	Perfect anomalous reflection with a multi-layer metasurface [11617-172]
11617 3O	Low complexity detection algorithm for multi-LED phase-shifted space-time codes [11617-173]
11617 3P	Hafnia/silica nanolaminate-based design for high performance laser films with low optical loss [11617-174]
11617 3Q	Bended optical fiber salinity sensor with reduced temperature sensitivity [11617-175]
11617 3R	Spectral beam combination of laser diode with fiber coupled output [11617-177]

- 11617 3S **A new method for calculating the precise electrical characteristics of quantum dot micro-LED**
[11617-178]
- 11617 3T **Design of a high-resolution compact optical system applied to micro-nano satellites**
[11617-179]
- 11617 3U **Spatial channel model for underwater wireless optical communication links** [11617-180]
- 11617 3V **Ce doped In_2O_3 sensors for nitrogen dioxide with reduced cross-sensitivity to oxygen at low operation temperatures** [11617-181]
- 11617 3W **Channel estimation for OFDM-based underwater wireless optical communication systems**
[11617-182]
- 11617 3X **500Mb/s CAP256-based visible light transmission with a polynomial activation neural network-based nonlinear equalizer** [11617-183]
- 11617 3Y **Chromaticity-domain index modulation for visible light communication** [11617-185]
- 11617 3Z **Optically tuned SPR sensor** [11617-186]
- 11617 40 **Technical challenge and solution for vehicle-mounted AR-HUD mass commercial application**
[11617-187]
- 11617 41 **Comparative analysis of measurement standards among laboratories for combustible gas detection alarms** [11617-188]
- 11617 42 **A fast super-resolution holographic imaging system based on compressive sensing** [11617-192]