PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 6456

, "Front Matter: Volume 6456," Proc. SPIE 6456, High-Power Diode Laser Technology and Applications V, 645601 (19 February 2007); doi: 10.1117/12.727264

SPIE.

Event: Lasers and Applications in Science and Engineering, 2007, San Jose, California, United States

PROCEEDINGS OF SPIE

High-Power Diode Laser Technology and Applications V

Mark S. Zediker
Chair/Editor

22–24 January 2007
San Jose, California, USA

Sponsored and Published by
SPIE—The International Society for Optical Engineering

Proceedings of SPIE—The International Society for Optical Engineering, 9780819465696, v. 6456

SPIE is an international technical society dedicated to advancing engineering and scientific applications of optical, photonic, imaging, electronic, and optoelectronic technologies.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *High-Power Diode Laser Technology and Applications V*, edited by Mark S. Zediker, Proceedings of SPIE Vol. 6456 (SPIE, Bellingham, WA, 2007) Article CID Number.

ISSN 0277-786X
ISBN 9780819465696

Published by
SPIE—The International Society for Optical Engineering
P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone 1 360/676-3290 (Pacific Time) · Fax 1 360/647-1445
<http://www.spie.org>

Copyright © 2007, The Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at <http://www.copyright.com>. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/07/\$18.00.

Printed in the United States of America.

Contents

ix Conference Committee

SESSION 1 HIGH-POWER LASER DIODE BAR RELIABILITY

- 645602 **Thermal and strain characteristics of high-power 940 nm laser arrays mounted with AuSn and In solders (Invited Paper)** [6456-01]
J. L. Hostetler, C.-L. Jiang, V. Negoita, T. Vethake, R. Roff, TRUMPF Photonics (USA); A. Shroff, Institute of Optics, Univ. of Rochester (USA); T. Li, C. Miester, U. Bonna, G. Charache, H. Schlüter, F. Dorsch, TRUMPF Photonics (USA)
- 645603 **Heat transfer and thermal lensing in large-mode high-power laser diodes** [6456-02]
P. K. L. Chan, K. P. Pipe, Univ. of Michigan (USA); J. J. Plant, R. B. Swint, P. W. Juodawlkis, MIT Lincoln Lab. (USA)
- 645604 **Robust hard-solder packaging of conduction cooled laser diode bars** [6456-03]
D. Schleuning, M. Griffin, P. James, J. McNulty, D. Mendoza, J. Morales, D. Nabors, M. Peters, H. Zhou, M. Reed, Coherent, Inc. (USA)
- 645605 **Reliability and failure mode investigation of high-power multimode InGaAs strained quantum well single emitters** [6456-04]
Y. Sin, B. Foran, N. Presser, M. Mason, S. C. Moss, The Aerospace Corp. (USA)
- 645606 **Degradation behavior and thermal properties of red (650 nm) high-power diode single emitters and laser bars** [6456-05]
J. W. Tomm, T. Q. Tien, M. Ziegler, F. Weik, Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie (Germany); B. Sumpf, M. Zorn, U. Zeimer, G. Erbert, Ferdinand-Braun-Institut für Höchstfrequenztechnik (Germany)
- 645607 **Highly reliable, high-power AlGaAs/GaAs 808 nm diode laser bars** [6456-06]
R. Hülsewede, H. Schulze, J. Sebastian, Jenoptik Diode Lab GmbH (Germany) D. Schröder, J. Meusel, P. Hennig, Jenoptik Laserdiode GmbH (Germany)
-

Pagination: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication.

SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages.

SESSION 2 HIGH-POWER LASER DIODES I

- 645608 **Goals and status of the German national research initiative BRIOLAS (brilliant diode lasers) (Invited Paper)** [6456-07]
F. Bachmann, Rofin-Sinar Laser GmbH (Germany)
- 645609 **Recent advances in actively cooled high-power laser diode bars** [6456-08]
N. P. Ostrom, S. D. Roh, D. M. Grasso, T. J. Kane, Nuvonyx Inc. (USA)
- 64560A **808 nm tapered diode lasers optimized for high output power and nearly diffraction-limited beam quality in pulse mode operation** [6456-44]
O. B. Jensen, Risø National Lab. (Denmark); A. Klehr, F. Dittmar, B. Sumpf, G. Erbert, Ferdinand-Braun-Institut für Höchstfrequenztechnik (Germany); P. E. Andersen, P. M. Petersen, Risø National Lab. (Denmark)
- 64560B **High-power highly reliable single emitter laser diodes at 808 nm** [6456-51]
W. Gao, Z. Xu, L. Cheng, K. Luo, A. Mastrovito, K. Shen, Axcel Photonics, Inc. (USA)

SESSION 3 HIGH-POWER LASER DIODES II

- 64560C **Ongoing development of high-efficiency and high-reliability laser diodes at Spectra-Physics** [6456-09]
H. Li, I. Chyr, D. Brown, X. Jin, F. Reinhardt, T. Towe, T. Nguyen, R. Srinivasan, M. Berube, R. Miller, K. Kuppuswamy, Y. Hu, T. Crum, T. Truchan, J. Harrison, Spectra-Physics Lasers (USA)
- 64560D **High-brightness semiconductor lasers** [6456-10]
M. L. Osowski, W. Hu, R. M. Lammert, T. Liu, Y. Ma, S. W. Oh, C. Panja, P. T. Rudy, T. Stakelon, J. E. Ungar, Quintessence Photonics Corp. (USA)
- 64560E **Extending the wavelength range of single-emitter diode lasers for medical and sensing applications: 12xx-nm quantum dots, 2000-nm wells, > 5000-nm cascade lasers** [6456-11]
P. Crump, S. Patterson, S. Elim, S. Zhang, M. Bougher, J. Patterson, S. Das, W. Dong, M. Grimshaw, J. Wang, D. Wise, M. DeFranza, J. Bell, J. Farmer, M. DeVito, R. Martinsen, nLight Corp. (USA); A. Kovsh, NL Nanosemiconductor GmbH (Germany); F. Toor, C. F. Gmachl, Princeton Univ. (USA)
- 64560F **High-brightness high-power 9xx-nm diode laser bars: developments at Jenoptik Diode Lab** [6456-12]
J. Sebastian, H. Schulze, R. Hülsewede, Jenoptik Diode Lab. (Germany); P. Hennig, J. Meusel, M. Schröder, D. Schröder, D. Lorenzen, Jenoptik Laserdiode GmbH (Germany)
- 64560G **High-power high-efficiency laser diodes at JDSU** [6456-13]
M. Peters, V. Rossin, M. Everett, E. Zucker, JDSU Corp. (USA)
- 64560H **10W reliable operation of 808nm broad-area diode lasers by near-field distribution control in a multistripe contact geometry** [6456-14]
K. Paschke, S. Einfeldt, Chr. Fiebig, A. Ginolas, K. Häusler, P. Ressel, B. Sumpf, G. Erbert, Ferdinand-Braun-Institut (Germany)

SESSION 4 HIGH-POWER LASER DIODES III

- 64560I **Scalable high-power ($>1\text{kW}/\text{cm}^2$) diode laser stacks based on silicon monolithic micro-channel coolers (Invited Paper)** [6456-15]
P. Reichert, M. Fouksman, H. Zhou, D. Nabors, J. Alcala, S. Tolman, Coherent, Inc. (USA);
M. Toivonen, S. Lehtonen, J. Haapamaa, Coherent Finland (Finland)
- 64560J **Novel high peak current pulsed diode laser sources for direct material processing**
[6456-16]
M. Traub, M. Bock, H.-D. Hoffmann, Fraunhofer Institute for Laser Technology (Germany);
M. Bartram, PicoLAS GmbH (Germany)
- 64560K **High-power high-brightness 100W QCW diode laser at 940nm** [6456-17]
C. Fiebig, G. Erbert, W. Pittroff, H. Wenzel, A. Maaßdorf, S. Einfeldt, G. Tränkle, Ferdinand-Braun-Institut (Germany)
- 64560L **High-power high-brightness high-reliability laser diodes emitting at 800-1000 nm** [6456-18]
D. A. Yanson, J. H. Marsh, S. Najda, S. D. McDougall, H. Fadli, G. Masterton, B. Qiu,
O. P. Kowalski, G. Bacchin, G. McKinnon, Intense, Ltd. (United Kingdom)
- 64560M **100-W+ diode laser bars show $> 71\%$ power conversion from 790-nm to 1000-nm and have clear route to $> 85\%$** [6456-19]
P. Crump, W. Dong, M. Grimshaw, J. Wang, S. Patterson, D. Wise, M. DeFranza, S. Elim,
S. Zhang, M. Bougher, J. Patterson, S. Das, J. Bell, J. Farmer, M. DeVito, R. Martinsen, nLight Corp. (USA)
- 64560N **Increased power of broad-area lasers (808nm/980nm) and applicability to 10-mm bars with up to 1000Watt QCW** [6456-20]
D. Schröder, J. Meusel, P. Hennig, D. Lorenzen, M. Schröder, Jenoptik Laserdiode GmbH (Germany); R. Hülsewede, J. Sebastian, Jenoptik Diode Lab. GmbH (Germany)

SESSION 5 HIGH-POWER DIRECT DIODE LASER I

- 64560O **11-kW direct diode laser system with homogenized $55 \times 20 \text{ mm}^2$ Top-Hat intensity distribution (Invited Paper)** [6456-22]
B. Köhler, A. Noeske, T. Kindervater, A. Wessollek, T. Brand, J. Biesenbach, Dilas Diodenlaser GmbH (Germany)
- 64560P **High-brightness fiber coupled diode laser systems** [6456-23]
S. D. Roh, D. M. Grasso, N. P. Ostrom, Nuvonyx, Inc. (USA)
- 64560Q **Efficient high-brightness diode laser modules offer new industrial applications** [6456-24]
M. Revermann, A. Timmermann, J. Meinschien, P. Bruns, LIMO Lissotschenko Mikrooptik GmbH (Germany)
- 64560S **An innovative technique for fiber-coupled laser diode arrays** [6456-27]
A. Rosenberg, A. Bablumyan, K. Babajanyan, Comp Optics, LLC (USA)
- 64560T **Novel high-brightness fiber coupled diode laser device** [6456-28]
M. Haag, B. Köhler, J. Biesenbach, T. Brand, Dilas Diodenlaser GmbH (Germany)

- 64560U **Fiber-coupled diode laser modules with wavelengths around 2 μm** [6456-29]
M. Haverkamp, K. Wieching, M. Traub, K. Boucke, Fraunhofer Institute for Laser Technology (Germany)
- 64560V **Photosynthetically supplemental lighting for vegetable crop production with super-bright laser diode** [6456-47]
Y. Hu, P. Li, J. Shi, Jiangsu Univ. (China)
- 64560W **Reliable operation of 785 nm DFB diode lasers for rapid Raman spectroscopy** [6456-48]
M. Maiwald, G. Erbert, A. Klehr, B. Sumpf, H. Wenzel, Ferdinand-Braun-Institut für Höchstfrequenztechnik (Germany); T. Laurent, J. Wiedmann, eagleyard Photonics GmbH (Germany); H.-D. Kronfeldt, H. Schmidt, Technische Univ. Berlin (Germany)
- 64560Y **Welding laser hosted on a THS** [6456-54]
M. Checchetti, micrOptronics (Italy)

SESSION 6 HIGH-POWER NARROW LINEWIDTH ARRAYS AND BEAM COMBINING

- 645611 **Fiber coupled diode laser of high spectral and spatial beam quality with kW class output power** [6456-32]
C. Wessling, M. Traub, D. Hoffmann, Fraunhofer Institute for Laser Technology (Germany)
- 645612 **Wavelength stabilization of HPDL array: fast-axis collimation optic with integrated VHG** [6456-33]
C. Schnitzler, S. Hambuecker, O. Ruebenach, V. Sinhoff, Ingeneric GmbH (Germany); G. Steckman, L. West, Ondax Inc. (USA); C. Wessling, D. Hoffmann, Fraunhofer ILT (Germany)
- 645613 **Mode selection and phase locking of sidelobe emitting semiconductor laser arrays using an external cavity with a narrow-bandwidth volume grating** [6456-34]
S. Riyopoulos, Science Applications International Corp. (USA); G. Venus, L. Glebov, CREOL, Univ. of Central Florida (USA)
- 645614 **Wavelength-tunable narrowband high-power diode laser stacks based on volume Bragg grating technology** [6456-35]
B. L. Volodin, S. V. Dolgy, E. D. Melnik, PD-LD, Inc. (USA); J. Harrison, T. Crum, Y. Hu, Spectra-Physics, Inc. (USA)

SESSION 7 IMPROVED PACKAGING OF LASER DIODE ARRAYS

- 645617 **Elimination of deionized cooling water requirement for microchannel-cooled laser diode arrays** [6456-37]
R. Feeler, Northrop Grumman Corp./Cutting Edge Optonics (USA); S. Coleman, Kollsman, Inc. (USA); J. Levy, E. Stephens, Northrop Grumman Corp./Cutting Edge Optonics (USA)
- 645618 **Highly reliable hard soldered QCW laser diode stack packaging platform** [6456-38]
P. Rosenberg, P. Reichert, J. Du, M. Fouksman, H. Zhou, J. McNulty, S. Tolman, C. Luong, Coherent, Inc. (USA)
- 645619 **Stackable air-cooled heatsinks for diode laser bars** [6456-39]
T. R. Crum, J. Harrison, R. Srinivasan, R. L. Miller, Spectra Physics Semiconductor Lasers (USA)

- 64561A **Next generation of cooling approaches for diode laser bars** [6456-40]
M. Leers, K. Boucke, C. Scholz, T. Westphalen, Fraunhofer Institute for Laser Technology (Germany)
- 64561B **Monolithically stacked high-power diode laser bars in quasi-continuous-wave operation exceeding 500 W** [6456-41]
M. Müller, M. Philippens, G. Grönniger, H. König, J. Moosburger, G. Herrmann, M. Reufer, J. Luft, Osram Opto Semiconductors GmbH (Germany); M. Stoiber, Dilas Diodenlaser GmbH (Germany); D. Lorenzen, Jenoptik Laserdiode GmbH (Germany)
- 64561C **Highly efficient and reliable 1 kW QCW laser stacks with diffraction limited fast axis beam collimation** [6456-42]
N. Feldman, Y. Karni, Y. Berk, Y. Gridish, G. Klumel, M. Levy, S. Risemberg, Semiconductor Devices (Israel)
- 64561D **Next-generation active and passive heatsink design for diode lasers** [6456-43]
R. Srinivasan, R. Miller, K. Kuppuswamy, T. Nguyen, Y. Hu, H. Li, D. Brown, T. Towe, T. Crum, B. Morris, E. Wolak, J. Harrison, Spectra-Physics Semiconductor Lasers (USA)
- 64561E **Non-corrosive micro coolers with matched CTE** [6456-52]
T. Ebert, IQ Evolution GmbH (Germany); W. Meiners, Fraunhofer Institute of Laser Technology (Germany)
- 64561F **Lifetime testing of laser diode coolers** [6456-46]
T. Löffler, A. Meyer, K. Schmidt, Curamik Electronics GmbH (Germany); M. Götz, Electrovac curamik GmbH (Germany); K. Credle, Curamik Electronics, Inc. (USA)
- 64561G **Dynamics of thermo-optical properties of semiconductor lasers** [6456-50]
E. Kowalczyk, L. Ornoch, Z. Gniazdowski, B. Mroziwicz, Institute of Electron Technology (Poland)

Author Index

Conference Committee

Symposium Chairs

Henry Helvajian, The Aerospace Corporation (USA)
Friedrich G. Bachmann, Rofin-Sinar Laser GmbH (Germany)

Symposium Cochairs

L. N. Durvasula, DARPA (Germany)
Jan J. Dubowski, Université de Sherbrooke (Canada)

Program Track Chair

E. Fred Schubert, Rensselaer Polytechnic Institute (USA)

Conference Chair

Mark S. Zediker, Nuvonyx, Inc. (USA)

Program Committee

Friedrich G. Bachmann, Rofin-Sinar Laser GmbH (Germany)
Jason Farmer, nLight Corporation (USA)
Stefan W. Heinemann, Fraunhofer USA Inc. (USA)
Volker K. Krause, Laserline GmbH (Germany)
Erik P. Zucker, JDS Uniphase Corporation (USA)

Session Chairs

- 1 High-Power Laser Diode Bar Reliability
Jason Farmer, nLight Corporation (USA)
- 2 High-Power Laser Diodes I
Erik P. Zucker, JDS Uniphase Corporation (USA)
- 3 High-Power Laser Diodes II
Erik P. Zucker, JDS Uniphase Corporation (USA)
- 4 High-Power Laser Diodes III
Stefan W. Heinemann, Fraunhofer USA Inc. (USA)
- 5 High-Power Direct Diode Laser I
Friedrich G. Bachmann, Rofin-Sinar Laser GmbH (Germany)

- 6 High-Power Narrow Linewidth Arrays and Beam Combining
Volker K. Krause, Laserline GmbH (Germany)
- 7 Improved Packaging of Laser Diode Arrays
Jason Farmer, nLight Corporation (USA)