PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 6875

, "Front Matter: Volume 6875," Proc. SPIE 6875, Nonlinear Frequency Generation and Conversion: Materials, Devices, and Applications VII, 687501 (12 May 2008); doi: 10.1117/12.796301

SPIE.

Event: Lasers and Applications in Science and Engineering, 2008, San Jose, California, United States

PROCEEDINGS OF SPIE

Nonlinear Frequency Generation and Conversion: Materials, Devices, and Applications VII

Peter E. Powers
Editor

22–24 January 2008
San Jose, California, USA

Sponsored and Published by
SPIE

Volume 6875

Proceedings of SPIE, 0277-786X, v. 6875

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Nonlinear Frequency Generation and Conversion: Materials, Devices, and Applications VII*, edited by Peter E. Powers, Proceedings of SPIE Vol. 6875 (SPIE, Bellingham, WA, 2008) Article CID Number.

ISSN 0277-786X

ISBN 9780819470508

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2008, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/08/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE
Digital Library

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

- ix Conference Committee
- xi *The long journey from idea to industrial science (Plenary Paper)* [6874-26]
H. Schlüter, TRUMPF Inc. (USA)

SESSION 1 NONLINEAR OPTICAL DEVICES I

- 6875 03 **Measuring and predicting the amplitude and phase for three-wave interactions** [6875-02]
A. R. Pandey, J. W. Haus, P. E. Powers, Univ. of Dayton (USA)
- 6875 04 **Room temperature high power frequency conversion in periodically poled quasi-phase-matched crystals (Invited Paper)** [6875-03]
M. Katz, P. Blau, B. Shulga, Soreq NRC (Israel)
- 6875 06 **Tunable second harmonic generation devices with an integrated micro-heater** [6875-05]
Y. Gan, W. Liang, C.-Q. Xu, McMaster Univ. (Canada)
- 6875 07 **High-power, high-energy ZGP OPA pumped by a 2.05- μ m Ho:YLF MOPA system** [6875-06]
A. Dergachev, Q-Peak, Inc. (USA); D. Armstrong, A. Smith, Sandia National Labs. (USA);
T. Drake, M. Dubois, Lockheed Martin Aeronautics Co. (USA)

SESSION 2 NONLINEAR OPTICAL DEVICES II

- 6875 08 **Mirrorless OPO: first steps towards unlocking the potential of counter-propagating three-wave interactions (Invited Paper)** [6875-07]
V. Pasiskevicius, C. Canalias, G. Strömquist, F. Laurell, Royal Institute of Technology, KTH (Sweden)
- 6875 0A **Quaternary nonlinear crystals of $\text{Ag}_x\text{Ga}_x\text{Ge}_{1-x}\text{Se}_2$ with orthorhombic symmetry for the mid-infrared spectral range** [6875-09]
V. Panyutin, V. Badikov, G. Shevyrdyaeva, Kuban State Univ. (Russia); K. Mitin, A. Seryogin, FSUE SPA Astrophysica (Russia); V. Petrov, F. Noack, Max-Born-Institute for Nonlinear Optics and Ultrafast Spectroscopy (Germany)
- 6875 0B **Near-degenerate doubly resonant synchronously pumped OPO for intracavity THz generation** [6875-10]
J. E. Schaar, J. S. Pelc, K. L. Vodopyanov, M. M. Fejer, Stanford Univ. (USA)
- 6875 0C **Coherent tunable monochromatic Terahertz-wave generation using N-Benzyl-2-methyl-4-nitroaniline (BNA) crystal** [6875-11]
K. Miyamoto, H. Minamide, RIKEN (Japan); M. Fujiwara, H. Hashimoto, Osaka City Univ. (Japan); H. Ito, RIKEN (Japan) and Tohoku Univ. (Japan)

SESSION 3 ORIENTATION-PATTERNED NONLINEAR OPTICAL DEVICES

- 6875 OD **Progress in orientation-patterned GaAs for next-generation nonlinear optical devices (Invited Paper)** [6875-12]
R. D. Peterson, D. Bliss, C. Lynch, D. H. Tomich, Air Force Research Lab. (USA)
- 6875 OE **Polarization-insensitive nonlinear-optical devices** [6875-13]
K. L. Vodopyanov, Stanford Univ. (USA)
- 6875 OF **Periodically oriented GaAs templates and waveguide structures for frequency conversion** [6875-14]
M. B. Oron, S. Shusterman, P. Blau, Soreq NRC (Israel)
- 6875 OG **High efficiency mid-infrared OPO based on low-loss orientation-patterned GaAs samples (OP-GaAs) (Invited Paper)** [6875-15]
D. Faye, E. Lallier, A. Grisard, B. Gérard, Thales Research and Technology (France);
C. Kieleck, A. Hirth, Institut Franco-Allemand de Recherches de Saint-Louis (France)
- 6875 OH **Wafer-fused orientation-patterned GaAs** [6875-16]
J. Li, Univ. of Massachusetts at Lowell (USA); D. B. Fenner, Physical Sciences, Inc. (USA);
K. Termkoa, Univ. of Massachusetts at Lowell (USA); M. G. Allen, P. F. Moulton, Physical
Sciences, Inc. (USA); C. Lynch, D. F. Bliss, Air Force Research Lab. (USA); W. D. Goodhue, Univ.
of Massachusetts at Lowell (USA)
- 6875 OI **Optical probes of orientation-patterned ZnSe quasi-phase-matched devices** [6875-17]
G. S. Kanner, M. L. Marable, N. B. Singh, A. Berghmans, D. Kahler, B. Wagner, Northrop
Grumman Electronic Systems (USA); A. Lin, M. M. Fejer, J. S. Harris, Stanford Univ. (USA);
K. L. Schepler, Air Force Research Lab. (USA)

SESSION 4 NONLINEAR OPTICAL APPLICATIONS

- 6875 OJ **Mid-infrared QPM laser sources for high-precision atmospheric trace gas measurements (Invited Paper)** [6875-18]
D. Richter, P. Weibring, A. Fried, J. G. Walega, National Ctr. for Atmospheric Research (USA);
O. Tadanaga, M. Asobe, H. Suzuki, NTT Corp. (Japan)
- 6875 OK **Compact, narrow-linewidth, tunable ultraviolet laser source for detecting Hg emissions** [6875-19]
A. A. Hoops, R. L. Farrow, P. Schulz, T. A. Reichardt, R. P. Bambha, R. L. Schmitt, D. A. V. Kliner,
Sandia National Labs. (USA)
- 6875 OL **A new compact continuous-wave green laser with line beam** [6875-20]
M. Oka, K. Kimura, Y. Maeda, K. Takahashi, N. Iwase, H. Tamada, Sony Corp. (Japan)
- 6875 OM **A red-green-blue coherent laser source based on quasi-phase-matched cascaded wavelength conversion in periodically poled MgSLT** [6875-21]
S.-Y. Tu, Institute of Atomic and Molecular Sciences (Taiwan); A. H. Kung, Institute of Atomic
and Molecular Sciences (Taiwan) and National Chiao Tung Univ. (Taiwan)

- 6875 ON **Cladding mode assisted supercontinuum generation in solid core photonic crystal fiber for biosensor application** [6875-22]
Y. Logvin, A. Khetani, S. El-Mougy, H. Anis, Univ. of Ottawa (Canada)
- 6875 OO **Optical control and switching of excitation transfer in nano-arrays** [6875-23]
D. S. Bradshaw, D. L. Andrews, Univ. of East Anglia (United Kingdom)

SESSION 5 HIGH-ORDER NONLINEAR OPTICS

- 6875 OP **Collinear acousto-optical three-wave solitary states in a two-mode medium with a square-law nonlinearity and losses** [6875-24]
A. S. Shcherbakov, National Institute for Astrophysics, Optics & Electronics (Mexico); J. Maximov, Molecular Technology GmbH (Germany); S. E. Balderas Mata, National Institute for Astrophysics, Optics & Electronics (Mexico)
- 6875 OQ **Infrared-to-visible upconversion fluorescence spectroscopy in trivalent rare-earth-doped lead-magnesium-fluorophosphate glass** [6875-25]
L. A. Bueno, A. da S. Gouveia-Neto, R. Fonseca do Nascimento, E. A. da Silva, V. B. do Nascimento, E. Barbosa da Costa, Univ. Federal Rural de Pernambuco (Brazil)
- 6875 OR **Measurement of the nonlinear optical properties of semiconductors using the irradiance scan technique** [6875-26]
L. P. Gonzalez, J. M. Murray, General Dynamics Information Technology (USA); V. M. Cowan, Univ. of Dayton (USA); S. Guha, Air Force Research Lab. (USA)
- 6875 OS **CW- and pulse-pumped fiber super-continuum generators** [6875-27]
S. Kobtsev, S. Smirnov, Novosibirsk State Univ. (Russia)

SESSION 6 ULTRAFAST NONLINEAR OPTICS

- 6875 OX **The application of the monoclinic BiB₃O₆ nonlinear crystal in ultrafast laser technology (Invited Paper)** [6875-32]
V. Petrov, Max-Born-Institute for Nonlinear Optics and Ultrafast Spectroscopy (Germany); A. Gaydardzhiev, I. Nikolov, I. Buchvarov, Sofia Univ. (Bulgaria); P. Tzankov, F. Noack, Max-Born-Institute for Nonlinear Optics and Ultrafast Spectroscopy (Germany)
- 6875 OZ **Observation of the photoscattering effect from supercontinuum-generating germanosilicate fiber** [6875-34]
H. Tu, D. L. Marks, S. A. Boppart, Univ. of Illinois at Urbana-Champaign (USA)
- 6875 10 **Third harmonic generation by volume Bragg grating in photo-thermo-refractive glass irradiated by IR femtosecond pulses** [6875-35]
L. Siiman, J. Lumeau, College of Optics and Photonics, Univ. of Central Florida (USA); L. Canioni, Univ. of Bordeaux I (France); L. B. Glebov, College of Optics and Photonics, Univ. of Central Florida (USA)

SESSION 7 VISIBLE AND UV GENERATION: JOINT SESSION WITH CONFERENCE 6871

- 6875 11 **Passively Q-switched diode pumped Nd:YAG, Nd:YVO₄ and Nd:GdVO₄ using (Cr⁴⁺,Ca²⁺):YAG and (Cr⁴⁺,Mg²⁺):YAG saturable absorbers (Invited Paper)** [6875-36]
Y. Kalisky, Nuclear Research Ctr.-Negev (Israel); O. Kalisky, Jerusalem College of Technology (Israel); M. R. Kokta, Saint-Gobain Crystals and Detectors (USA)
- 6875 12 **300 mW of coherent light at 488 nm using a generic approach** [6875-38]
E. Karamehmedović, C. Pedersen, Risø National Lab. (Denmark); M. T. Andersen, P. Tidemand-Lichtenberg, Technical Univ. of Denmark (Denmark)
- 6875 13 **Efficient UV-visible upconversion luminescence and thermal effects in terbium-ytterbium codoped fluorogermanate vitroc ceramic** [6875-37]
A. da S. Gouveia-Neto, L. A. Bueno, R. F. do Nascimento, E. A. da Silva, V. B. do Nascimento, E. B. Costa, Univ. Federal Rural de Pernambuco (Brazil); S. J. L. Ribeiro, Y. Messaddeq, Instituto de Química-UNESP (Brazil)

SESSION 8 HARMONIC GENERATION

- 6875 14 **Solid-state 488-nm laser based on external-cavity frequency doubling of a multi-longitudinal mode semiconductor laser** [6875-39]
V. Issier, B. Kharlamov, T. Kraft, A. Miller, D. Simons, J. Wong, S. Wong, A. Wong, K. Tai, N. Guerin, D. Zou, V. Rossin, M. von Gunten, W. Minford, A. Hulse, C. Paillet-Allison, JDSU Corp. (USA); K. Parameswaran, Physical Science Inc. (USA); E. Churin, R. Waarts, Institute of Automation and Electrometry (Russia)
- 6875 16 **Characterization of GRIIRA properties in LiNbO₃ and LiTaO₃ with different compositions and doping** [6875-63]
J. Hirohashi, T. Tago, O. Nakamura, A. Miyamoto, Y. Furukawa, Oxide Corp. (Japan)

POSTER SESSION

- 6875 17 **Temperature tuned 90° phase-matched CO₂ laser doubling in AgGa_{1-x}In_xS₂ crystal** [6875-42]
S. Banerjee, K. Miyata, K. Kato, Chitose Institute of Science and Technology (Japan)
- 6875 18 **Direct third-harmonic generation in BiB₃O₆** [6875-43]
K. Miyata, Chitose Institute of Science and Technology (Japan); T. Mikami, Chitose Institute of Science and Technology (Japan) and Okamoto Optics Work, Inc. (Japan); N. Umemura, K. Kato, Chitose Institute of Science and Technology (Japan)
- 6875 19 **Frequency conversion of near IR lasers in Ag_xGa_xGe_{1-x}S₂ and Ag_xGa_xGe_{1-x}Se₂** [6875-45]
K. Miyata, S. Banerjee, Chitose Institute of Science and Technology (Japan); V. Petrov, Max-Born-Institute for Nonlinear Optics and Ultrafast Spectroscopy (Germany); K. Kato, Chitose Institute of Science and Technology (Japan)
- 6875 1A **Intracavity infrared OPO using periodically poled Mg-doped stoichiometric LiTaO₃ for generating high average power** [6875-46]
K.-H. Cho, B. K. Rhee, Sogang Univ. (South Korea)

- 6875 1B **Single-frequency 389-nm CW coherent light source for optical pumping of metastable ^3He atoms** [6875-47]
S. Maeda, Y. Tabata, H. Kumagai, A. Kobayashi, Osaka City Univ. (Japan)
- 6875 1C **Rayleigh length dependent SHG conversion at 488nm using a monolithic DBR tapered diode laser** [6875-48]
G. Blume, M. Uebernickel, C. Fiebig, K. Paschke, A. Ginolas, B. Eppich, R. Güther, G. Erbert, Ferdinand-Braun-Institut für Höchstfrequenztechnik (Germany)
- 6875 1D **Nonlinear optical properties of alkyl phthalocyanines in the femtosecond, nanosecond, and cw excitation regimes** [6875-50]
R. Sai Santosh Kumar, S. Venugopal Rao, Univ. of Hyderabad (India); L. Giribabu, Indian Institute of Chemical Technology (India); D. Narayana Rao, Univ. of Hyderabad (India)
- 6875 1E **Pulsed self-Raman laser operation in Nd:SrMoO₄ at 1.57 μm** [6875-51]
J. Šulc, H. Jelínková, Czech Technical Univ. (Czech Republic); K. Nejezchleb, V. Škoda, Crytur Ltd. (Czech Republic); T. T. Basiev, M. E. Doroshenko, L. I. Ivleva, V. V. Osiko, P. G. Zverev, General Physics Institute (Russia)
- 6875 1F **All-fibre autocorrelator for optical pulse width measurement** [6875-53]
P. Kumar, A. Prabhakar, IIT Madras (India)
- 6875 1G **A CrTmHo:YAG laser pumped ZnGeP₂ optical parametric oscillator for mid-infrared spectroscopy** [6875-54]
A. F. Nieuwenhuis, C. J. Lee, P. J. M. van der Slot, Univ. of Twente (Netherlands); I. D. Lindsay, Univ. of Bristol (United Kingdom); P. Groß, Westfälische Wilhelms-Univ. of Münster (Germany); K.-J. Boller, Univ. of Twente (Netherlands)
- 6875 1J **Efficient diode-pumped intracavity frequency-doubled CW ND:YLF laser emitting at 656 nm for a silver atom optical clock** [6875-57]
J.-P. Loisel, S. Topcu, L. Chassagne, Y. Alayli, LISV, Univ. of Versailles (France); P. R. Dahoo, SA (France); T. Badr, P. Juncar, LNE-INM/CNAM (France)
- 6875 1L **Type II sum frequency generation in KTP waveguides: a technique for pre and post screening** [6875-59]
C. M. Kaleva, M. Munro, T. D. Roberts, T. Chang, P. Battle, AdvR, Inc. (USA)
- 6875 1M **Femtosecond laser damage threshold and nonlinear characterization in bulk transparent SiC materials** [6875-61]
G. L. DesAutels, AT&T Government Solutions (USA); C. Brewer, Air Force Research Lab. (USA); M. Walker, General Dynamics Information Technology (USA); S. Juhl, Air Force Research Lab. (USA); M. Finet, S. Ristich, M. Whitaker, AT&T Government Solutions (USA); P. Powers, Univ. of Dayton (USA)

Author Index

Conference Committee

Symposium Chairs

Henry Helvajian, The Aerospace Corporation (USA)
Friedrich G. Bachmann, Rofin-Sinar Laser GmbH (Germany)

Symposium Cochairs

Peter R. Herman, University of Toronto (Canada)
Donald J. Harter, IMRA America, Inc. (USA)

Program Track Chair

Peter E. Powers, University of Dayton (USA)

Conference Chair

Peter E. Powers, University of Dayton (USA)

Program Committee

Darrell J. Armstrong, Sandia National Laboratories (USA)
Pinhas Blau, Soreq Nuclear Research Center (Israel)
Majid Ebrahim-Zadeh, Institut de Ciències Fotòniques (Spain)
Robert C. Eckardt, Cleveland Crystals, Inc. (USA)
Peter Günter, ETH Zürich (Switzerland)
Richard Hammond, U.S. Army Research Office (USA)
Angus J. Henderson, Aculight Corporation (USA)
Yehoshua Y. Kalisky, Nuclear Research Center Negev (Israel)
Thomas J. Kulp, Sandia National Laboratories (USA)
Fredrik Laurell, Kungliga Tekniska Högskolan (Sweden)
Yun-Shik Lee, Oregon State University (USA)
Michael Millard, ITT Industries (USA)
Rita D. Peterson, Air Force Research Laboratory (USA)
Kenneth L. Schepler, Air Force Research Laboratory (USA)
Peter G. Schunemann, BAE Systems (USA)
Ramesh K. Shori, Naval Air Warfare Center (USA)
Konstantin L. Vodopyanov, Stanford University (USA)

Session Chairs

- 1 Nonlinear Optical Devices I
Peter E. Powers, University of Dayton (USA)

- 2 Nonlinear Optical Devices II
Rita D. Peterson, Air Force Research Laboratory (USA)
- 3 Orientation-Patterned Nonlinear Optical Devices
Darrell J. Armstrong, Sandia National Laboratories (USA)
- 4 Nonlinear Optical Applications
Rita D. Peterson, Air Force Research Laboratory (USA)
- 5 High-Order Nonlinear Optics
Yehoshua Y. Kalisky, Nuclear Research Center Negev (Israel)
- 6 Ultrafast Nonlinear Optics
Konstantin L. Vodopyanov, Stanford University (USA)
- 7 Visible and UV Generation: Joint Session with Conference 6871
Rita D. Peterson, College of Optics & Photonics, University of Central
Florida (USA)
W. Andrew Clarkson, University of Southampton (United Kingdom)
- 8 Harmonic Generation
Peter E. Powers, University of Dayton (USA)