PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 6925

, "Front Matter: Volume 6925," Proc. SPIE 6925, Design for Manufacturability through Design-Process Integration II, 692501 (17 April 2008); doi: 10.1117/12.797490

Event: SPIE Advanced Lithography, 2008, San Jose, California, United States

PROCEEDINGS OF SPIE

Design for Manufacturability through Design-Process Integration II

Vivek K. Singh
Michael L. Rieger
Editors

28–29 February 2008
San Jose, California, USA

Sponsored by
SPIE

Cooperating Organization
SEMATECH (USA)

Published by
SPIE

Volume 6925

Proceedings of SPIE, 0277-786X, v. 6925

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Design for Manufacturability through Design-Process Integration II*, edited by Vivek K. Singh, Michael L. Rieger, Proceedings of SPIE Vol. 6925 (SPIE, Bellingham, WA, 2008) Article CID Number.

ISSN 0277-786X

ISBN 9780819471109

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2008, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/08/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

ix	<i>Symposium Committees</i>
xi	<i>Conference Committee</i>

SESSION 1 KEYNOTE SESSION

6925 02	DfM, the teenage years (Keynote Paper) [6925-01] L. Liebmann, IBM Microelectronics (USA)
6925 03	Intel design for manufacturing and evolution of design rules (Keynote Paper) [6925-02] C. Webb, Intel (USA)

SESSION 2 LAYOUT VERIFICATION, HOTSPOTS, VARIATIONS

6925 05	Automatic hotspot classification using pattern-based clustering [6925-04] N. Ma, J. Ghan, S. Mishra, C. Spanos, K. Poola, Univ. of California, Berkeley (USA); N. Rodriguez, L. Capodiec, Advanced Micro Devices (USA)
6925 06	Effective learning and feedback to designers through design and wafer inspection integration [6925-05] C. Huang, H. Liu, S. F. Tzou, United Microelectronics Corp. (Taiwan); A. Park, C. Young, E. Chang, KLA-Tencor Corp. (USA)
6925 07	Rigorous CMP and electroplating simulations for DFM applications [6925-06] Y. Granik, N. Strecker, Mentor Graphics Corp. (USA)
6925 08	Global and local factors of on-chip variation of gate length [6925-07] M. Osawa, K. Hosono, S. Asai, Fujitsu, Ltd. (Japan)
6925 09	Layout verification in the era of process uncertainty: target process variability bands vs. actual process variability bands [6925-08] J. A. Torres, Mentor Graphics Corp. (USA)
6925 0A	Context analysis and validation of lithography induced systematic variations in 65nm designs [6925-09] A. Rajagopal, A. Rajaram, R. Damodaran, F. Cano, S. Swaminathan, C. Bittlestone, M. Terry, M. Mason, Texas Instruments, Inc. (USA); Y. Ran, H. Chen, R. Ritchie, B. Kasthuri, J. Condella, P. Hurat, N. Verghese, Cadence Design Systems, Inc. (USA)

SESSION 3 DESIGN RULES FOR MANUFACTURABILITY

6925 0B	Low-k_1 logic design using gridded design rules [6925-68] M. C. Smayling, Tela Innovations, Inc. (USA); H. Liu, L. Cai, Brion Technologies (USA)
---------	---

- 6925 0C **DfM lessons learned from altPSM design** [6925-11]
L. Liebmann, Z. Baum, I. Graur, D. Samuels, IBM Microelectronics (USA)
- 6925 0D **Yield aware design of gate layer for 45 nm CMOS-ASIC using a high-NA dry KrF systems** [6925-12]
E. Vreugdenhil, ASML Netherlands B.V. (Netherlands); H. Benten, NXP-Research (Netherlands); L. Reijnen, G. Dicker, J.-W. Gemmink, F. Bornebroek, ASML Netherlands B.V. (Netherlands)
- 6925 0E **Inverse lithography as a DfM tool: accelerating design rule development with model-based assist feature placement, fast optical proximity correction and lithographic hotspot detection** [6925-13]
S. Prins, J. Blatchford, S. Chang, L. Flanagan, S. Jessen, S. O'Brien, Texas Instruments, Inc. (USA); G. Xiao, T. Lin, T. Dam, B. Gleason, Luminescent Technologies, Inc. (USA)

SESSION 4 LAYOUT OPTIMIZATION

- 6925 0F **Layout optimization based on a generalized process variability model** [6925-14]
Q. Y. Tang, C. J. Spanos, Univ. of California, Berkeley (USA)
- 6925 0G **Manufacturing for design: a novel interconnect optimization method** [6925-15]
H. Zhang, L. Deng, Univ. of Illinois at Urbana-Champaign (USA); K.-Y. Chao, Intel Corp. (USA); M. D. F. Wong, Univ. of Illinois at Urbana-Champaign (USA)
- 6925 0I **Shaping gate channels for improved devices** [6925-17]
P. Gupta, Univ. of California, Los Angeles (USA); A. B. Kahng, Univ. of California, San Diego (USA); Y. Kim, Univ. of Michigan (USA); S. Shah, Blaze DfM, Inc. (USA); D. Sylvester, Univ. of Michigan (USA)
- 6925 0J **A routing clean-up methodology for improvement of defect and lithography related yield** [6925-18]
J. Herry, Infineon Technologies France (France); R. März, H. Melzner, K. Peter, Infineon Technologies (Germany); O. Rizzo, Infineon Technologies France (France)

SESSION 5 DFM STRATEGIES IN DESIGN

- 6925 0K **Analysis of systematic variation and impact on circuit performance** [6925-19]
S. Banerjee, Univ. of Texas at Austin (USA); P. Elakkumanan, D. Chidambarao, J. Culp, IBM Corp. (USA); M. Orshansky, Univ. of Texas at Austin (USA)
- 6925 0L **VARAN: variability analysis for memory cell robustness** [6925-20]
G. Reisfeld, D. Messerman, N. Bone, Intel Israel (Israel); A. Lazar, F28 ENG (Israel)
- 6925 0M **Implementation of silicon-validated variability analysis and optimization for standard cell libraries** [6925-21]
R. Bingert, A. Aurand, J.-C. Marin, E. Balossier, T. Devoivre, Y. Trouiller, F. Vautrin, STMicroelectronics (France); N. Verghese, R. Rouse, M. Cote, P. Hurat, Cadence Design Systems, Inc. (USA)

- 6925 00 **Microprocessor chip timing analysis using extraction of simulated silicon-calibrated contours** [6925-23]
T. Yanagihara, T. Hamamoto, K. Sato, A. Okamura, T. Matsunaga, N. Kobayashi, T. Maekawa, NEC Electronics Corp. (Japan); N. Verghese, J. Condella, P. Hurat, Cadence Design Systems, Inc. (USA)

SESSION 6 DFM AND YIELD

- 6925 0P **Hypersensitive parameter-identifying ring oscillators for lithography process monitoring** [6925-24]
L. T.-N. Wang, W. J. Poppe, L.-T. Pang, A. R. Neureuther, E. Alon, B. Nikolic, Univ. of California, Berkeley (USA)
- 6925 0Q **Systematic yield estimation method applying lithography simulation** [6925-25]
S. Kyoh, S. Inoue, Toshiba Corp. (Japan)
- 6925 0R **Litho variations and their impact on the electrical yield of a 32nm node 6T SRAM cell** [6925-26]
S. Verhaegen, IMEC vzw (Belgium); S. Cosemans, ESAT-MICAS, KULeuven (Belgium); M. Dusa, ASML B.V. (Netherlands); P. Marchal, A. Nackaerts, G. Vandenberghe, IMEC vzw (Belgium); W. Dehaene, ESAT-MICAS, KULeuven (Belgium)
- 6925 0S **Predicting yield using model based OPC verification: calibrated with electrical test data** [6925-27]
J. A. Bruce, (USA); T.-H. Ting, IBM Semiconductor Research and Development Ctr. (USA)

POSTER SESSION

- 6925 0T **Exposure tool specific post-OPC verification** [6925-10]
J. Sturtevant, S. Jayaram, L. Hong, Mentor Graphics Corp. (USA)
- 6925 0V **A procedure to back-annotate process induced layout dimension changes into the post layout simulation netlist** [6925-29]
J. Ho, Y. Wang, X. Wu, J. Soward, Xilinx, Inc. (USA); P. Zhang, J. Wu, Anchor Semiconductor, Inc. (USA)
- 6925 0W **Predicting conversion time of circuit design file by artificial neural networks** [6925-30]
S.-H. Jang, Samsung Electronics Co., Ltd. (South Korea) and Sungkyunkwan Univ. (South Korea); J.-H. Lee, Sungkyunkwan Univ. (South Korea); B.-S. Ahn, W.-T. Ki, J.-H. Choi, S.-G. Woo, H.-K. Cho, Samsung Electronics Co., Ltd. (South Korea)
- 6925 0X **System to improve RET-OPC production by dynamic design coverage using sign-off litho simulator** [6925-31]
M. C. Simmons, J.-M. Brunet, Mentor Graphics Corp. (USA); S.-W. Paek, Samsung Electronics Corp. (South Korea); Y. K. Kim, Mentor Graphics Corp. (South Korea)
- 6925 0Y **An extraction of repeating patterns from OPCed layout data** [6925-32]
Y. Fujimoto, M. Shoji, K. Kato, T. Inoue, M. Yamabe, Association of Super-Advanced Electronics Technologies (Japan)

- 6925 0Z **Accurate model base verification scheme to eliminate hotspots and manage warmspots** [6925-33]
S. Nojima, S. Kyoh, S. Maeda, S. Inoue, Toshiba Corp. Semiconductor Co. (Japan)
- 6925 10 **ACLV- and process-window-aware extraction of transistor parameters using litho-friendly design (LfD) methodologies** [6925-34]
R. März, K. Peter, M. Gschöderer, E. Ratai, A. Nielsen, S. Siegler, R. Deppe, A. Huber, Infineon Technologies (Germany)
- 6925 11 **Device performance-based OPC for optimal circuit performance and mask cost reduction** [6925-35]
S.-H. Teh, C.-H. Heng, A. Tay, National Univ. of Singapore (Singapore)
- 6925 12 **Concurrent development methodology from design rule to OPC in 45-nm node logic device** [6925-36]
K. Konomi, S. Nojima, S. Maeda, T. Fujimaki, H. Igarashi, R. Ogawa, S. Mimotogi, Toshiba Corp. (Japan)
- 6925 13 **Improvement on OPC completeness through pre-OPC hot spot detection and fix** [6925-37]
Y. Shim, J. Choi, J. Kim, DongbuHiTek (South Korea); B. Su, P. Zhang, Anchor Semiconductor, Inc. (USA); K.-Y. Kim, International Technology Alliances, Inc. (USA)
- 6925 14 **DFM application on dual tone sub 50nm device** [6925-38]
B.-S. Nam, J. Moon, J.-H. Jeong, D.-H. Kong, S. Oh, C.-K. Kim, B.-H. Nam, D. G. Yim, Hynix Semiconductor, Inc. (South Korea)
- 6925 16 **SEM contour-based model OPC calibrated with optically sensitive patterns** [6925-40]
J.-E. Jung, M.-K. Lee, Y.-J. Cho, S.-H. Lee, Y.-S. Kang, Y.-K. Park, Samsung Electronics Co., Ltd. (South Korea)
- 6925 17 **Hot spot management with die-to-database wafer inspection system** [6925-41]
K. Hashimoto, S. Usui, K. Yoshida, I. Nagahama, O. Nagano, Y. Matsuoka, Y. Yamazaki, S. Inoue, Toshiba Corp. (Japan)
- 6925 18 **32nm design rule evaluation through virtual patterning** [6925-42]
S. Jessen, J. Blatchford, S. Prins, S. Chang, Y. Gu, Texas Instruments, Inc. (USA); M. Smith, D. Legband, C. Sallee, KLA-Tencor Corp. (USA)
- 6925 19 **A new robust process window qualification (PWQ) technique to perform systematic defect characterization to enlarge the lithographic process window using a die-to-database verification tool (NGR2100)** [6925-43]
T. Kitamura, T. Hasebe, K. Kubota, F. Sakai, S. Nakazawa, M. J. Hoffman, M. Yamamoto, NanoGeometry Research, Inc. (Japan); M. Inoue, Topcon Corp. (Japan)
- 6925 1A **Continuous process window modeling for process variation aware OPC and lithography verification** [6925-44]
Q. Zhang, Q. Yan, Y. Zhang, K. Lucas, Synopsys, Inc. (USA)

- 6925 1B **Using composite gratings for optical system characterization through scatterometry** [6925-45]
Y. Ben, J. Xue, C. J. Spanos, Univ. of California, Berkeley (USA)
- 6925 1C **Rules based process window OPC** [6925-46]
S. O'Brien, R. Soper, S. Best, M. Mason, Texas Instruments (USA)
- 6925 1D **RET selection using rigorous physics-based computational lithography** [6925-47]
S. Kapasi, T. Graves, M. D. Smith, S. Robertson, C. Saltee, KLA-Tencor (USA)
- 6925 1E **APF pitch-halving for 22nm logic cells using gridded design rules** [6925-48]
M. C. Smayling, Tela Innovations, Inc. (USA); C. Bencher, H. D. Chen, H. Dai, M. P. Duane, Applied Materials, Inc. (USA)
- 6925 1F **Site portability and extrapolative accuracy of a predictive resist model** [6925-49]
J. Vasek, Freescale Semiconductor, Inc. (USA); J. J. Biafore, S. A. Robertson, KLA-Tencor Corp. (USA)
- 6925 1G **A comprehensive model of process variability for statistical timing optimization** [6925-50]
K. Qian, C. J. Spanos, Univ. of California, Berkeley (USA)
- 6925 1H **Application of layout DOE in RET flow** [6925-51]
Y. Zhang, P. van Adrichem, Synopsys, Inc. (USA); J. Li, Synopsys, Inc. (China); A. Yang, K. Lucas, Synopsys, Inc. (USA)
- 6925 1I **Impact of gate line edge roughness on double-gate FinFET performance variability** [6925-52]
K. Patel, SanDisk Inc. (USA) and Univ. of California, Berkeley (USA); T.-J. King Liu, C. Spanos, Univ. of California, Berkeley (USA)
- 6925 1J **Validation and application of a mask model for inverse lithography** [6925-53]
T. H. Dam, X. Zhou, D. Chen, A. Adamov, D. Peng, B. Gleason, Luminescent Technologies (USA)
- 6925 1L **Cell-based OPC with standard-cell fill insertion** [6925-56]
L. Deng, Univ. of Illinois at Urbana-Champaign (USA); K.-Y. Chao, Intel Corp. (USA); H. Xiang, IBM Watson Research Ctr. (USA); M. D. F. Wong, Univ. of Illinois at Urbana-Champaign (USA)
- 6925 1M **Process variation in metal-oxide-metal (MOM) capacitors** [6925-57]
L. T.-N. Wang, Univ. of California, Berkeley (USA)
- 6925 1O **Decomposition difficulty analysis for double patterning and the impact on photomask manufacturability** [6925-59]
Y. Inazuki, Dai Nippon Printing Co., Ltd. (Japan); N. Toyama, DNP Corp. USA (USA); T. Nagai, T. Sutou, Y. Morikawa, H. Mohri, N. Hayashi, Dai Nippon Printing Co., Ltd. (Japan); M. Drapeau, Synopsys, Inc. (Canada); K. Lucas, Synopsys, Inc. (USA); C. Cork, Synopsys, Inc. (France)
- 6925 1P **A method of obtaining optical lithography friendly layout using a model for first level defects** [6925-61]
S. Suh, S. Lee, Samsung Electronics Co., Ltd. (South Korea)

- 6925 1Q **Checking design conformance and optimizing manufacturability using automated double patterning decomposition** [6925-62]
C. Cork, Synopsys SARL (France); B. Ward, Synopsys, Inc. (USA); L. Barnes, B. Painter, Synopsys Technology Park (USA); K. Lucas, G. Luk-Pat, Synopsys, Inc. (USA); V. Wiaux, S. Verhaegen, M. Maenhoudt, IMEC (Belgium)
- 6925 1R **Layout patterning check for DFM** [6925-63]
C. C. Chang, I. C. Shih, J. F. Lin, Y. S. Yen, C. M. Lai, W. C. Huang, R. G. Liu, Y. C. Ku, Taiwan Semiconductor Manufacturing Co. Ltd. (Taiwan)
- 6925 1S **Design based binning for litho qualification and process window qualification** [6925-64]
A. Fischer, U. Seifert, A. Wehner, Qimonda Dresden (Germany); L. Karsenti, M. Geshel, A. Conley, D. Gscheidlen, A. Bartov, Applied Materials (Israel)
- 6925 1T **DFM software for photomask production and qualification of its accuracy and functionality** [6925-65]
F. A. J. M. Driessen, J. Westra, K. G. Haens, Takumi Technology B.V. (Netherlands); E. Morita, Takumi Technology Corp. (USA)
- 6925 1W **Electrically driven optical proximity correction** [6925-69]
S. Banerjee, Univ. of Texas at Austin (USA); P. Elakkumanan, L. W. Liebmann, J. A. Culp, IBM Corp. (USA); M. Orshansky, Univ. of Texas at Austin (USA)

Author Index

Symposium Committees

Symposium Chair

Roxann L. Engelstad, University of Wisconsin, Madison (USA)

Symposium Cochair

Christopher J. Progler, Photonics, Inc. (USA)

Technical Organizing Committees

Executive Committee

Robert D. Allen, IBM Almaden Research Center (USA)

John A. Allgair, SEMATECH, Inc. (USA) and Advanced Micro Devices, Inc. (USA)

Mircea Dusa, ASML US, Inc. (USA)

Roxann L. Engelstad, University of Wisconsin, Madison (USA)

Clifford L. Henderson, Georgia Institute of Technology (USA)

Bruno LaFontaine, Advanced Micro Devices, Inc. (USA)

Harry J. Levinson, Advanced Micro Devices, Inc. (USA)

Christopher J. Progler, Photonics, Inc. (USA)

Christopher J. Raymond, Nanometrics, Inc. (USA)

Michael L. Rieger, Synopsys, Inc. (USA)

Franklin M. Schellenberg, Mentor Graphics Corporation (USA)

Vivek K. Singh, Intel Corporation (USA)

Advisory Committee

Robert D. Allen, IBM Almaden Research Center (USA)

William H. Arnold, ASML (USA)

Timothy A. Brunner, IBM Thomas J. Watson Research Center (USA)

Ralph R. Dammel, AZ Electronic Materials USA Corporation (USA)

Roderick R. Kunz, MIT Lincoln Laboratory (USA)

Harry J. Levinson, Advanced Micro Devices, Inc. (USA)

Burn Lin, Taiwan Semiconductor Manufacturing Company, Ltd. (Taiwan)

Chris A. Mack, LithoGuru.com (USA)

Victor Pol, Freescale Semiconductor, Inc. (USA)

Michael T. Postek, National Institute of Standards and Technology (USA)

Luc Van den Hove, IMEC (Belgium)

C. Grant Willson, The University of Texas at Austin (USA)

Anthony Yen, Taiwan Semiconductor Manufacturing Company, Ltd. (Taiwan) and Cymer, Inc. (USA)

Conference Committee

Conference Chair

Vivek K. Singh, Intel Corporation (USA)

Conference Cochair

Michael L. Rieger, Synopsys, Inc. (USA)

Program Committee

Juan Antonio Carballo, Argon Venture Partners (USA)
Hiroichi Kawahira, Sony Corporation (Japan)
Lars W. Liebmann, IBM Microelectronics Division (USA)
Mark E. Mason, Texas Instruments, Inc. (USA)
John L. Sturtevant, Mentor Graphics Corporation (USA)
Dennis M.C. Sylvester, University of Michigan (USA)
Jörg Thiele, Qimonda AG (Germany)
Alfred K. K. Wong, Magma Design Automation (USA)

Session Chairs

- 1 Keynote Session
Vivek Singh, Intel Corporation (USA)
- 2 Layout Verification, Hotspots, Variations
Michael L. Rieger, Synopsys, Inc. (USA)
John L. Sturtevant, Mentor Graphics Corporation (USA)
- 3 Design Rules for Manufacturability
Mark E. Mason, Texas Instruments, Inc. (USA)
Hiroichi Kawahira, Sony Corporation (Japan)
- 4 Layout Optimization
Alfred K. K. Wong, Magma Design Automation (USA)
Jörg Thiele, Qimonda AG (Germany)
- 5 DFM Strategies in Design
Juan Antonio Carballo, Argon Venture Partners (USA)
Lars W. Liebmann, IBM Microelectronics Division (USA)
- 6 DFM and Yield
Michael L. Rieger, Synopsys, Inc. (USA)