PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 7021

, "Front Matter: Volume 7021," Proc. SPIE 7021, High Energy, Optical, and Infrared Detectors for Astronomy III, 702101 (31 July 2008); doi: 10.1117/12.805243

SPIE.

Event: SPIE Astronomical Telescopes + Instrumentation, 2008, Marseille, France

PROCEEDINGS OF SPIE

High Energy, Optical, and Infrared Detectors for Astronomy III

David A. Dorn
Andrew D. Holland
Editors

23–26 June 2008
Marseille, France

Sponsored by
SPIE
SPIE Europe

Cooperating Organizations

AAS—American Astronomical Society (USA) • ASJ—Astronomical Society of Japan (Japan)
AURA—Association of Universities for Research in Astronomy, Inc. (USA) • Ball Aerospace & Technologies Corporation (USA) • CNRS—Centre National de la Recherche Scientifique (France) • EAS—European Astronomical Society (Switzerland) • ESO—European Southern Observatory (Germany) • IAU—International Astronomical Union (France) • INSU—Institut National des Sciences de l'Univers (France) • LAM—Laboratoire d'Astrophysique de Marseille (France) • MPE—Max-Planck-Institut für extraterrestrische Physik (Germany) • NAOJ—National Astronomical Observatory of Japan (Japan) • NASA—NASA Goddard Space Flight Center (USA) • Northrop Grumman Corporation (USA) • OAMP—Observatoire Astronomique de Marseille Provence (France) • OPTICON—Optical Infrared Coordination Network (United Kingdom) • RadioNet—Advanced Radio Astronomy in Europe (United Kingdom) • Royal Astronomical Society (United Kingdom) • Science & Technology Facilities Council (United Kingdom) • SFO—Société Française d'Optique (France) • Competitiveness Cluster: POPsud-Pôle Optique & Photonique (France) • Optitec Sud (France)

Published by
SPIE

Volume 7021

Proceedings of SPIE, 0277-786X, v. 7021

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *High Energy, Optical, and Infrared Detectors for Astronomy III*, edited by David A. Dorn, Andrew D. Holland, Proceedings of SPIE Vol. 7021 (SPIE, Bellingham, WA, 2008) Article CID Number.

ISSN 0277-786X

ISBN 9780819472311

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) • Fax +1 360 647 1445

SPIE.org

Copyright © 2008, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/08/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

xv	Conference Committee
xvii	Introduction
xix	<i>High redshift galaxy surveys (Plenary Paper) [7016-500]</i> M. Iye, National Astronomical Observatory of Japan (Japan)

SESSION 1 VISIBLE DETECTORS I

7021 02	Teledyne Imaging Sensors: silicon CMOS imaging technologies for x-ray, UV, visible, and near infrared [7021-01] Y. Bai, J. Bajaj, J. W. Beletic, M. C. Farris, A. Joshi, S. Lauxtermann, A. Petersen, G. Williams, Teledyne Imaging Sensors (United States)
7021 03	Design of prototype scientific CMOS image sensors [7021-02] P. Vu, B. Fowler, C. Liu, J. Balicki, S. Mims, H. Do, D. Laxson, Fairchild Imaging (United States)
7021 04	Mapping electrical crosstalk in pixelated sensor arrays [7021-03] S. Seshadri, D. M. Cole, B. R. Hancock, Jet Propulsion Lab. (United States); R. M. Smith, California Institute of Technology (United States)
7021 05	Results from the Pan-STARRS Orthogonal Transfer Array (OTA) [7021-04] J. L. Tonry, Univ. of Hawaii (United States); B. E. Burke, Lincoln Lab., Massachusetts Institute of Technology (United States); S. Isani, P. M. Onaka, Univ. of Hawaii (United States); M. J. Cooper, Lincoln Lab., Massachusetts Institute of Technology (United States)
7021 06	Characterization of prototype LSST CCDs [7021-05] P. O'Connor, J. Frank, Brookhaven National Lab. (United States); J. C. Geary, Harvard-Smithsonian Ctr. for Astrophysics (United States); D. K. Gilmore, Stanford Linear Accelerator Ctr. (United States); I. Kotov, V. Radeka, P. Takacs, Brookhaven National Lab. (United States); J. A. Tyson, Univ. of California, Davis (United States)

SESSION 2 VISIBLE DETECTORS II

7021 07	Characterization of DECam focal plane detectors [7021-08] H. T. Diehl, R. Angstadt, Fermi National Accelerator Lab. (United States); J. Campa, Ctr. de Investigaciones Energéticas, Medioambientales y Tecnológicas (Spain); H. Cease, G. Derylo, Fermi National Accelerator Lab. (United States); J. H. Emes, Lawrence Berkeley National Lab. (United States); J. Estrada, D. Kubik, B. L. Flaugher, Fermi National Accelerator Lab. (United States); S. E. Holland, Lawrence Berkeley National Lab. (United States); M. Jonas, Fermi National Accelerator Lab. (United States); W. F. Kolbe, Lawrence Berkeley National Lab. (United States); J. Krider, Fermi National Accelerator Lab. (United States); S. Kuhlmann, Argonne National Lab. (United States); K. Kuk, Fermi National Accelerator Lab. (United States); M. Maiorino, Ctr. de Investigaciones Energéticas, Medioambientales y Tecnológicas (Spain); N. Palaio, Lawrence Berkeley National Lab. (United States); A. Plazas,
---------	--

Univ. of Pennsylvania (United States); N. A. Roe, Lawrence Berkeley National Lab. (United States); V. Scarpine, K. Schultz, T. Shaw, Fermi National Accelerator Lab. (United States); H. Spinka, Argonne National Lab. (United States); W. Stuermer, Fermi National Accelerator Lab. (United States)

- 7021 08 **The 123 mm 8kX3k e2v/Ohio State CCD231-68 for MODS** [7021-09]
B. Atwood, The Ohio State Univ. (United States); P. Jorden, P. Pool, e2v technologies PLC (United Kingdom)
- 7021 09 **VIRUS-P: camera design and performance** [7021-10]
J. R. Tufts, LCOGT (United States) and McDonald Observatory, The Univ. of Texas at Austin (United States); P. J. MacQueen, M. P. Smith, P. R. Segura, G. J. Hill, R. D. Edmonston, McDonald Observatory, The Univ. of Texas at Austin (United States)
- 7021 0A **LCOGT Imaging Lab** [7021-11]
J. R. Tufts, R. Lobdill, B. J. Haldeman, R. Haynes, E. Hawkins, B. Burleson, D. Jahng, LCOGT (United States)
- 7021 0B **ULTRASPEC: an electron multiplication CCD camera for very low light level high speed astronomical spectrometry** [7021-13]
D. Ives, N. Bezawada, UK Astronomy Technology Ctr. (United Kingdom); V. Dhillon, Univ. of Sheffield (United Kingdom); T. Marsh, Univ. of Warwick (United Kingdom)
- 7021 0C **The L3Vision CCD220 with its OCam test camera for AO applications in Europe** [7021-14]
P. Feautrier, LAOG, Domaine Universitaire (France); J.-L. Gach, P. Balard, Lab. d'Astrophysique de Marseille (France); C. Guillaume, Observatoire de Haute Provence (France); M. Downing, ESO (Germany); E. Stadler, Y. Magnard, LAOG, Domaine Universitaire (France); S. Denney, W. Suske, P. Jorden, P. Wheeler, M. Skegg, P. Pool, R. Bell, D. Burt, e2v technologies (United Kingdom); J. Reyes, M. Meyer, N. Hubin, D. Baade, M. Kasper, R. Arsenault, ESO (Germany); T. Fusco, ONERA (France); J. J. Diaz Garcia, Instituto de Astrofísica de Canarias (Spain)
- 7021 0F **A DSP-based infrared and optical bidimensional detectors controller** [7021-18]
A. Iriarte, L. A. Martínez, F. Ángeles, A. Bernal, G. Lara, Instituto de Astronomía, Univ. Nacional Autónoma de México (Mexico)

SESSION 3 INFRARED DETECTORS I

- 7021 0H **Teledyne Imaging Sensors: infrared imaging technologies for astronomy and civil space** [7021-20]
J. W. Beletic, R. Blank, D. Gulbransen, D. Lee, M. Loose, E. C. Piquette, T. Sprafke, W. E. Tennant, M. Zandian, J. Zino, Teledyne Imaging Sensors (United States)
- 7021 0I **Development of non-hybridised HgCdTe detectors for the next generation of astronomical instrumentation** [7021-21]
G. B. Dalton, Rutherford Appleton Lab. (United Kingdom) and Univ. of Oxford (United Kingdom); P. N. Dennis, D. J. Lees, D. J. Hall, J. W. Cairns, N. T. Gordon, J. E. Hails, J. Giess, QinetiQ Ltd. (United Kingdom)

- 7021 OJ **A theory for image persistence in HgCdTe photodiodes** [7021-22]
R. M. Smith, M. Zavodny, G. Rahmer, Caltech Optical Observatories, California Institute of Technology (United States); M. Bonati, Cerro Tololo Inter-American Observatory (Chile)
- 7021 OK **Calibration of image persistence in HgCdTe photodiodes** [7021-23]
R. M. Smith, M. Zavodny, G. Rahmer, California Institute of Technology (United States); M. Bonati, Cerro Tololo Inter-American Observatory (Chile)
- 7021 OL **Precision quantum efficiency measurements on 1.7 micron near infrared devices** [7021-24]
M. Schubnell, M. G. Brown, A. Karabina, W. Lorenzon, Univ. of Michigan, Ann Arbor (United States); N. Mostek, S. Mufson, Indiana Univ. (United States); G. Tarlé, C. Weaverdyck, Univ. of Michigan, Ann Arbor (United States)
- 7021 ON **Development of a focal plane module for JWST/MIRI** [7021-26]
K. G. Sukhatme, M. P. Thelen, H. Cho, M. E. Ressler, Jet Propulsion Lab. (United States)

SESSION 4 INFRARED DETECTORS II

- 7021 OO **Performance of the JWST/MIRI Si:As detectors** [7021-27]
M. E. Ressler, H. Cho, R. A. M. Lee, K. G. Sukhatme, Jet Propulsion Lab. (United States); J. J. Drab, Raytheon Vision Systems (United States); G. Domingo, Domingo Engineering (United States); M. E. McKelvey, R. E. McMurray, Jr., J. L. Dotson, NASA Ames Research Ctr. (United States)
- 7021 OP **Performance evaluation, readout modes, and calibration techniques of HgCdTe Hawaii-2RG mosaic arrays** [7021-28]
G. Finger, R. J. Dorn, S. Eschbaumer, European Southern Observatory (Germany); D. N. B. Hall, Institute for Astronomy, Univ. of Hawaii (United States); L. Mehrgan, M. Meyer, J. Stegmeier, European Southern Observatory (Germany)
- 7021 OQ **Evaluation of the Teledyne SIDECAR ASIC at cryogenic temperature using a visible hybrid H2RG focal plane array in 32 channel readout mode** [7021-29]
R. J. Dorn, S. Eschbaumer, European Southern Observatory (Germany); D. N. B. Hall, Institute for Astronomy (United States); G. Finger, L. Mehrgan, M. Meyer, J. Stegmeier, European Southern Observatory (Germany)
- 7021 OR **Cold performance tests of blocked-impurity-band Si:As detectors developed for DARWIN** [7021-30]
S. M. Birkmann, J. Stegmaier, U. Grözinger, O. Krause, Max-Planck-Institut für Astronomie (Germany); T. Souverijns, J. Putzeys, D. Sabuncuoglu Tezcan, K. De Munck, P. Fiorini, K. Minoglou, P. Merken, C. Van Hoof, P. De Moor, IMEC (Belgium)
- 7021 OS **Infrared absolute calibrations down to 10 fW in low-temperature environments at NIST** [7021-31]
A. C. Carter, R. U. Datla, National Institute of Standards and Technology (United States); S. I. Woods, T. M. Jung, Jung Research and Development Corp. (United States)
- 7021 OT **Characterization of a megapixel mid-infrared array for high background applications** [7021-32]
A. K. Mainzer, Jet Propulsion Lab. (United States); H. Hogue, M. Stapelbroek, D. Molyneux, DRS Sensors & Targeting Systems (United States); J. Hong, M. Werner, M. Ressler, Jet

Propulsion Lab. (United States); E. Young, Steward Observatory, Univ. of Arizona (United States)

7021 OV **Count rate dependent non-linearity and pixel size variations in 1.7 micron cut-off detectors** [7021-34]

W. Lorenzon, R. Newman, M. Schubnell, G. Tarlé, C. Weaverdyck, Univ. of Michigan, Ann Arbor (United States)

7021 OW **Performance and evaluation of the infrared AO sensor CALICO** [7021-35]

L. H. Mehrgan, S. Eschbaumer, G. Finger, M. Meyer, J. Stegmeier, European Southern Observatory (Germany)

7021 OX **Characterization of flight detector arrays for the wide-field infrared survey explorer** [7021-36]

A. Mainzer, Jet Propulsion Lab. (United States); M. Larsen, Space Dynamics Lab., Utah State Univ. (United States); M. G. Stapelbroek, H. Hogue, DRS Sensors & Targeting Systems (United States); J. Garnett, M. Zandian, Teledyne Imaging Sensors (United States); R. Mattson, MOSET Corp. (United States); S. Masterjohn, DRS Sensors & Targeting Systems (United States); J. Livingston, N. Lingner, Jet Propulsion Lab. (United States); N. Alster, Univ. of California, Berkeley (United States); M. Ressler, Jet Propulsion Lab. (United States); F. Masci, California Institute of Technology (United States)

SESSION 5 HIGH ENERGY DETECTORS I

7021 OY **New DEPFET structures: concepts, simulations, and experimental results** [7021-37]

G. Lutz, PNSensor GmbH (Germany); S. Herrmann, Max-Planck-Institut für extraterrestrische Physik (Germany); P. Lechner, PNSensor GmbH (Germany); M. Porro, Max-Planck-Institut für extraterrestrische Physik (Germany); R. H. Richter, Max-Planck-Institut für Physik (Germany); L. Strüder, J. Treis, Max-Planck-Institut für extraterrestrische Physik (Germany)

7021 OZ **DEPFET based x-ray detectors for the MIXS focal plane on BepiColombo** [7021-38]

J. Treis, Max-Planck-Institut für Sonnensystemforschung (Germany) and MPI Halbleiterlabor (Germany); O. Hölker, Max-Planck-Institut für extraterrestrische Physik (Germany) and MPI Halbleiterlabor (Germany); L. Andricek, Max-Planck-Institut für Physik (Germany) and MPI Halbleiterlabor (Germany); S. Herrmann, Max-Planck-Institut für extraterrestrische Physik (Germany) and MPI Halbleiterlabor (Germany); K. Heinzinger, PNSensor GmbH (Germany) and MPI Halbleiterlabor (Germany); T. Lauf, Max-Planck-Institut für extraterrestrische Physik (Germany) and MPI Halbleiterlabor (Germany); P. Lechner, G. Lutz, PNSensor GmbH (Germany) and MPI Halbleiterlabor (Germany); J. M. Mas-Hesse, Ctr. de Torrejón a Ajalvir (Spain); M. Porro, Max-Planck-Institut für extraterrestrische Physik (Germany) and MPI Halbleiterlabor (Germany); R. H. Richter, Max-Planck-Institut für Physik (Germany) and MPI Halbleiterlabor (Germany); J. L. San Juan, LIDAX (Spain); G. Schaller, Max-Planck-Institut für extraterrestrische Physik (Germany) and MPI Halbleiterlabor (Germany); M. Schnecke, Max-Planck-Institut für Physik (Germany) and MPI Halbleiterlabor (Germany); F. Schopper, Max-Planck-Institut für extraterrestrische Physik (Germany) and MPI Halbleiterlabor (Germany); G. Segneri, H. Soltan, PNSensor GmbH (Germany) and MPI Halbleiterlabor (Germany); T. Stevenson, Univ. of Leicester (United Kingdom); L. Strüder, Max-Planck-Institut für extraterrestrische Physik (Germany) and MPI Halbleiterlabor (Germany); C. Whitford, Univ. of Leicester (United Kingdom)

- 7021 10 **The low energy detector of Simbol-X** [7021-39]
P. Lechner, MPI Halbleiterlabor (Germany) and PNSensor GmbH (Germany); L. Andricek, MPI Halbleiterlabor (Germany) and MPI für Physik (Germany); U. Briel, G. Hasinger, MPI für extraterrestrische Physik (Germany); K. Heinzinger, MPI Halbleiterlabor (Germany) and PNSensor GmbH (Germany); S. Herrmann, MPI Halbleiterlabor (Germany) and MPI für extraterrestrische Physik (Germany); H. Huber, MPI für extraterrestrische Physik (Germany); E. Kendziorra, Institut für Astronomie und Astrophysik Tübingen (Germany); T. Lauf, MPI Halbleiterlabor (Germany) and MPI für extraterrestrische Physik (Germany); G. Lutz, MPI Halbleiterlabor (Germany) and PNSensor GmbH (Germany); R. Richter, MPI Halbleiterlabor (Germany) and MPI für Physik (Germany); A. Santangelo, Institut für Astronomie und Astrophysik Tübingen (Germany); G. Schaller, MPI Halbleiterlabor (Germany) and MPI für extraterrestrische Physik (Germany); M. Schnecke, MPI Halbleiterlabor (Germany) and MPI für Physik (Germany); F. Schopper, MPI Halbleiterlabor (Germany) and MPI für extraterrestrische Physik (Germany); G. Segneri, MPI Halbleiterlabor (Germany) and PNSensor GmbH (Germany); L. Strüder, MPI Halbleiterlabor (Germany) and MPI für extraterrestrische Physik (Germany); J. Treis, MPI Halbleiterlabor (Germany), MPI für extraterrestrische Physik (Germany), and MPI für Sonnensystemforschung (Germany)
- 7021 11 **Hard x-ray and gamma-ray imaging and spectroscopy using scintillators coupled to silicon drift detectors** [7021-40]
P. Lechner, R. Eckhard, MPI Halbleiterlabor (Germany) and PNSensor GmbH (Germany); C. Fiorini, A. Gola, A. Longoni, Politecnico di Milano (Italy) and INFN, Sezione di Milano (Italy); A. Niculae, MPI Halbleiterlabor (Germany) and PNSensor GmbH (Germany); R. Peloso, Politecnico di Milano (Italy) and INFN, Sezione di Milano (Italy); H. Soltau, MPI Halbleiterlabor (Germany) and PNSensor GmbH (Germany); L. Strüder, MPI Halbleiterlabor (Germany) and MPI für extraterrestrische Physik (Germany)
- 7021 12 **Development of an ASIC for multi-readout x-ray CCDs** [7021-41]
D. Matsuura, H. Nakajima, N. Anabuki, H. Tsunemi, Osaka Univ. (Japan); J. P. Doty, Noqsi Aerospace Ltd. (United States); H. Ikeda, Institute of Space and Astronautical Science/JAXA (Japan); H. Katayama, Earth Observation Research Ctr./JAXA (Japan)
- 7021 13 **Caliste 64: detection unit of a spectro imager array for a hard x-ray space telescope** [7021-42]
A. Meuris, O. Limousin, F. Lugiez, O. Gevin, F. Pinsard, C. Blondel, I. Le Mer, E. Delagnes, CEA, IRFU (France); M. C. Vassal, F. Soufflet, R. Bocage, 3D Plus (France)
- 7021 14 **The CALET mission on the ISS** [7021-43]
S. Torii, M. Hareyama, N. Hasebe, K. Kasahara, S. Kobayashi, S. Kodaira, H. Murakami, S. Ozawa, S. Udo, N. Yamashita, Waseda Univ. (Japan); K. Ebisawa, H. Fuke, J. Nishimura, Y. Saito, M. Takayanagi, H. Tomida, S. Ueno, T. Yamagami, Japan Aerospace Exploration Agency (Japan); K. Hibino, S. Okuno, T. Tamura, N. Tateyama, Kanagawa Univ. (Japan); T. Kobayashi, T. Kotani, K. Yamaoka, A. Yoshida, Aoyama Gakuin Univ. (Japan); Y. Shimizu, M. Takita, T. Yuda, Univ. of Tokyo (Japan); Y. Katayose, M. Shibata, Yokohama National Univ. (Japan); E. Kamioka, A. Kubota, K. Yoshida, Shibaura Institute of Technology (Japan); M. Ichimura, S. Kuramata, Hirotsaki Univ. (Japan); Y. Tunesada, T. Terasawa, Tokyo Institute of Technology (Japan); H. Kitamura, Y. Uchihori, National Institute of Radiological Sciences (Japan); Y. Komori, Kanagawa Univ. of Human Services (Japan); K. Mizutani, Saitama Univ. (Japan); K. Munakata, Shinshu Univ. (Japan); A. Shiomi, Nihon Univ. (Japan); J. W. Mitchell, A. J. Ericsson, T. Hams, J. F. Krizmanic, A. A. Moiseev, M. Sasaki, NASA Goddard Space Flight Ctr. (United States); J. F. Ormes, Univ. of Denver (United States); M. L. Cherry, T. G. Guzik,

J. P. Wefel, Louisiana State Univ. (United States); W. R. Binns, M. H. Israel, H. Krawczynski, Washington Univ. in St. Louis (United States); P. S. Marrocchesi, M. G. Gagliesi, G. Bigongiari, A. Caldarone, M. Y. Kim, R. Cecchi, P. Maestro, V. Millucci, R. Zei, Siena Univ. and INFN (Italy); C. Avanzini, T. Lotadze, A. Messineo, F. Morsani, Pisa Univ. and INFN (Italy); O. Adirani, L. Bonechi, P. Papini, E. Vannuccini, Florence Univ. and INFN (Italy); J. Chan, W. Gan, T. Lu, Purple Mountain Observatory (China); Y. Ma, H. Wang, G. Chen, Institute of High Energy Physics (China)

- 7021 15 **Optically sensitive MCP image tube with a Medipix2 ASIC readout** [7021-44]
J. Vallergera, J. McPhate, A. Tremsin, O. Siegmund, Univ. of California, Berkeley (United States)
- 7021 16 **Position sensitive x- and gamma-ray scintillator detector for new space telescopes** [7021-45]
C. Labanti, M. Marisaldi, F. Fuschino, IASF Bo-INAF (Italy); P. Bastia, Thales-Alenia Space Italia (Italy); B. Negri, Agenzia Spaziale Italiana (Italy); F. Perotti, IASF Mi-INAF (Italy); H. Soltau, PN-Sensor GmbH (Germany)
- 7021 17 **A new family of swept charge devices (SCDs) for x-ray spectroscopy** [7021-46]
A. Holland, Planetary and Space Science Research Institute, Open Univ. (United Kingdom); P. Pool, e2v technologies (United Kingdom)

SESSION 6 HIGH ENERGY DETECTORS II

- 7021 19 **Physics of reverse annealing in high-resistivity Chandra ACIS CCDs** [7021-48]
C. E. Grant, B. LaMarr, G. Y. Prigozhin, S. E. Kissel, Massachusetts Institute of Technology (United States); S. K. Brown, NASA Goddard Space Flight Ctr. (United States); M. W. Bautz, Massachusetts Institute of Technology (United States)
- 7021 1A **Radiation study of swept-charge devices for the Chandrayaan-1 X-ray Spectrometer (C1XS) instrument** [7021-49]
J. Gow, D. R. Smith, Brunel Univ. (United Kingdom); A. D. Holland, Planetary and Space Science Research Institute, The Open Univ. (United Kingdom); B. Maddison, C. Howe, STFC Rutherford Appleton Lab. (United Kingdom); M. Grande, Univ. of Wales, Aberystwyth (United Kingdom); P. Sreekumar, Indian Space Research Organisation (India); J. Huovelin, Univ. of Helsinki (Finland)
- 7021 1B **Gallium nitride photocathode development for imaging detectors** [7021-50]
O. H. W. Siegmund, A. S. Tremsin, J. V. Vallergera, J. B. McPhate, J. S. Hull, J. Malloy, Univ. of California, Berkeley (United States); A. M. Dabiran, SVT Associates Inc. (United States)
- 7021 1C **Silicon drift detectors array coupled to scintillators operated with pulse shape discrimination technique: a 1 keV - 1 MeV position sensitive gamma-ray detector** [7021-51]
F. Perotti, C. Labanti, M. Marisaldi, F. Fuschino, L. Amati, Istituto Nazionale di Astrofisica (Italy); B. Negri, Agenzia Spaziale Italiana (Italy); H. Soltau, PNSensor GmbH (Germany)
- 7021 1E **Improved energy resolution of a superconducting single-photon detector** [7021-53]
A. D. Semenov, P. Haas, H.-W. Hübers, Institute of Planetary Research, German Aerospace Ctr. (DLR) (Germany); K. S. Ilin, M. Siegel, Univ. of Karlsruhe (Germany); A. Kiste, T. Schurig, Physikalisch-Technische Bundesanstalt (Germany); R. Herrmann, Institute of Applied Photonics (IAP e. V.) (Germany)

SESSION 7 HIGH ENERGY DETECTORS III

- 7021 1G **Application of double-sided silicon strip detectors to Compton cameras** [7021-57]
H. Aono, S. Takeda, S. Ishikawa, H. Odaka, Institute of Space and Astronautical Science (Japan) and Univ. of Tokyo (Japan); M. Kokubun, Institute of Space and Astronautical Science (Japan); S. Watanabe, T. Takahashi, Institute of Space and Astronautical Science (Japan) and Univ. of Tokyo (Japan); K. Nakazawa, S. Okuyama, Univ. of Tokyo (Japan); H. Tajima, Stanford Linear Accelerator Ctr. (United States); Y. Fukazawa, Hiroshima Univ. (Japan); N. Kawachi, Japan Atomic Energy Agency (Japan)
- 7021 1I **A phenomenological explanation of TES excess noise** [7021-59]
L. Ferrari, D. Bagliani, Univ. degli Studi di Genova (Italy) and Istituto Nazionale di Fisica Nucleare (Italy); E. Celasco, Politecnico di Torino (Italy); M. Celasco, R. Eggenhoffner, Univ. degli Studi di Genova (Italy); F. Gatti, R. Valle, Univ. degli Studi di Genova (Italy) and Istituto Nazionale di Fisica Nucleare (Italy)
- 7021 1K **Micro-fabricated magnetic microcalorimeter development for x-ray astronomy** [7021-61]
S. R. Bandler, NASA Goddard Space Flight Ctr. (United States) and CRESST and Univ. of Maryland, College Park (United States); J. S. Adams, NASA Goddard Space Flight Ctr. (United States) and CRESST and Univ. of Maryland, Baltimore County (United States); J. Beyer, Physikalisch-Technische Bundesanstalt (Germany); W.-T. Hsieh, NASA Goddard Space Flight Ctr. (United States); H. Rotzinger, NASA Goddard Space Flight Ctr. (United States) and Brown Univ. (United States); G. M. Seidel, Brown Univ. (United States); T. Stevenson, NASA Goddard Space Flight Ctr. (United States)

POSTER SESSION

- 7021 1M **Test of x-ray microcalorimeters with bilayer absorbers** [7021-54]
E. Perinati, Istituto Nazionale di Astrofisica e Fisica Cosmica di Palermo (Italy); M. Barbera, Univ. di Palermo (Italy); J. Beeman, Lawrence Berkeley National Lab. (United States); A. Collura, Osservatorio Astronomico G.S. Vaiana di Palermo, INAF (Italy); L. Dumoulin, CSNSM, Univ. Paris XI (France); C. Pigot, CEA-Saclay (France); L. Piro, Istituto Nazionale di Astrofisica e Fisica Cosmica di Roma (Italy); E. Silver, Harvard-Smithsonian Ctr. for Astrophysics (United States); S. Varisco, Osservatorio Astronomico G.S. Vaiana di Palermo, INAF (Italy)
- 7021 1N **The x-ray performance of high resistivity (high- ρ) scientific CCDs** [7021-56]
N. Murray, Brunel Univ. (United Kingdom); A. D. Holland, Planetary and Space Sciences Research Institute, Open Univ. (United Kingdom); D. Burt, P. Pool, P. Jorden, P. Mistry, e2v technologies (United Kingdom)
- 7021 1O **The design of EUV CCD camera** [7021-63]
Y. Shang, Capital Normal Univ. (China) and National Astronomical Observatories (China); Y. Guan, Capital Normal Univ. (China); Y. Liu, Nokia Research Ctr. (China); X. Zhao, Capital Normal Univ. (China)
- 7021 1P **Modelling radiation damage to ESA's Gaia satellite CCDs** [7021-65]
G. Seabroke, A. Holland, Planetary and Space Sciences Research Institute, The Open Univ. (United Kingdom); M. Cropper, Mullard Space Science Lab., Univ. College London (United Kingdom)

- 7021 1Q **The Wide-Field Camera 3 detectors** [7021-67]
 S. M. Baggett, Space Telescope Science Institute (United States); R. J. Hill, R. A. Kimble, NASA Goddard Space Flight Ctr. (United States); J. W. MacKenty, Space Telescope Science Institute (United States); A. Waczynski, Global Science and Technology, Inc. (United States); H. A. Bushouse, Space Telescope Science Institute (United States); N. Boehm, Global Science and Technology, Inc. (United States); H. E. Bond, T. M. Brown, Space Telescope Science Institute (United States); N. R. Collins, Wyle Information Systems (United States); G. Delo, Global Science and Technology, Inc. (United States); L. Dressel, Space Telescope Science Institute (United States); R. Foltz, NASA Goddard Space Flight Ctr. (United States); G. Hartig, B. Hilbert, Space Telescope Science Institute (United States); E. Kan, Global Science and Technology, Inc. (United States); J. Kim-Quijano, Space Telescope Science Institute (United States); E. Malumuth, Wyle Information Systems (United States); A. Martel, P. McCullough, L. Petro, M. Robberto, Space Telescope Science Institute (United States); Y. Wen, Muniz Engineering, Inc. (United States)
- 7021 1R **Characterization of E2V CCD 203_82 with low noise AACAS controller** [7021-68]
 Y. Shang, Capital Normal Univ. (China) and National Astronomical Observatories (China); Q. Song, National Astronomical Observatories (China); Y. Guan, Y. Song, Capital Normal Univ. (China); Z. Zhao, National Astronomical Observatories (China)
- 7021 1S **Evaluation of the fully-depleted back-illuminated CCD for Subaru Suprime-Cam** [7021-69]
 Y. Kamata, S. Miyazaki, National Astronomical Observatory (Japan); H. Nakaya, Subaru Telescope, National Astronomical Observatory of Japan (United States); T. G. Tsuru, Kyoto Univ. (Japan); H. Tsunemi, E. Miyata, Osaka Univ. (Japan); M. Muramatsu, H. Suzuki, K. Miyaguchi, Hamamatsu Photonics K.K. (Japan)
- 7021 1T **Image mosaics technology of the 2D coordinates measurement** [7021-70]
 X. Zhang, W. Li, X. Li, B. Li, Univ. of Science & Technology of China (China)
- 7021 1U **Characterization of wafer-scale and many-output CCD detectors** [7021-71]
 M. Lesser, R. Tucker, Steward Observatory, Univ. of Arizona (United States)
- 7021 1V **Simulations of sample-up-the-ramp for space-based observations of faint sources** [7021-72]
 D. J. Benford, NASA Goddard Space Flight Ctr. (United States); T. R. Lauer, NOAO (United States); D. B. Mott, NASA Goddard Space Flight Ctr. (United States)
- 7021 1W **Fabrication and photon detection experiments of Nb/Al and Ta/Al superconducting tunnel junctions** [7021-73]
 J.-H. Park, Y.-S. Park, Korea Astronomy and Space Science Institute (South Korea); H.-S. Yoon, Korea Astronomy and Space Science Institute (South Korea) and Yonsei Univ. (South Korea); S. Lee, Korea Astronomy and Space Science Institute (South Korea); Y. Chong, Y.-H. Lee, S.-K. Lee, Korea Research Institute of Standards and Science (South Korea); J. K. Lee, M. K. Yang, Korea Institute of Science and Technology (South Korea); D.-L. Kim, Korea Basic Science Institute (South Korea); S.-W. Kim, Yonsei Univ. (South Korea)

- 7021 1X **Design and fabrication of TES microcalorimeters for x-ray astrophysics in Japan** [7021-74]
Y. Ezoe, Tokyo Metropolitan Univ. (Japan); T. Yoshino, K. Mukai, H. Yoshitake, Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency (Japan); H. Akamatsu, K. Ishikawa, Tokyo Metropolitan Univ. (Japan); T. Takano, R. Maeda, National Institute of Advanced Industrial Science and Technology (Japan); Y. Ishisaki, Tokyo Metropolitan Univ. (Japan); N. Y. Yamasaki, K. Mitsuda, Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency (Japan); T. Ohashi, Tokyo Metropolitan Univ. (Japan)
- 7021 1Y **Simulating and reproducing instrument background for x-ray CCD spectrometers in space** [7021-75]
D. Hall, Brunel Univ. (United Kingdom); A. Holland, Planetary and Space Sciences Research Institute, Open Univ. (United Kingdom); M. Turner, Univ. of Leicester (United Kingdom)
- 7021 1Z **Imaging and spectroscopy using a scintillator-coupled EMCCD** [7021-76]
D. J. Hall, Brunel Univ. (United Kingdom); A. Holland, Planetary and Space Sciences Research Institute, Open Univ. (United Kingdom); D. R. Smith, Brunel Univ. (United Kingdom)
- 7021 20 **Panoramic detector with high time resolution on base of GaAs photocathode** [7021-77]
G. Beskin, V. de-Bur, S. Karpov, V. Plokhotnichenko, Special Astrophysical Observatory (Russia); A. Terekhov, S. Kosolobov, H. Sheibler, Institute of Semiconductor Physics (Russia); N. Brosch, Tel Aviv Univ. (Israel); A. Shearer, National Univ. of Ireland, Galway (Ireland); E. Molinari, Osservatorio Astronomico di Brera (Italy)
- 7021 21 **Characterization of persistence in WIRCam's Hawaii 2-RG arrays** [7021-78]
M. R. Baril, L. Albert, Canada France Hawaii Telescope (United States)
- 7021 22 **High sensitivity infrared extended wavelength response InGaAs detectors** [7021-79]
M. J. Nelson, M. F. Skrutskie, S. Kanneganti, C. Park, Univ. of Virginia (United States)
- 7021 23 **The ⁵⁵Fe x-ray energy response of mercury cadmium telluride near-infrared detector arrays** [7021-80]
O. Fox, Univ. of Virginia (United States) and NASA Goddard Space Flight Ctr. (United States); A. Waczynski, Global Science and Technologies, Inc. (United States); Y. Wen, Muniz Engineering, Inc. (United States); R. D. Foltz, Sigma Space, Inc. (United States); R. J. Hill, Conceptual Analytics, LLC (United States); R. A. Kimble, NASA Goddard Space Flight Ctr. (United States); E. Malumuth, Wyle Information Systems (United States); B. J. Rauscher, NASA Goddard Space Flight Ctr. (United States)
- 7021 24 **James Webb Space Telescope Near-Infrared Spectrograph: dark performance of the first flight candidate detector arrays** [7021-81]
B. J. Rauscher, D. Alexander, C. K. Brambora, NASA Goddard Space Flight Ctr. (United States); M. Chiao, Muniz Engineering Inc. (United States); B. L. Clemons, R. Derro, C. D. Engler, NASA Goddard Space Flight Ctr. (United States); O. Fox, NASA Goddard Space Flight Ctr. (United States) and Univ. of Virginia (United States); M. B. Garrison, M. A. Greenhouse, G. Henegar, NASA Goddard Space Flight Ctr. (United States); R. J. Hill, NASA Goddard Space Flight Ctr. (United States) and Conceptual Analytics LLC (United States); T. Johnson, NASA Goddard Space Flight Ctr. (United States); R. J. Lavaque, NASA Goddard Space Flight Ctr. (United States) and Global Science & Technologies, Inc. (United States); D. J. Lindler, NASA Goddard Space Flight Ctr. (United States) and Sigma Space Corp. (United States); S. S. Manthripragada, C. Marshall, B. Mott, T. M. Parr, W. D. Roher,

NASA Goddard Space Flight Ctr. (United States); K. B. Shakoorzadeh, NASA Goddard Space Flight Ctr. (United States) and AK Aerospace Technologies Corp. (United States); M. Smith, NASA Goddard Space Flight Ctr. (United States); A. Waczynski, NASA Goddard Space Flight Ctr. (United States) and Global Science & Technology, Inc. (United States); Y. Wen, NASA Goddard Space Flight Ctr. (United States) and Muniz Engineering Inc. (United States); D. Wilson, NASA Goddard Space Flight Ctr. (United States); M. Ballard, C. Cabelli, Teledyne Imaging Sensors (United States); E. Cheng, Teledyne Imaging Sensors (United States) and Conceptual Analytics, LLC (United States); J. Garnett, E. Koch, M. Loose, M. Zandian, J. Zino, Teledyne Imaging Sensors (United States); T. Ellis, B. Howe, M. Jurado, G. Lee, J. Nieznanski, P. Wallis, J. York, ITT Space Systems LLC (United States); M. W. Regan, Space Telescope Science Institute (United States); G. Bagnasco, T. Böker, G. De Marchi, ESTEC (Netherlands); P. Ferruit, Univ. de Lyon (France), Observatoire de Lyon, Univ. Lyon 1 (France), and Ctr. de Recherche Astrophysique de Lyon, CNRS, Ecole Normale Supérieure de Lyon (France); P. Jakobsen, P. Strada, ESTEC (Netherlands)

- 7021 26 **DPIX: an assembly of 6400 CdTe detectors for gamma-ray bursts detection with ECLAIRS** [7021-83]
 N. Remoué, D. Barret, P. Mandrou, K. Lacombe, R. Pons, C. Amoros, J. Landé, D. Rambaud, J. P. Dezalay, J. Narbonne, Y. Soulié, W. Marty, P. Ramon, G. Rouaix, B. Houret, CESR (France); O. Limousin, O. Gevin, F. Lugiez, CEA (France); A. Penquer, CNES (France)
- 7021 27 **Characterization of the detector subsystem for the near-infrared spectrograph (NIRSpec) on the James Webb Space Telescope** [7021-84]
 D. B. Mott, NASA Goddard Space Flight Ctr. (United States); A. Waczynski, Global Science & Technologies, Inc. (United States); Y. Wen, MEI Technologies, Inc. (United States); B. J. Rauscher, NASA Goddard Space Flight Ctr. (United States); N. Boehm, Global Science & Technologies, Inc. (United States); M. P. Chiao, L. Degumbia, MEI Technologies, Inc. (United States); G. Delo, Global Science & Technologies, Inc. (United States); R. Foltz, Sigma Space Corp. (United States); E. Kan, Global Science & Technologies, Inc. (United States); D. Alexander, Northrop Grumman Technical Services (United States); C. Cabelli, Teledyne Imaging Sensors (United States); B. Clemons, J. Connelly, NASA Goddard Space Flight Ctr. (United States); A. Dea, Perotsystems (United States); R. Derro, C. Engler, NASA Goddard Space Flight Ctr. (United States); A. Feizi, AK Aerospace Technology Corp. (United States); O. Fox, Univ. of Virginia (United States); R. J. Hill, Conceptual Analytics LLC (United States); T. E. Johnson, NASA Goddard Space Flight Ctr. (United States); M. Lander, Raytheon Information Solutions (United States); D. J. Lindler, Sigma Space Corp. (United States); M. Loose, Teledyne Imaging Sensors (United States); S. S. Manthripragada, NASA Goddard Space Flight Ctr. (United States); K. Novo-Gradac, SGT, Inc. (United States); W. D. Roher, NASA Goddard Space Flight Ctr. (United States); R. Rosenberry, Analex Corp. (United States); K. Shakoorzadeh, AK Aerospace Technology Corp. (United States); M. T. Smith, NASA Goddard Space Flight Ctr. (United States); D. Wilson, Raytheon Information Solutions (United States); J. Zino, Teledyne Imaging Sensors (United States)
- 7021 28 **Developing infrared array controller with software real time operating system** [7021-85]
 S. Sako, T. Miyata, T. Nakamura, K. Motohara, Y. K. Uchimoto, Institute of Astronomy, The Univ. of Tokyo (Japan); T. Onaka, The Univ. of Tokyo (Japan); H. Kataza, Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency (Japan)

- 7021 29 **SPID: single photon imaging device** [7021-86]
L. Neri, Lab. Nazionali del Sud, INFN (Italy) and Univ. di Catania (Italy); S. Tudisco, Lab. Nazionali del Sud, INFN (Italy); L. Lanzaò, F. Musumeci, S. Privitera, A. Scordino, Lab. Nazionali del Sud, INFN (Italy) and Univ. di Catania (Italy); G. Condorelli, G. Fallica, M. Mazzillo, D. Sanfilippo, G. Valvo, ST-Microelectronics (Italy)
- 7021 2A **Pixel area variation in CCDs and implications for precision photometry** [7021-87]
R. M. Smith, G. Rahmer, Caltech Optical Observatories, California Institute of Technology (United States)
- 7021 2B **Intra-pixel response of infrared detector arrays for JWST** [7021-88]
T. Hardy, National Research Council Canada (Canada); M. R. Baril, Canada-France-Hawaii Telescope (United States); J. Pazder, J. S. Stilburn, National Research Council Canada (Canada)
- 7021 2C **Modeling the suitability of EMCCDs for spectroscopic applications** [7021-89]
S. Tulloch, Isaac Newton Group of Telescopes (Spain)
- 7021 2D **Development of a CCD array detector for combined XRD/XRF applications** [7021-90]
A. Intisar, I. Hutchinson, Brunel Univ. (United Kingdom); A. Holland, Planetary and Space Sciences Research Institute, Open Univ. (United Kingdom); D. Simpson, Univ. of Oxford (United Kingdom); P. Pool, e2v technologies Ltd. (United Kingdom)

Author Index

Conference Committee

Symposium Chairs

Mark C. Clampin, NASA Goddard Space Flight Center (United States)
Alan F. M. Moorwood, European Southern Observatory (Germany)

Symposium Cochairs

Masanori Iye, National Astronomical Observatory of Japan (Japan)
Douglas A. Simons, Gemini Observatory (United States)

Conference Chairs

David A. Dorn, PELCO (United States)
Andrew D. Holland, e2v Centre for Electronic Imaging, Planetary and
Space Sciences Research Institute, The Open University (United
Kingdom)

Program Committee

Morley M. Blouke, Ball Aerospace & Technologies Corporation (United
States)
Gert Finger, European Southern Observatory (Germany)
Fiona A. Harrison, California Institute of Technology (United States)
Paul R. Jorden, e2v technologies PLC (United Kingdom)
Satoshi Miyazaki, National Astronomical Observatory of Japan
(Japan)
Ali Mohammadzadeh, European Space Agency (Netherlands)
Robert H. Philbrick, Ball Aerospace & Technologies Corporation (United
States)
Peter J. Pool, e2v technologies PLC (United Kingdom)
Lothar W. Strüder, Max-Planck-Institut für extraterrestrische Physik
(Germany)
Tadayuki Takahashi, Japan Aerospace Exploration Agency (Japan)
Hiroshi Tsunemi, Osaka University (Japan)

Session Chairs

- 1 Visible Detectors I
David A. Dorn, PELCO (United States)
- 2 Visible Detectors II
David A. Dorn, PELCO (United States)

- 3 Infrared Detectors I
David A. Dorn, PELCO (United States)
- 4 Infrared Detectors II
Markus Loose, Teledyne Imaging Sensors (United States)
- 5 High Energy Detectors I
Andrew D. Holland, e2v Centre for Electronic Imaging, Planetary and Space Sciences Research Institute, The Open University (United Kingdom)
- 6 High Energy Detectors II
Andrew D. Holland, e2v Centre for Electronic Imaging, Planetary and Space Sciences Research Institute, The Open University (United Kingdom)
- 7 High Energy Detectors III
Andrew D. Holland, e2v Centre for Electronic Imaging, Planetary and Space Sciences Research Institute, The Open University (United Kingdom)

Introduction

Astronomical Telescopes and Instrumentation again combined the visible, infrared, and high energy detector sessions into a single conference. This combination resulted in a rich variety of applications and detectors being presented by the community. This combination also provided an excellent overview of the leverage of detector technologies and methods across the photon energy spectrum, where many of the detection techniques and methodologies are common.

Seventy-seven papers were presented over four days. Session attendance was high through the conference. This reflects on the excellence of presented material, the presenting authors, and the relevance of the conference to present-day astronomy. The large response to the request for papers also resulted in a large number of poster papers (approximately 40% of all papers) and adding an additional day to the oral presentations.

The presentations covered detector performance, both theoretical and experimental, detectors in instruments and camera systems, sophisticated new controllers and software, packaging of very large detector mosaics, radiation testing, and the future direction of sensor technologies.

Over the years, proceedings like these have been an invaluable output and record of SPIE meetings. They represent a current snapshot of detector technologies. This year's conference chronicled the advancement of CCD technology to even higher quantum efficiencies across the range of silicon response, novel readout structures to meet a wider variety of applications, and packaging of detectors into even larger mosaics. While CCD detector technology is mature, improvements continue to be made, allowing their use into a wider variety of applications and across a broader spectral range. It also showed the continued development and improvement of CMOS readout and active pixel sensor technologies that are utilized in infrared, visible, and high energy applications. Performance data presented from CMOS visible active pixel sensors indicates its rapid advance. It now rivals state-of-the-art CCD detectors in many applications. Detailed CMOS detector characterization data shows increased understanding of the nuances associated with this technology and provides opportunities to achieve the next level of higher performance. We hope the detailed information presented here will contribute to further advancements in all detector technologies.

Such a successful meeting could not have taken place without the support and help of many people, especially all of you whose names appear on the papers collected here. We acknowledge the valuable advice and assistance for structuring the conference and chairing the sessions given to us by the Program

Committee and would especially like to thank Morley Blouke, Markus Loose, Caroline Kilbourne, and Paul Jorden for their assistance in chairing some of the sessions.

David A. Dorn
Andrew D. Holland