PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 7047

, "Front Matter: Volume 7047," Proc. SPIE 7047, Nanoscale Photonic and Cell Technologies for Photovoltaics, 704701 (3 October 2008); doi: 10.1117/12.814692

SPIE.

Event: Solar Energy + Applications, 2008, San Diego, California, United States

PROCEEDINGS OF SPIE

Nanoscale Photonic and Cell Technologies for Photovoltaics

Loucas Tsakalacos
Editor

11 and 13 August 2008
San Diego, California, USA

Sponsored and Published by
SPIE

Volume 7047

Proceedings of SPIE, 0277-786X, v. 7047

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Nanoscale Photonic and Cell Technologies for Photovoltaics*, edited by Loucas Tsakalakos, Proceedings of SPIE Vol. 7047 (SPIE, Bellingham, WA, 2008) Article CID Number.

ISSN 0277-786X

ISBN 9780819472670

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2008, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/08/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

- vii *Conference Committee*
- ix *Introduction*
- xi *Commercialization of large scale CPV: What lies ahead?* (Plenary Paper) [7043-104]
D. Holland, Solar Systems Pty., Ltd. (Australia)
- xvii *Reliability of PV systems* (Plenary Paper) [7048-101]
J. H. Wohlgemuth, BP Solar International, Inc. (United States)

SOLAR ENERGY PLENARY SESSION

- 7047 02 **Nanostructures for high-efficiency photovoltaics** [7047-102]
H. A. Atwater, California Institute of Technology (United States)

SESSION 1 NANOPHOTONIC STRUCTURES FOR PHOTOVOLTAICS

- 7047 03 **Coupling of light scattered by nanoparticles into waveguide modes in quantum-well solar cells (Invited Paper)** [7047-01]
D. Derkacs, W. V. Chen, Univ. of California, San Diego (United States); P. Matheu, Univ. of California, Berkeley (United States); S. H. Lim, P. K. L. Yu, E. T. Yu, Univ. of California, San Diego (United States)
- 7047 06 **Embossing of light trapping patterns in sol-gel coatings for thin film silicon solar cells** [7047-04]
M. C. R. Heijna, J. Löffler, B. B. Van Aken, W. J. Soppe, ECN Solar Energy (Netherlands); R. van Erven, R. Franken, H. Borg, P. P. G. J. M. Peeters, OM&T B.V. (Netherlands)
- 7047 08 **Surface plasmon enhanced photocurrent in thin GaAs solar cells** [7047-06]
K. Nakayama, K. Tanabe, H. A. Atwater, California Institute of Technology (United States)

SESSION 2 NANOSTRUCTURED INORGANIC SOLAR CELLS

- 7047 0B **Computational design of the intermediate-band solar cells based on the quantum dot superlattices** [7047-09]
Q. Shao, A. A. Balandin, Univ. of California, Riverside (United States); A. I. Fedoseyev, M. Turowski, CFD Research Corp. (United States)

SESSION 3 NANOSTRUCTURED ORGANIC SOLAR CELLS I

- 7047 OE **A nanoparticle ink printing process for all printed thin film copper-indium-selenide (CIS) solar cells** [7047-12]
X. C. Li, I. Soltész, M. Wu, F. Ziobro, R. Amidon, Z. Kiss, Renewable Energy Solutions, Inc. (United States)
- 7047 OF **Transfer of aligned single crystal silicon nanowires to transparent substrates** [7047-13]
S.-C. Shiu, C.-Y. Hsiao, C.-H. Chao, S.-C. Hung, C.-F. Lin, National Taiwan Univ. (Taiwan)
- 7047 OI **A soft lithography route to nanopatterned photovoltaic devices** [7047-16]
S. S. Williams, M. J. Hampton, The Univ. of North Carolina at Chapel Hill (United States); V. Gowrishankar, I.-K. Ding, Stanford Univ. (United States); L. Zhang, D.-H. Ko, J. L. Templeton, The Univ. of North Carolina at Chapel Hill (United States); J. M. DeSimone, The Univ. of North Carolina at Chapel Hill (United States) and North Carolina State Univ. (United States); M. D. McGehee, Stanford Univ. (United States); E. T. Samulski, The Univ. of North Carolina at Chapel Hill (United States)

SESSION 4 NANOSTRUCTURED ORGANIC SOLAR CELLS II

- 7047 OJ **Photovoltaic devices created from electrodeposited nano-textured poly(thiophene) films** [7047-17]
J. L. Jenkins, E. L. Ratcliff, R. C. Shallcross, J. L. Head, N. R. Armstrong, The Univ. of Arizona (United States)
- 7047 OK **High-efficiency large area flexible organic solar cells** [7047-18]
N. Lemaitre, R. de Bettignies, S. Bailly, P. Maisse, S. Cros, S. Guillerez, Lab. des Composants Solaires, CEA-LITEN, INES-RDI (France)
- 7047 OL **Semiconductor nanowire photovoltaics (Invited Paper)** [7047-19]
G. Goncher, R. Solanki, Portland State Univ. (United States)
- 7047 OO **Tandem inorganic/organic hybrid solar cell using a PbSe nanocrystal photoconductor for carrier multiplication** [7047-22]
S. J. Kim, W. J. Kim, A. N. Cartwright, P. N. Prasad, Univ. at Buffalo, State Univ. of New York (United States)

POSTER SESSION

- 7047 OS **Characterizing enhanced performance of nanopatterned bulk heterojunction organic photovoltaics** [7047-26]
J. R. Tumbleston, D.-H. Ko, R. Lopez, E. T. Samulski, The Univ. of North Carolina at Chapel Hill (United States)

- 7047 OT **The patterning of sub-500 nm inorganic oxide and semiconducting polymeric structures** [7047-27]
M. J. Hampton, S. S. Williams, The Univ. of North Carolina at Chapel Hill (United States);
Z. Zhou, Liquidia Technologies, Inc. (United States); J. Nunes, D.-H. Ko, J. L. Templeton, The
Univ. of North Carolina at Chapel Hill (United States); J. M. DeSimone, The Univ. of North
Carolina at Chapel Hill (United States) and North Carolina State Univ. (United States);
E. T. Samulski, The Univ. of North Carolina at Chapel Hill (United States)
- 7047 OW **Investigation of structural and optical properties of CdSe quantum dots in glass matrices for photovoltaic application** [7047-30]
B. Sadeghimakki, S. Sivoththaman, Univ. of Waterloo (Canada)

Author Index

Conference Committee

Symposium Chair

Ravi Durvasula, Lightfleet Corporation (United States)

Conference Chair

Loucas Tsakalakos, GE Global Research (United States)

Program Committee

Eray S. Aydil, University of Minnesota (United States)
Keith Barnham, Imperial College London (United Kingdom)
Naomi J. Halas, Rice University (United States)
Alberto Salleo, Stanford University (United States)
Joop Schoonman, Technische Universiteit Delft (Netherlands)
Raj Solanki, Portland State University (United States)
Wilfried G. J. H. M. van Sark, Universiteit Utrecht (Netherlands)
Xianfan Xu, Purdue University (United States)

Session Chairs

Solar Energy Plenary Session
Ravi Durvasula, Lightfleet Corporation (United States)

- 1 Nanophotonic Structures for Photovoltaics
Loucas Tsakalakos, GE Global Research (United States)
- 2 Nanostructured Inorganic Solar Cells
Eray S. Aydil, University of Minnesota (United States)
- 3 Nanostructured Organic Solar Cells I
Alberto Salleo, Stanford University (United States)
- 4 Nanostructured Organic Solar Cells II
Xianfan Xu, Purdue University (United States)

Introduction

In recent years there has been a tremendous growth in the solar energy industry. What only 5 years ago was a relatively small industry has grown to the level of ~\$18B in 2008 with a CAGR of ~30%. This growth, coupled with the recent concerns regarding global warming, has led to a strong re-invigoration of basic research and development in photovoltaics (PV). While the majority of the PV market is based on single and poly-crystalline silicon-based solar cells (Generation I), there has been a tremendous growth in the market for thin film solar cells (Generation II) based on silicon, CdTe, and Cu(In,Ga)Se₂ (CIGS) in which a thin absorber layer is deposited onto a low cost substrate such as glass, metal foil, or polymer. Such technologies are capable of reducing the cost of solar energy by 2-5X, though they typically suffer from a loss in module efficiency relative to Si. Within the research community, there now exists focused efforts aimed at developing technologies that can simultaneously reduce cost yet also provide breakthrough efficiencies under 1 Sun (AM1.5) and concentrated illumination by providing novel band structure concepts; the so-called generation III PV technologies.

Indeed, with the emergence of nanotechnology within the last decade, a small but growing number of researchers in this field have been considering whether one can take advantage of the unique optical, electrical, and structural/architectural properties of nanostructures, and the fact that many nanostructures may be synthesized or assembled using potentially low-cost processes, to either enhance conventional solar cells or create completely new types of PV devices and modules based on them. There is now a critical mass of researchers working in this field of nano photovoltaics, and as such it is fitting that a full conference devoted to the topic (7047: Nanoscale Photonic and Cell Technologies for Photovoltaics) be held at SPIE Optics & Photonics in 2008 as part of the Solar Energy + Applications track.

The strategy of improving the silicon, thin film, and quantum-well solar cells via sub-wavelength, optical phenomena and nanoscale electronic structures is addressed in the first session on Nanophotonic Structures for Photovoltaics. Here, three major approaches are considered. The first involves the use of metal nanoparticles that support size-dependent surface plasmon-polariton (SPP) modes, often referred to as plasmonics. These SPPs are able to resonantly couple particular wavelengths of light depending on their size, and also provide enhanced electric fields localized in the vicinity of 10's of nanometers from the nanoparticle. Plasmonic particles and structured films can be used to couple light into wave-guided modes that can then be absorbed by ultra-thin PV converters such as quantum wells. Arrays of metal nanoparticles have also been shown to enhance the photocurrent of standard solar cells by sub-wavelength Mie and Rayleigh scattering effects. Sub-wavelength optics can also be used to create solar cells with enhanced performance. Small-scale conductors based on

metallic and conducting oxide nanowires are also being explored as alternatives to conventional transparent conducting oxide (TCO) thin films that are primarily based on indium tin oxide (ITO). These structures have the potential to provide equal or better conductivity and optical transparency using a so-called "chicken-wire" concept, in which a random dispersed or partially-aligned arrays of nanowires/tubes also allow for enhanced flexibility and potential for reduced costs via solution-based processing.

Concurrently, there is a strong interest in the community to develop novel solar cell designs based on inorganic nanostructures (Session 2: Nanostructured inorganic solar cells). This author has been exploring the possibility of developing new solar cells based on silicon nanowire grown by scalable processes directly on metal substrates. It has been shown that such structures have excellent light trapping properties due to Mie scattering, and also have the potential for efficiencies in the range of 15-18% using abundant, non-toxic materials by decoupling optical absorption from charge transport. Atwater and co-workers have also been exploring Si nanowire based cellsⁱⁱ, and have recently performed single nanowire solar cell measurements and determined the minority-carrier diffusion length in large scale nanowires to be on the order of microns. Indeed, recent work has suggested that the minority-carrier lifetime in silicon nanowires is limited by surface recombination rather than bulk recombination processes. Work in using antenna structures to harvest and concentrate solar energy is also of great interest, as is the realization of intermediate band solar cells using quantum dots. Efforts in using nanoparticles to form CIGS thin films and transferring of silicon nanowires using polymer matrices were presented.

The study of nanostructured organic materials for photovoltaics was also a major theme within the conference (Sessions 3 and 4: Nanostructured organic solar cells I and II). This began with a discussion on using ultra-fast optical diagnostic techniques to probe charge transport. Studies of nanoscale dye sensitized and heterojunction polymer solar cells were provided by several talks in the conference, as well as means of forming patterned polymer nanostructures. Promising results on scaling of polymer-based solar cells to large- area mini-modules were also presented, and studies of the nanoscale electric properties of polymer cells were discussed, among other great presentations in these sessions. The conference concluded with a series of poster presentations that strongly contributed to the overall success of the conference.

Overall, the conference provided an excellent forum for the interchange of advanced photonic and device concepts in photovoltaics, and it is hoped will continue to do so at future SPIE Optics and Photonics events. I would like to thank the conference Program Committee for their support, as well as the session chairs, authors, and SPIE staff for their help in making this a successful conference.

Loucas Tsakalakis