PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 7451

, "Front Matter: Volume 7451," Proc. SPIE 7451, Soft X-Ray Lasers and Applications VIII, 745101 (2 October 2009); doi: 10.1117/12.846977

SPIE.

Event: SPIE Optical Engineering + Applications, 2009, San Diego, California, United States

PROCEEDINGS OF SPIE

Soft X-Ray Lasers and Applications VIII

James Dunn
Gregory J. Tallents
Editors

4–6 August 2009
San Diego, United States

Sponsored and Published by
SPIE

Volume 7451

Proceedings of SPIE, 0277-786X, v. 7451

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Soft X-Ray Lasers and Applications VIII*, edited by James Dunn, Gregory J. Tallents, Proceedings of SPIE Vol. 7451 (SPIE, Bellingham, WA, 2009) Article CID Number.

ISSN 0277-786X

ISBN 9780819477415

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2009, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/09/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

xi	Conference Committee
xiii	Introduction

SESSION 1 HARMONICS AND SHORT WAVELENGTH LASERS

- 7451 02 **Water window high harmonic x-ray lasers (Invited Paper)** [7451-01]
E. J. Takahashi, K. Midorikawa, RIKEN Advanced Science Institute (Japan)
- 7451 03 **Prospective schemes for next generation x-ray lasers** [7451-02]
V. N. Shlyaptsev, J. J. Rocca, M. Grisham, G. Avaria, F. Tomasel, Colorado State Univ. (United States); A. Noy, Lawrence Livermore National Lab. (United States)
- 7451 05 **Chirp compensation for attosecond pulse trains using two-color field (Invited Paper)** [7451-04]
Z. Zeng, Y. Zheng, P. Zou, L. Zhang, X. Li, R. Li, Z. Xu, Shanghai Institute of Optics and Fine Mechanics (China)

SESSION 2 HIGH REPETITION RATE LASERS

- 7451 06 **Progress in the development of compact high-repetition-rate soft x-ray lasers: gain saturation at 10.9 nm and first demonstration of an all-diode-pumped soft x-ray laser (Invited Paper)** [7451-05]
J. J. Rocca, F. J. Furch, B. A. Reagan, Y. Wang, D. Alessi, D. Martz, B. Luther, M. Berrill, S. Domingue, D. Kemp, F. Pedaci, V. N. Shlyaptsev, M. Marconi, C. S. Menoni, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States)
- 7451 07 **Source development and novel applications of x-ray lasers for probing materials (Invited Paper)** [7451-06]
T. Kawachi, M. Kishimoto, M. Kado, Y. Ochi, N. Hasegawa, M. Tanaka, M. Nishikino, M. Ishino, T. Imazono, T. Ohba, T. Kaihori, M. Koike, Japan Atomic Energy Agency (Japan); K. Namikawa, Tokyo Gakugei Univ. (Japan); T. Suemoto, K. Terakawa, The Univ. of Tokyo (Japan); T. Tomita, Univ. of Tokushima (Japan); N. Sarukura, H. Nishimura, Institute of Laser Engineering (Japan); A. Y. Faenov, S. Bulanov, H. Daido, Japan Atomic Energy Agency (Japan)
- 7451 08 **Characterization of a 10Hz double-pulse non-normal incidence pumped transient collisional Ni-like molybdenum soft x-ray laser for applications** [7451-07]
D. Zimmer, Univ. Paris-Sud 11 (France), GSI Helmholtzzentrum für Schwerionenforschung GmbH (Germany), and Johannes Gutenberg-Univ. Mainz (Germany); B. Zielbauer, Univ. Paris-Sud 11 (France) and GSI Helmholtzzentrum für Schwerionenforschung GmbH (Germany); O. Guilbaud, J. Habib, S. Kazamias, M. Pittman, D. Ros, Univ. Paris-Sud 11 (France); V. Bagnoud, GSI Helmholtzzentrum für Schwerionenforschung GmbH (Germany); B. Ecker, D. Hochhaus, T. Kuehl, GSI Helmholtzzentrum für Schwerionenforschung GmbH (Germany) and Johannes Gutenberg-Univ. Mainz (Germany)

- 7451 09 **X-ray laser takes the 100 Hz barrier** [7451-08]
H. Stiel, J. Tümmeler, R. Jung, P. V. Nickles, W. Sandner, Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie (Germany)
- 7451 0A **Perspectives of XUV sources development on LASERIX facility, ILE, and ELI** [7451-09]
D. Ros, O. Guilbaud, S. Kazamias, M. Pittman, J.-C. Lagron, LASERIX, CLUPS, Univ. Paris-Sud 11 (France) and CNRS, LIXAM, Univ. Paris-Sud 11 (France); B. Zielbauer, LASERIX, CLUPS, Univ. Paris-Sud 11 (France) and GSI Helmholtzzentrum für Schwerionenforschung GmbH (Germany); J. Habib, LASERIX, CLUPS, Univ. Paris-Sud 11 (France) and CNRS, LIXAM, Univ. Paris-Sud 11 (France); J.-P. Chambaret, G. Mourou, CNRS, Institut de Lumière Extrême, Ecole Nationale Supérieure de Techniques Avancées (France); K. Cassou, B. Cros, G. Maynard, CNRS, LPGP, Univ. Paris-Sud 11 (France); Ph. Zeitoun, S. Sebban, J. Gautier, CNRS, LOA, Ecole Nationale Supérieure de Techniques Avancées (France); A. Klisnick, CNRS, LIXAM, Univ. Paris-Sud 11 (France); S. de Rossi, CNRS, LCFIO, Univ. Paris-Sud 11 (France); S. Jacquemot, P. Audebert, CNRS, LULI, Ecole Polytechnique (France); B. Rus, Institute of Physics of the ASCR, v.v.i. (Czech Republic); D. Zimmer, LASERIX, CLUPS, Univ. Paris-Sud 11 (France), GSI Helmholtzzentrum für Schwerionenforschung GmbH (Germany), and Johannes Gutenberg-Univ. Mainz (Germany); T. Kühl, GSI Helmholtzzentrum für Schwerionenforschung GmbH (Germany) and Johannes Gutenberg-Univ. Mainz (Germany)

SESSION 3 FREE ELECTRON LASERS

- 7451 0C **Pumping a photoionization atomic inner-shell x-ray laser by x-ray free-electron laser radiation** [7451-11]
N. Rohringer, R. London, Lawrence Livermore National Lab. (United States)
- 7451 0D **Soft x-ray Thomson scattering in warm dense hydrogen at FLASH** [7451-12]
R. R. Fäustlin, S. Toleikis, Deutsches Elektronen-Synchrotron (Germany); Th. Bornath, Univ. Rostock (Germany); T. Döppner, Lawrence Livermore National Lab. (United States); S. Düsterer, Deutsches Elektronen-Synchrotron (Germany); E. Förster, Friedrich-Schiller-Univ. Jena (Germany); C. Fortmann, Univ. Rostock (Germany); S. H. Glenzer, Lawrence Livermore National Lab. (United States); S. Göde, Univ. Rostock (Germany); G. Gregori, Univ. of Oxford (United Kingdom); R. Irsig, Univ. Rostock (Germany); T. Laarmann, Deutsches Elektronen-Synchrotron (Germany); H. J. Lee, Univ. of California, Berkeley (United States); B. Li, Central Laser Facility, Science and Technology Facilities Council (United Kingdom); K.-H. Meiwes-Broer, Univ. Rostock (Germany); J. Mithen, Univ. of Oxford (United Kingdom); A. Przystawik, Univ. Rostock (Germany); H. Redlin, Deutsches Elektronen-Synchrotron (Germany); R. Redmer, H. Reinholz, G. Röpke, Univ. Rostock (Germany); F. Tavella, Deutsches Elektronen-Synchrotron (Germany); R. Thiele, J. Tiggesbäumker, Univ. Rostock (Germany); I. Uschmann, U. Zastrau, Friedrich-Schiller-Univ. Jena (Germany); Th. Tschentscher, Deutsches Elektronen-Synchrotron (Germany)

- 7451 OE **Perspective for high energy density studies on x-ray FELs** [7451-13]
 R. W. Lee, Lawrence Livermore National Lab. (United States); B. Nagler, Univ. of Oxford (United Kingdom); U. Zaßrau, Friedrich-Schiller-Univ. Jena (Germany); R. Fäustlin, Deutsches Elektronen-Synchrotron (Germany); S. M. Vinko, T. Whitcher, Lawrence Livermore National Lab. (United Kingdom); R. Sobierajski, Institute of Physics (Poland); J. Krzywinski, Stanford Linear Accelerator Ctr. (United States); L. Juha, Institute of Physics of the ASCR, v.v.i. (Czech Republic); A. J. Nelson, Lawrence Livermore National Lab. (United States); S. Bajt, Deutsches Elektronen-Synchrotron (Germany); K. Budil, R. C. Cauble, Lawrence Livermore National Lab. (United States); T. Bornath, Univ. Rostock (Germany); T. Burian, Institute of Physics of the ASCR, v.v.i. (Czech Republic); J. Chalupsky, Univ. of Oxford (United Kingdom); H. Chapman, Deutsches Elektronen-Synchrotron (Germany); J. Cihelka, Institute of Physical Chemistry of the ASCR, v.v.i. (Czech Republic); T. Döppner, Lawrence Livermore National Lab. (United States); T. Dzelzainis, Queen's Univ. Belfast (United Kingdom); S. Düsterer, Deutsches Elektronen-Synchrotron (Germany); M. Fajardo, Univ. Técnica de Lisboa (Portugal); E. Förster, Friedrich-Schiller-Univ. Jena (Germany); C. Fortmann, Univ. Rostock (Germany); S. H. Glenzer, Lawrence Livermore National Lab. (United States); S. Göde, Univ. Rostock (Germany); G. Gregori, Univ. of Oxford (United Kingdom); V. Hajkova, Institute of Physics of the ASCR, v.v.i. (Czech Republic); P. Heimann, Lawrence Berkeley National Lab. (United States); M. Jurek, Institute of Physics (Poland); F. Y. Khattak, Kohat Univ. of Science and Technology (Pakistan); A. R. Khorsand, FOM-Institute for Plasma Physics Rijnhuizen (Netherlands); D. Klinger, Institute of Physics (Poland); M. Kozlova, Institute of Physics of the ASCR, v.v.i. (Czech Republic); T. Laarmann, Deutsches Elektronen-Synchrotron (Germany); H.-J. Lee, Univ. of California, Berkeley (United States); K.-H. Meiwes-Broer, Univ. Rostock (Germany); P. Mercere, Synchrotron SOLEIL (France); W. J. Murphy, Univ. of Oxford (United Kingdom); A. Przystawik, R. Redmer, H. Reinholz, Univ. Rostock (Germany); D. Riley, Queen's Univ. Belfast (United Kingdom); G. Röpke, Univ. Rostock (Germany); K. Saksl, Institute of Materials Research (Slovakia); R. Thiele, J. Tiggesbäumker, Univ. Rostock (Germany); S. Toleikis, T. Tschentscher, Deutsches Elektronen-Synchrotron (Germany); I. Uschmann, Friedrich-Schiller-Univ. Jena (Germany); R. W. Falcone, Lawrence Berkeley National Lab. (United States) and Univ. of California, Berkeley (United States); R. Shepherd, Lawrence Livermore National Lab. (United States); J. B. Hastings, W. E. White, Stanford Linear Accelerator Ctr. (United States); J. S. Wark, Univ. of Oxford (United Kingdom)

SESSION 4 APPLICATIONS I

- 7451 OG **Laboratory measurements of hot iron opacities at EUV wavelengths** [7451-15]
 E. Wagenaars, L. M. R. Gartside, A. K. Rossall, N. Booth, The Univ. of York (United Kingdom); S. White, C. L. S. Lewis, Queen's Univ. Belfast (United Kingdom); M. M. Notley, R. Heathcote, Rutherford Appleton Lab. (United Kingdom); G. J. Tallents, The Univ. of York (United Kingdom)
- 7451 OH **Using collective x-ray Thomson scattering to measure temperature and density of warm dense matter** [7451-16]
 T. Döppner, Lawrence Livermore National Lab. (United States); P. F. Davis, A. L. Kritcher, Univ. of California, Berkeley (United States); O. L. Landen, Lawrence Livermore National Lab. (United States); H. J. Lee, Univ. of California, Berkeley (United States); S. P. Regan, Lab. for Laser Energetics, Univ. of Rochester (United States); S. H. Glenzer, Lawrence Livermore National Lab. (United States)

SESSION 5 APPLICATIONS II

- 7451 0I **Advances in full field microscopy with table-top soft x-ray lasers (Invited Paper)** [7451-17]
C. S. Menoni, F. Brizuela, Y. Wang, C. A. Brewer, B. M. Luther, F. Pedaci, P. W. Wachulak, M. C. Marconi, J. J. Rocca, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States); W. Chao, E. H. Anderson, Y. Liu, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States) and Lawrence Berkeley National Lab. (United States); K. A. Goldberg, Lawrence Berkeley National Lab. (United States); D. T. Attwood, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States), Lawrence Berkeley National Lab. (United States), and Univ. of California, Berkeley (United States); A. V. Vinogradov, I. A. Artyukov, P.N. Lebedev Physical Institute (Russian Federation); Y. P. Pershyn, V. Kondratenko, National Technical Univ. (Ukraine)
- 7451 0J **Tabletop soft x-ray lithography** [7451-18]
M. C. Marconi, P. W. Wachulak, L. Urbanski, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States); A. Isoyan, F. Jiang, Y. C. Cheng, Univ. of Wisconsin-Madison (United States); J. J. Rocca, C. S. Menoni, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States); F. Cerrina, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States) and Univ. of Wisconsin-Madison (United States)
- 7451 0L **Elucidating the collimation of laboratory plasma jets using soft x-ray interferometry (Invited Paper)** [7451-20]
M. A. Purvis, J. Grava, J. Filevich, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States); D. P. Ryan, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States) and Colorado State Univ. (United States); S. J. Moon, J. Dunn, Lawrence Livermore National Lab. (United States); V. N. Shlyaptsev, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States); J. J. Rocca, NSF ERC for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States) and Colorado State Univ. (United States)

SESSION 6 X-RAY LASER DEVELOPMENT

- 7451 0M **X-ray laser developments at PHELIX (Invited Paper)** [7451-21]
T. Kuehl, B. Aurand, V. Bagnoud, B. Ecker, U. Eisenbarth, J. Fils, D. Hochhaus, D. Javorkova, P. Neumayer, B. Zielbauer, D. Zimmer, Gesellschaft für Schwerionenforschung GmbH (Germany); J. Habib, S. Kazamias, A. Klisnick, D. Ros, Univ. Paris-Sud 11 (France); J. Seres, C. Spielmann, Friedrich-Schiller-Univ. Jena (Germany); D. Ursescu, National Institute for Lasers, Plasma and Radiation Physics (Romania)
- 7451 0N **Using short pulse lasers to drive x-ray lasers** [7451-22]
J. Nilsen, Lawrence Livermore National Lab. (United States)
- 7451 0O **Gain saturation in Ni-like lasers** [7451-23]
J. E. Balmer, C. Imesch, F. Staub, Univ. Bern (Switzerland)

SESSION 7 APPLICATIONS III

- 7451 OP **X-ray laser research and applications at c-FAST (Invited Paper)** [7451-24]
K. A. Janulewicz, C. M. Kim, H. T. Kim, Gwangju Institute of Science and Technology (Korea, Republic of); H. C. Kang, Chosun Univ. (Korea, Republic of); K. T. Kim, J. Lee, Gwangju Institute of Science and Technology (Korea, Republic of)
- 7451 OQ **Studies of neutral Al_mC_n clusters employing a table-top soft x-ray laser** [7451-25]
F. Dong, S. Heinbuch, J. J. Rocca, E. R. Bernstein, NSF Engineering Research Ctr. for Extreme Ultraviolet Science and Technology, Colorado State Univ. (United States)

SESSION 8 SEEDING OF X-RAY LASERS

- 7451 OT **Recent progress on the LASERIX facility (Invited Paper)** [7451-28]
O. Guilbaud, D. Ros, S. Kazamias, B. Zielbauer, J. Habib, M. Pittman, M. Farinet, LASERIX, CLUPS, Univ. Paris-Sud 11 (France); D. Zimmer, Gesellschaft für Schwerionenforschung GmbH (Germany); T. Yu, LASERIX, CLUPS, Univ. Paris-Sud 11 (France); A. Klisnick, F. De dortan, CNRS, LIXAM, Univ. Paris-Sud 11 (France); S. Lacombe, E. Porcel, C. Le Sech, CNRS, LCAM, Univ. Paris-Sud 11 (France); M.-A. du Penhoat, A. Touati, CNRS, IMPMC, Univ. Paris VII (France); M. Marsi, CNRS, LPS, Univ. Paris-Sud 11 (Germany); D. Joyeux, CNRS, LCFIO, Univ. Paris-Sud 11 (France)
- 7451 OU **Simulations of ASE and seeded transient x-ray lasers using the COLAX code** [7451-29]
A. Klisnick, CNRS, LIXAM, Univ. Paris-Sud 11 (France); O. Larroche, DIF, Commissariat à l'Énergie Atomique (France); F. De dortan, J. Habib, O. Guilbaud, CNRS, LIXAM, Univ. Paris-Sud 11 (France)
- 7451 OV **Temporal and frequency output of seeded and unseeded x-ray lasers** [7451-30]
G. J. Tallents, I. Al'miev, The Univ. of York (United Kingdom)
- 7451 OW **Research on the seeding of high-energy harmonic pulse into an x-ray lasing medium** [7451-31]
H. T. Kim, C. M. Kim, K. A. Janulewicz, K. T. Kim, I. J. Kim, T. J. Yu, S. K. Lee, J. H. Sung, I. W. Choi, Gwangju Institute of Science and Technology (Korea, Republic of); H. Stiel, J. Tümmeler, Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie (Germany); T. Mocek, J. Nejdil, M. Kozlová, Institute of Physics of the ASCR, v.v.i. (Czech Republic); J. Lee, Gwangju Institute of Science and Technology (Korea, Republic of)

SESSION 9 X-RAY SOURCE DEVELOPMENT

- 7451 OX **Developments and applications of optical-field-ionization x-ray lasers at IAMS (Invited Paper)** [7451-32]
J.-Y. Lin, National Chung Cheng Univ. (Taiwan); M.-C. Chou, Institute of Atomic and Molecular Sciences (Taiwan); P.-H. Lin, Institute of Atomic and Molecular Sciences (Taiwan) and National Taiwan Univ. (Taiwan); R.-P. Huang, C.-T. Huang, National Chung Cheng Univ. (Taiwan) and Institute of Atomic and Molecular Sciences (Taiwan); S.-Y. Chen, Institute of Atomic and Molecular Sciences (Taiwan) and National Central Univ. (Taiwan); H.-H. Chu, National Central Univ. (Taiwan); J. Wang, Institute of Atomic and Molecular Sciences (Taiwan), National Taiwan Univ. (Taiwan), and National Central Univ. (Taiwan)

- 7451 0Y **Optimized soft x-ray amplifier by tailoring plasma hydrodynamics** [7451-33]
E. Oliva, Univ. Politécnica de Madrid (Spain) and CNRS, Lab. d'Optique Appliquée, Ecole Nationale Supérieure de Techniques Avancées (France); P. Zeitoun, CNRS, Lab. d'Optique Appliquée, Ecole Nationale Supérieure de Techniques Avancées (France); M. Fajardo, Instituto Superior Técnico (Portugal); P. Velarde, Univ. Politécnica de Madrid (Spain); K. Cassou, CNRS, Lab. de Physique des Gaz et Plasmas, Univ. Paris-Sud 11 (France); D. Ros, CNRS, LIXAM, Univ. Paris-Sud 11 (France); S. Sebban, CNRS, Lab. d'Optique Appliquée, Ecole Nationale Supérieure de Techniques Avancées (France)

SESSION 10 APPLICATIONS IV

- 7451 0Z **Biological effects induced by low energy x-rays: effects of nanoparticles (Invited Paper)** [7451-35]
S. Liehn, C. Le Sech, E. Porcel, CNRS, LCAM, Univ. Paris Sud 11 (France); B. Zielbauer, J. Habib, S. Kazamias, O. Guilbaud, M. Pittman, D. Ros, CNRS, LIXAM, Univ. Paris-Sud 11 (France); M.-A. Hervé du Penhoat, A. Touati, CNRS, IMPMC, Univ. Pierre et Marie Curie (France); H. Remita, CNRS, Lab. de Chimie Physique, Univ. Paris-Sud 11 (France); S. Lacombe, CNRS, LCAM, Univ. Paris Sud 11 (France)
- 7451 10 **Focusing of hard x-rays with SU-8 resist planar parabolic refractive lenses** [7451-36]
C. Huang, B. Mu, Z. Wang, Tongji Univ. (China); Y. Tian, G. Liu, G. Pan, Univ. of Science and Technology of China (China)
- 7451 11 **Focusing of hard x-rays with spherical compound refractive lens** [7451-37]
C. Huang, Tongji Univ. (China); Y. I. Dudchik, Belarus State Univ. (Belarus); B. Mu, Z. Wang, Tongji Univ. (China); G. Pan, Univ. of Science and Technology of China (China)

POSTER SESSION

- 7451 14 **Wave field transformation at coherent imaging of a tilted reflection mask** [7451-40]
I. A. Artyukov, P.N. Lebedev Physical Institute (Russian Federation); A. V. Popov, Institute of Terrestrial Magnetism, Ionosphere and Radiowave Propagation (Russian Federation); A. V. Vinogradov, P.N. Lebedev Physical Institute (Russian Federation)
- 7451 15 **K-alpha x-ray source using high energy and high repetition rate laser system for phase contrast imaging** [7451-41]
C. Serbanescu, S. Fourmaux, J.-C. Kieffer, INRS-EMT, Univ. du Québec (Canada); R. Kincaid, Syracuse Univ. (United States); A. Krol, Syracuse Univ. (United States) and SUNY Upstate Medical Univ. (United States)
- 7451 16 **Assessment of surface roughness by use of soft x-ray scattering** [7451-42]
Y. Meng, Changchun Institute of Optics, Fine Mechanics and Physics (China), Graduate School of Chinese Academy of Sciences (China), and Northeast Normal Univ. (China); Y. Wang, Changchun Institute of Optics, Fine Mechanics and Physics (China) and Graduate School of Chinese Academy of Sciences (China); S. Chen, Harbin Engineering Univ. (China); B. Chen, Changchun Institute of Optics, Fine Mechanics and Physics (China)
- 7451 17 **Plasma density-gradient measurement using x-ray laser wave-front distortion** [7451-43]
J. Nejd, M. Kozlová, Institute of Physics of the ASCR, v.v.i. (Czech Republic)

- 7451 19 **Ni-like x-ray lasing action pumped by the TARANIS laser system** [7451-45]
T. Dzelzainis, D. Doria, S. White, M. Makita, G. Narsisyan, D. Marlow, Queen's Univ. Belfast (United Kingdom); R. Stefanuik, Univ. College Dublin (Ireland); H. Ahmed, C. Seeley, D. Riley, B. Dromey, L. Romagnani, M. Zepf, M. Borghesi, C. L. S. Lewis, Queen's Univ. Belfast (United Kingdom)

Author Index

Conference Committee

Program Chairs

Sandra G. Biedron, Argonne National Laboratory (United States) and
Sincrotrone Trieste (Italy)

Massimo Altarelli, Deutsches Elektronen-Synchrotron (Germany)

Conference Chairs

James Dunn, Lawrence Livermore National Laboratory (United States)

Gregory J. Tallents, The University of York (United Kingdom)

Program Committee

Hiroyuki Daido, Japan Atomic Energy Agency (Japan)

Sylvie Jacquemot, LULI, Ecole Polytechnique (France)

Annie Klisnick, Université Paris-Sud 11 (France)

Do-Kyeong Ko, Gwangju Institute of Science and Technology
(Korea, Republic of)

Ciaran L. S. Lewis, Queen's University Belfast (United Kingdom)

Peter V. Nickles, Max-Born-Institut (Germany)

Joseph Nilsen, Lawrence Livermore National Laboratory
(United States)

Geoffrey J. Pert, The University of York (United Kingdom)

Jorge J. Rocca, Colorado State University (United States)

Szymon Suckewer, Princeton University (United States)

Alexander V. Vinogradov, P.N. Lebedev Physical Institute
(Russian Federation)

Session Chairs

- 1 Harmonics and Short Wavelength Lasers
James Dunn, Lawrence Livermore National Laboratory (United States)
- 2 High Repetition Rate Lasers
Gregory J. Tallents, The University of York (United Kingdom)
- 3 Free Electron Lasers
Joseph Nilsen, Lawrence Livermore National Laboratory
(United States)
- 4 Applications I
Karol A. Janulewicz, Gwangju Institute of Science and Technology
(Korea, Republic of)

- 5 Applications II
Annie Klisnick, Université Paris-Sud 11 (France)
- 6 X-Ray Laser Development
Sylvie Jacquemot, LULI, Ecole Polytechnique (France)
- 7 Applications III
David R. Ros, Université Paris-Sud 11 (France)
- 8 Seeding of X-Ray Lasers
Thomas Kühl, GSI Helmholtzzentrum Darmstadt (Germany)
- 9 X-Ray Source Development
Igor A. Artyukov, P.N. Lebedev Physical Institute (Russian Federation)
- 10 Applications IV
Jorge J. Rocca, Colorado State University (United States)

Introduction

The Soft X-ray Laser and Applications VIII conference, held in San Diego, California, 4–6 August 2009, continues the series of meetings on plasma-based x-ray lasers and related research areas. Since the last meeting in 2007, new progress was presented in the 10 oral and one poster session in source development and new applications of extreme ultraviolet (EUV) and soft x-ray lasers. This volume reviews the state-of-the art in the field, presents topical areas, and indicates new directions for the future as detailed and discussed at the conference. Other related topics are included on recent free electron lasers (FELs) with applications, hard x-ray synchrotron sources as well as high intensity laser generated higher order harmonic generation (HOH).

Presentations on HOH sources gave a review of improving the harmonic conversion efficiency at wavelengths in the water window as well as using two-color irradiation to improve the phase, increase the harmonic flux, and achieve attosecond pulse trains. HOH sources were also used to generate an oscillator pulse to wavelength-match and seed amplifier stages of laser-driven solid targets, and optical field ionization-driven (OFI) gas targets operating at various wavelengths. The seeded or hybrid lasers with better wavefront, coherence, diffraction-limited output, and peak brightness characteristics were being used for nanoscale imaging experiments by coherent diffraction. Activities in modeling and conducting seeded laser experiments were discussed in several sessions. Further insight was reported on the resultant seeded pulse characteristics. The intention to install secondary laser systems for HOH sources for seeding plasma x-ray lasers by additional groups at existing laser facilities underlines that this is a growing and topical area.

Laser driver technology continues to be important for x-ray laser research advances, and reports by several groups on improvements in x-ray laser performance were shown for saturated output at progressively shorter wavelengths 10–11 nm pumped by small laser systems. Many groups were active in developing high repetition rate sources operating at 10 Hz and achieving stable output conditions for tens of thousands of shots. The higher repetition rate allows for detailed tuning of the x-ray laser characteristics. High average power approaching 20 μ W was now available on several soft x-ray lasers. The potential for new laser architectures including high efficiency diode pumped solid state lasers (DPSSL) to extend this to the 100 Hz regime was also discussed. The larger single shot laser systems operating at 0.1 Hz or longer durations between shots are available to drive shorter wavelength lasers. With proposed new Petawatt facilities on the horizon in the next few years, the large facilities had great potential for x-ray laser research on different schemes.

The recent commissioning of the Linac Coherent Light Source (LCLS) in April delivering full energy of 1 mJ at 1.5Å was a notable milestone for hard x-ray FEL sources. An overview of the source was presented and several talks discussed the use of FELs to pump x-ray laser inversions to give better understanding of the atomic kinetics as well as develop new lasing schemes. The first experiments are proposed for the coming months with many new applications available to study x-ray heated materials, atomic physics, molecular imaging, high energy density science, and other areas.

That four sessions were devoted to applications using x-ray lasers reflects how this research continues to expand. Many presentations demonstrated the short wavelength advantage of soft x-ray lasers for nanoscale probing, material studies, interferometry, imaging, metrology, lithography, machining, and ablation studies. Full-field microscopy of nanostructures with resolution approaching 50 nm was shown. Time-of-flight mass spectroscopy used a soft x-ray laser probe to study the heterogeneous catalysis of clusters for hydrogen storage. High repetition x-ray lasers were used for irradiating DNA samples to further understand the double-strand breaks. X-ray laser interferometry probing of plasma jets, and studies of plasma opacity were presented.

We would like to thank SPIE for the continuation of this series of conferences on plasma based x-ray lasers. We would like to express our gratitude for the superb organization of the conference by SPIE before during and after this three-day meeting. Also the rapid publication of the proceedings volume would not be possible without the considerable effort and support of the SPIE staff. We would like to thank the advisory board for advice and suggesting invited papers and to the session chairs for help in the running of the conference. The success and continuation of the conference is dependent on the research community and we give our thanks to the many speakers for their participation and contributions to the high quality of the 2009 meeting.

James Dunn
Gregory J. Tallents