PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 7679

, "Front Matter: Volume 7679," Proc. SPIE 7679, Micro- and Nanotechnology Sensors, Systems, and Applications II, 767901 (12 May 2010); doi: 10.1117/12.867394

SPIE.

Event: SPIE Defense, Security, and Sensing, 2010, Orlando, Florida, United States

PROCEEDINGS OF SPIE

Micro- and Nanotechnology Sensors, Systems, and Applications II

**Thomas George
M. Saif Islam
Achyut K. Dutta**
Editors

**5–9 April 2010
Orlando, Florida, United States**

Sponsored and Published by
SPIE

Volume 7679

Proceedings of SPIE, 0277-786X, v. 7679

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Micro- and Nanotechnology Sensors, Systems, and Applications II*, edited by Thomas George, M. Saif Islam, Achyut K. Dutta, Proceedings of SPIE Vol. 7679 (SPIE, Bellingham, WA, 2010) Article CID Number.

ISSN 0277-786X

ISBN 9780819481436

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2010, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/10/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

- xi *Conference Committee*
- xv *Introduction*
- xvii *Opportunities in basic research for battlefield sensing (Overview Paper) [7679-23]*
J. J. Becker, U.S. Army Research Office (United States)
- xix *N/MEMS: small components enable powerful microsystems (Overview Paper) [7679-49]*
D. L. Polla, Defense Advanced Research Projects Agency (United States); M. B. Wolfson, System Planning Corp. (United States)

SESSION 1 AFOSR NANOTECHNOLOGY RESEARCH

- 7679 02 **Engineered carbon nanotubes and graphene for nano-electronics and nanomechanics (Invited Paper) [7679-01]**
E. H. Yang, Stevens Institute of Technology (United States)
- 7679 03 **New optical detector concepts for space applications (Invited Paper) [7679-02]**
D. A. Cardimona, D. H. Huang, Air Force Research Lab. (United States)
- 7679 04 **Nanocrystalline ZnO microwave thin film transistors (Invited Paper) [7679-03]**
B. Bayraktaroglu, K. Leedy, R. Neidhard, Air Force Research Lab. (United States)
- 7679 05 **Photodetectors on structures with vertically correlated dot clusters (Invited Paper) [7679-04]**
V. Mitin, A. Sergeev, L.-H. Chien, A. Antipov, G. Strasser, Univ. at Buffalo, SUNY (United States)
- 7679 06 **Multispectral infrared photodetector with carbon nanotube flexible electronic circuits (Invited Paper) [7679-05]**
W. Hong, P. Vasinajindakaw, Univ. of Massachusetts Lowell (United States); J. Vaillancourt, Applied NanoFemto Technologies, LLC (United States); H. Zhang, G. Gu, R. Liu, X. Lu, X. Qian, S. R. Vangala, W. D. Goodhue, Univ. of Massachusetts Lowell (United States)
- 7679 07 **Multimodal sensing: enhanced functionality with data compression (Invited Paper) [7679-06]**
S. Krishna, The Univ. of New Mexico (United States)

SESSION 2 MICRO- AND NANOTECHNOLOGY FOR HEALTH CARE APPLICATIONS

- 7679 09 **From combinatorial chemistry to cancer targeting nanotherapeutics (Invited Paper) [7679-08]**
K. Xiao, J. Luo, Y. Li, W. Xiao, J. S. Lee, A. M. Gonik, K. S. Lam, Univ. of California, Davis (United States)

- 7679 OB **EXX phenomena in macroscopic, microscopic, and nanoscopic structures (Invited Paper)** [7679-10]
S. A. Solin, Washington Univ. in St. Louis (United States)
- 7679 OC **Dynamic sampling in digital microfluidic devices** [7679-11]
K. D. Devlin, A. Ahmadi, H. Najjarian, J. F. Holzman, M. Hoorfar, The Univ. of British Columbia (Canada)

SESSION 3 ADVANCED STANDOFF DETECTION TECHNOLOGIES

- 7679 OF **Laser-based sensors for chemical detection (Invited Paper)** [7679-14]
T. L. Myers, M. C. Phillips, M. S. Taubman, B. E. Bernacki, J. T. Schiffen, B. D. Cannon, Pacific Northwest National Lab. (United States)
- 7679 OG **Laser-based standoff detection of surface-bound explosive chemicals (Invited Paper)** [7679-15]
D. L. Huestis, G. P. Smith, H. Oser, SRI International (United States)
- 7679 OH **Long-range standoff detection of chemical, biological, and explosive hazards on surfaces (Invited Paper)** [7679-16]
A. W. Fountain III, J. A. Guicheteau, U.S. Army Edgewood Chemical Biological Ctr. (United States); W. F. Pearman, U. S. Military Academy (United States); T. H. Chyba, ITT Advanced Corp. (United States); S. D. Christesen, U.S. Army Edgewood Chemical Biological Ctr. (United States)

SESSION 4 NANO-ELECTRONICS AND HIGH-FREQUENCY MEMS/NEMS

- 7679 OJ **Micro- (and nano-) mechanical signal processors (Invited Paper)** [7679-18]
S. A. Bhawe, Cornell Univ. (United States)
- 7679 OK **Sensitivity enhancement of vapor sensors with porous silicon resonant structures (Invited Paper)** [7679-19]
R. N. Candler, Y. Hwang, F. Gao, Univ. of California, Los Angeles (United States)
- 7679 OL **Large-area graphene for sensor applications (Keynote Paper)** [7679-20]
E. S. Snow, U.S. Naval Research Lab. (United States)
- 7679 OM **Organic MEMS devices and MWCNT (multi-wall carbon nanotube) interconnects (Invited Paper)** [7679-21]
R. B. Lempkowski, Motorola, Inc. (United States); Z. Qian, Consultant (United States)
- 7679 ON **Carbon-based nano-electro-mechanical systems (Invited Paper)** [7679-22]
A. B. Kaul, A. R. Khan, K. G. Megerian, L. Epp, H. G. LeDuc, L. Bagge, Jet Propulsion Lab. (United States); A. T. Jennings, D. Jang, J. R. Greer, California Institute of Technology (United States)

SESSION 5 MICRO- AND NANO-HARSH ENVIRONMENT SENSORS

- 7679 OP **Enzyme-polymer based environmental monitors (Invited Paper)** [7679-24]
K. LeJeune, J. Berberich, J. Washburn, M. Erbelinger, J. Sinclair, ICx Technologies (United States)
- 7679 OQ **AlGaIn/GaN high-electron mobility transistor-based sensors for environmental and bio-applications (Invited Paper)** [7679-25]
B. H. Chu, Y. L. Wang, K. H. Chen, C. Y. Chang, C. F. Lo, S. J. Pearton, G. Papadi, J. K. Coleman, B. J. Sheppard, Univ. of Florida (United States); C. F. Dungen, Maryland Dept. of Natural Resources (United States); K. Kroll, N. Denslow, Univ. of Florida (United States); A. Dabiran, P. P. Chow, SVT Associates, Inc. (United States); J. W. Johnson, Nitronex Corp. (United States); E. L. Pine, SVT Associates, Inc. (United States) and Nitronex Corp. (United States); K. J. Linthicum, Nitronex Corp. (United States); F. Ren, Univ. of Florida (United States)
- 7679 OR **Ultra-high sensitivity CO-sensor based on nanocrystalline metal oxide gate AlGaIn/GaN heterostructure** [7679-26]
S. A. Eliza, R. Olah, A. K. Dutta, Banpil Photonics, Inc. (United States)
- 7679 OS **The development of micro/nano chemical sensor systems for aerospace applications (Invited Paper)** [7679-27]
G. W. Hunter, J. C. Xu, L. Evans, A. Biaggi-Labiosa, NASA Glenn Research Ctr. (United States); B. J. Ward, S. Rowe, D. B. Makel, Makel Engineering, Inc. (United States); C. C. Liu, Case Western Reserve Univ. (United States); P. Dutta, The Ohio State Univ. (United States); G. M. Berger, R. L. Vander Wal, NASA Glenn Research Ctr. (United States)
- 7679 OT **Silicon carbide radiation microdetectors for harsh environments (Invited Paper)** [7679-28]
G. Bertuccio, Politecnico di Milano (Italy)
- 7679 OU **GaN-based high temperature and radiation-hard electronics for harsh environments (Invited Paper)** [7679-29]
K. Son, A. Liao, G. Lung, M. Gallegos, T. Hatake, R. D. Harris, L. Z. Scheick, W. D. Smythe, Jet Propulsion Lab. (United States)

SESSION 6 MAST: JOINT SESSION WITH CONFERENCE 7692

- 7679 OV **Power considerations for MAST platforms (Invited Paper)** [7679-30]
B. Morgan, S. Bedair, J. S. Pulskamp, R. G. Polcawich, Army Research Lab. (United States); C. Meyer, Univ. of Florida (United States) and Army Research Lab. (United States); C. Dougherty, X. Lin, D. Arnold, R. Bashirullah, Univ. of Florida (United States); R. Miller, M. Roos, Air Force Research Lab. (United States)
- 7679 OW **Circuit design advances for ultra-low power sensing platforms (Invited Paper)** [7679-31]
M. Wieckowski, R. G. Dreslinski, T. Mudge, D. Blaauw, D. Sylvester, Univ. of Michigan (United States)
- 7679 OX **Review of micro-autonomous vehicle sizing and power modeling (Invited Paper)** [7679-32]
R. Mukherjee, Jet Propulsion Lab. (United States); M. Heiges, Georgia Tech Research Institute (United States); L. Matthies, Jet Propulsion Lab. (United States)

- 7679 0Y **Flexible solar cells for micro-autonomous systems technology (Invited Paper)** [7679-33]
L. F. Lester, K. Yang, M. A. El-Emawy, T. Saiz, R. A. Clark, A. Hollowell, O. Lavrova, The Univ. of New Mexico (United States)
- 7679 0Z **Systematic study of the performance of small robots on controlled laboratory substrates (Invited Paper)** [7679-34]
C. Li, Georgia Institute of Technology (United States); A. M. Hoover, P. Birkmeyer, Univ. of California, Berkeley (United States); P. B. Umbanhowar, Northwestern Univ. (United States); R. S. Fearing, Univ. of California, Berkeley (United States); D. I. Goldman, Georgia Institute of Technology (United States)
- 7679 10 **Micro air vehicle endurance versus battery size (Invited Paper)** [7679-35]
D. W. Beekman, U.S. Army Research Lab. (United States)
- 7679 11 **A design process for robot capabilities and missions applied to micro-autonomous platforms** [7679-36]
Z. Kira, R. C. Arkin, T. R. Collins, Georgia Institute of Technology (United States)

SESSION 7 **ADVANCED MICRO-NANO ENERGY GENERATION AND STORAGE**

- 7679 14 **Self-powered integrated systems-on-chip (energy chip) (Invited Paper)** [7679-39]
M. M. Hussain, H. Fahad, J. Rojas, M. Hasan, A. Talukdar, J. Oommen, J. Mink, King Abdullah Univ. of Science and Technology (Saudi Arabia)
- 7679 15 **Multifunctional carbon nano-architectures as designer platforms for electrochemical power sources (Invited Paper)** [7679-40]
J. W. Long, U.S. Naval Research Lab. (United States); C. N. Chervin, J. M. Wallace, Nova Research, Inc. (United States); N. L. Brandell, J. L. Dysart, D. R. Rolison, U.S. Naval Research Lab. (United States)
- 7679 16 **Toward wafer-scale fabrication and 3D integration of micro-solid oxide fuel cells for portable energy (Invited Paper)** [7679-41]
B.-K. Lai, A. C. Johnson, M. Tsuchiya, S. Ramanathan, Harvard Univ. (United States)

SESSION 8 **1D NANOSTRUCTURE-BASED CHEMICAL AND BIOLOGICAL SENSORS I**

- 7679 19 **Sensing with locally self-assembled one-dimensional nanostructures (Invited Paper)** [7679-44]
O. Englander, Florida State Univ. (United States)

SESSION 9 **1D NANOSTRUCTURE-BASED CHEMICAL AND BIOLOGICAL SENSORS II**

- 7679 1C **Nanocrossbar arrays as molecular sensors (Invited Paper)** [7679-47]
N. Prokopuk, Naval Air Warfare Ctr. (United States); K.-A. Son, Jet Propulsion Lab. (United States)
- 7679 1D **Enhanced field ionization/desorption on branched silicon nanowires: applications in gas ionization detection** [7679-48]
R. Banan-Sadeghian, M. S. Islam, Univ. of California, Davis (United States)

SESSION 10 INTEGRATED NANOMATERIALS, DEVICES, AND SYSTEMS FOR ENERGY APPLICATIONS

- 7679 1F **Nano-thermotunneling systems for efficient power generation (Invited Paper)** [7679-50]
M. Arik, J. Bray, S. Weaver, GE Global Research (United States)
- 7679 1G **On-chip micro-power: three-dimensional structures for micro-batteries and micro-supercapacitors (Invited Paper)** [7679-51]
M. Beidaghi, C. Wang, Florida International Univ. (United States)
- 7679 1H **Combining dissimilar materials at nanometer scale for energy harvesting (Invited Paper)** [7679-52]
N. P. Kobayashi, Univ. of California, Santa Cruz (United States) and NASA Ames Research Ctr. (United States)
- 7679 1I **Nano-materials for enhanced thermoelectric efficiencies (Invited Paper)** [7679-53]
A. Boukai, Univ. of Michigan (United States)

SESSION 11 MEMS/NEMS BEYOND SILICON

- 7679 1J **Silicon carbide NEMS logic for high-temperature applications (Invited Paper)** [7679-54]
M. Mehregany, T.-H. Lee, Case Western Reserve Univ. (United States)
- 7679 1K **Fundamentals and technology for monolithically integrated RF MEMS switches with ultra-nanocrystalline diamond dielectric/CMOS devices (Invited Paper)** [7679-55]
O. Auciello, A. V. Sumant, Argonne National Lab. (United States); C. Goldsmith, S. O'Brien, MEMtronics Corp. (United States); S. Sampath, C. Gudeman, Innovative Micro Technology (United States); W. Wang, J. C. M. Hwang, Lehigh Univ. (United States); J. Swonger, Peregrine Semiconductor (United States); J. A. Carlisle, Advanced Diamond Technologies, Inc. (United States); S. Balachandran, D. C. Mancini, Argonne National Lab. (United States)
- 7679 1L **Alumimun nitride piezoelectric NEMS resonators and switches (Invited Paper)** [7679-56]
G. Piazza, Univ. of Pennsylvania (United States)
- 7679 1N **Characterization of nitrogen-incorporated ultrananocrystalline diamond as a robust cold cathode material** [7679-58]
S. A. Getty, NASA Goddard Space Flight Ctr. (United States); O. Auciello, A. V. Sumant, Argonne National Lab. (United States); X. Wang, Univ. of Puerto Rico (United States) and Argonne National Lab. (United States); D. P. Glavin, P. R. Mahaffy, NASA Goddard Space Flight Ctr. (United States)
- 7679 1O **Science and technology of MEMS/NEMS resonators: Si versus diamond platform materials (Invited Paper)** [7679-59]
M. Xiong, I.-T. Wu, M. Wei, J. Wang, Univ. of South Florida (United States)

SESSION 12 MEMS OPTICAL SYSTEMS I

- 7679 1P **Pixelated spectral filter for integrated focal plane array in the long-wave IR** [7679-60]
S. A. Kemme, R. R. Boye, A. A. Cruz-Cabrera, R. D. Briggs, Sandia National Labs. (United States); T. R. Carter, Sandia Staffing Alliance (United States); S. Samora, LMATA (United States)

- 7679 1Q **Design and development of carbon nanostructure-based microbolometers for IR imagers and sensors** [7679-61]
 A. K. Sood, R. A. Richwine, Y. R. Puri, Magnolia Optical Technologies, Inc. (United States);
 A. Akturk, N. Goldsman, S. Potbhare, CoolCAD Electronics, LLC (United States);
 G. Fernandes, C.-H. Hsu, J. H. Kim, J. Xu, Brown Univ. (United States); N. K. Dhar,
 Microelectronics Technology Office/DARPA (United States); P. S. Wijewarnasuriya, U.S. Army
 Research Lab. (United States); B. I. Lineberry, DARPA Programs Office, U.S. Army (United
 States)

SESSION 13 MEMS OPTICAL SYSTEMS II

- 7679 1T **Titanium dioxide waveguide with an embedded grating coupler** [7679-64]
 E. S. Gillman, A. Raspopin, D. J. Costello, M. Moreno, Senspex, Inc. (United States); R. Kasica,
 National Institute of Standards and Technology (United States)
- 7679 1U **A MEMS-based, wireless, biometric-like security system** [7679-65]
 J. D. Cross, J. L. Schneiter, Veratag, LLC (United States); G. A. Leiby, S. McCarter, J. Smith,
 T. P. Budka, RF Diagnostics, LLC (United States)
- 7679 1V **New quantum dot sensors** [7679-66]
 Y. K. Gun'ko, M. M. Moloney, S. Gallagher, J. Govan, C. Hanley, Trinity College Dublin
 (Ireland)

SESSION 14 NANOPHOTONICS

- 7679 1Z **Fabrication of nano- and microstructures by electroforming** [7679-70]
 P. K. Dasari, M. Paurazady, A. H. Jayatissa, The Univ. of Toledo (United States)
- 7679 20 **Temperature-dependent optical properties of InP nanowires in ensembles** [7679-71]
 A. J. Lohn, M. Holt, N. Dawson, N. P. Kobayashi, Univ. of California, Santa Cruz (United States)
- 7679 21 **Stability of silver nanoparticles for sensor applications** [7679-72]
 W. Cao, H. E. Elsayed-Ali, Old Dominion Univ. (United States)

POSTER SESSION

- 7679 25 **High-throughput readout system for cantilever-based sensing of explosive compounds**
 [7679-77]
 F. G. Bosco, Technical Univ. of Denmark (Denmark); E.-T. Hwu, Institute of Physics Academia
 Sinica (Taiwan); A. Boisen, Technical Univ. of Denmark (Denmark)
- 7679 27 **Investigation of microcantilever array with ordered nanoporous coatings for selective
 chemical detection** [7679-79]
 J.-H. Lee, Georgia Institute of Technology (United States); R. T. J. Houk, A. Robinson,
 J. A. Greathouse, S. M. Thornberg, M. D. Allendorf, Sandia National Labs. (United States);
 P. J. Hesketh, Georgia Institute of Technology (United States)

- 7679 28 **Iron-manganese nanowires for magnetoresistance** [7679-80]
J. M. Brown, C. Wilson, Louisiana Tech Univ. (United States)
- 7679 29 **Micro-calorimetric sensor for trace explosive particle detection** [7679-81]
J. K. Olsen, A. Greve, Technical Univ. of Denmark (Denmark); N. Privorotskaya, Univ. of Illinois at Urbana-Champaign (United States); L. Senesac, T. Thundat, Oak Ridge National Lab. (United States); W. P. King, Univ. of Illinois at Urbana-Champaign (United States); A. Boisen, Technical Univ. of Denmark (Denmark)
- 7679 2A **Direct-write dispenser-printed energy storage devices** [7679-82]
C. C. Ho, J. W. Evans, P. K. Wright, Univ. of California, Berkeley (United States)
- 7679 2B **Nanotubes, nanofibers, and nanohelices prepared in CVD process** [7679-83]
K. Guo, A. H. Jayatissa, The Univ. of Toledo (United States)
- 7679 2C **Semiconductor materials characterization and identification with THz radiation** [7679-85]
A. Sokolnikov, Visual Solutions and Applications (United States)
- 7679 2D **In situ real-time monitoring of Pt-VO₂ nanoparticle-nanowire assembly by GISAXS** [7679-86]
C. T. Yavuz, Univ. of California, Santa Barbara (United States); S. Lee, B. Lee, Argonne National Lab. (United States); M. H. Kim, Ewha Womans Univ. (Korea, Republic of); J. M. Baik, Ulsan National Institute of Science and Technology (Korea, Republic of); S. Seifert, S. Vajda, Argonne National Lab. (United States); C. Larson, Univ. of California, Santa Barbara (United States); R. E. Winans, Argonne National Lab. (United States); M. Moskovits, A. M. Wodtke, G. D. Stucky, Univ. of California, Santa Barbara (United States)
- 7679 2E **AC modeling of mechanical resonators based on carbon nanotubes** [7679-87]
L. Bagge, Jet Propulsion Lab. (United States) and The Univ. of Texas at Austin (United States); L. Epp, Jet Propulsion Lab. (United States); A. R. Kaul, Jet Propulsion Lab. (United States) and Univ. of Southern California (United States); A. B. Kaul, Jet Propulsion Lab. (United States)
- 7679 2F **An analytic formula for determination of simulation runs for analysis of VLSI circuits** [7679-88]
X. Chen, P. Bhattacharya, E. Walker, J. Luo, Southern Univ. (United States)
- 7679 2G **Nanostructure-based antireflection coatings for EO/IR sensor applications** [7679-89]
A. K. Sood, R. E. Welser, Y. R. Puri, Magnolia Optical Technologies, Inc. (United States); D. J. Poxson, M. F. Schubert, J. Cho, E. F. Schubert, Rensselaer Polytechnic Institute (United States); D. L. Polla, DARPA/Microelectronics Technology Office (United States); M. B. Soprano, DARPA Programs Office, U.S. Army
- 7679 2H **Pulsed digital oscillators as a tool for the selective activation of MEMS resonant modes** [7679-90]
M. Dominguez-Pumar, Univ. Politècnica de Catalunya (Spain); E. Blokhina, Univ. College Dublin (Ireland); J. Pons-Nin, Univ. Politècnica de Catalunya (Spain); O. Feely, Univ. College Dublin (Ireland); J. L. Sanchez-Rojas, Univ. de Castilla-La Mancha (Spain)

- 7679 2I **Fabrication of tin-carbon composite anode material by electrospinning and electrostatic spray deposition for lithium rechargeable battery** [7679-91]
A. Dhanabalan, Florida International Univ. (United States); Y. Yu, Florida International Univ. (United States) and Max Planck Institute for Solid State Research (Germany); X. Li, K. Bechtold, Florida International Univ. (United States); J. Maier, Max Planck Institute for Solid State Research (Germany); C. Wang, Florida International Univ. (United States)
- 7679 2J **Dielectric charging control for electrostatic MEMS switches** [7679-92]
M. Domínguez, D. López, D. Molinero, J. Pons-Nin, Technical Univ. of Catalonia (Spain)
- 7679 2K **Metal-insulator-metal tunneling diode for uncooled infrared high-speed detectors** [7679-93]
I.-T. Wu, Nano CVD Co. (United States) and Univ. of South Florida (United States); N. Kislov, Nano CVD Co. (United States); J. Wang, Univ. of South Florida (United States)
- 7679 2L **Multifunctional nanodevices for energy harvesting in unconventional spectral ranges** [7679-94]
O. Imafidon, S. Georgakopoulos, P. K. Vabbina, N. Pala, Florida International Univ. (United States)
- 7679 2M **Silicon nanowires for multisensing applications** [7679-95]
G. Delapierre, C. Halté, CEA-LETI (France); T. Fournier, Institut NÉEL, CNRS-UJF (France); T. Baron, LTM-CNRS UMR (France); M. Gély, J. Buckley, B. De Salvo, F. Vinet, CEA-LETI (France)
- 7679 2N **Fabrication of freestanding SWCNT networks for fast microbolometric focal plane array sensor** [7679-96]
J. Cech, Lehigh Univ. (United States); V. Swaminathan, U.S. Army, RDECOM-ARDEC (United States); P. Wijewarnasuriya, L. J. Currano, Army Research Lab. (United States); A. Kovalskiy, H. Jain, Lehigh Univ. (United States)
- 7679 2O **Experimental demonstration of lossy recording of information into DNA** [7679-97]
M. E. Tanner, Duke Univ. (United States); E. A. Vasievich, The Univ. of North Carolina at Chapel Hill (United States); J. M. Protz, Duke Univ. (United States)
- 7679 2P **Microscale ethanol vapor ejector and injector** [7679-98]
W. G. Gardner, I. Wang, N. A. Brikner, J. W. Jaworski, J. M. Protz, Duke Univ. (United States)

Author Index

Conference Committee

Symposium Chair

Michael T. Eismann, Air Force Research Laboratory (United States)

Symposium Cochair

William Jeffrey, HRL Laboratories, LLC (United States)

Conference Chairs

Thomas George, ViaLogy PLC (United States)

M. Saif Islam, University of California, Davis (United States)

Achyut K. Dutta, Banpil Photonics, Inc. (United States)

Program Committee

Mehdi Anwar, University of Connecticut (United States)

Orlando Auciello, Argonne National Laboratory (United States)

Debjyoti Banerjee, Texas A&M University (United States)

Steve Blair, The University of Utah (United States)

Shaochen Chen, National Science Foundation (United States)

Nibir K. Dhar, Defense Advanced Research Projects Agency/MTO
(United States)

Ernest J. Garcia, Sandia National Laboratories (United States)

Stephanie A. Getty, NASA Goddard Space Flight Center (United
States)

Sonia Grego, RTI International (United States)

Peter J. Hesketh, Georgia Institute of Technology (United States)

Ahalapitiya H. Jayatissa, University of Toledo (United States)

Anupama B. Kaul, Jet Propulsion Laboratory (United States)

Nobuhiko P. Kobayashi, University of California, Santa Cruz (United
States)

Mary J. Li, NASA Goddard Space Flight Center (United States)

Ryan P. Lu, Space and Naval Warfare Systems Command (United
States)

Harish M. Manohara, Jet Propulsion Laboratory (United States)

Robert Olah, Banpil Photonics, Inc. (United States)

Aydogan Ozcan, University of California, Los Angeles (United States)

Nezih Pala, Florida International University (United States)

Jeremy J. Pietron, Naval Research Laboratory (United States)

Kitt C. Reinhardt, Air Force Office of Scientific Research (United States)

Stephen Semancik, National Institute of Standards and Technology
(United States)

Ranganathan Shashidhar, Polestar Technologies (United States)
Kyung-Ah Son, Jet Propulsion Laboratory (United States)
Ashok K. Sood, Magnolia Optical Technologies, Inc. (United States)
Hideyuki Sotobayashi, Aoyama Gakuin University (Japan)
Duncan Stewart, National Research Council of Canada (Canada)
A. Alec Talin, National Institute of Standards and Technology (United States)
Thomas G. Thundat, Oak Ridge National Laboratory (United States)
Shih-Yuan Wang, Hewlett-Packard Laboratories (United States)
David V. Wick, Sandia National Laboratories (United States)
Priyalal S. Wijewarnasuriya, Army Research Laboratory (United States)
Eui-Hyeok Yang, Stevens Institute of Technology (United States)

Session Chairs

- 1 AFOSR Nanotechnology Research
Eui-Hyeok Yang, Stevens Institute of Technology (United States)
David A. Cardimona, Air Force Research Laboratory (United States)
- 2 Micro- and Nanotechnology for Health Care Applications
Stephanie A. Getty, NASA Goddard Space Flight Center (United States)
- 3 Advanced Standoff Detection Technologies
Thomas G. Thundat, Oak Ridge National Laboratory (United States)
- 4 Nano-Electronics and High-Frequency MEMS/NEMS
Anupama B. Kaul, Jet Propulsion Laboratory (United States)
- 5 Micro- and Nano-Harsh Environment Sensors
Kyung-Ah Son, Jet Propulsion Laboratory (United States)
- 6 MAST: Joint Session with Conference 7692
Joseph N. Mait, U.S. Army Research Laboratory (United States)
- 7 Advanced Micro-Nano Energy Generation and Storage
Jeremy J. Pietron, Naval Research Laboratory (United States)
Christine C. Ho, University of California, Berkeley (United States)
- 8 1D Nanostructure-Based Chemical and Biological Sensors I
M. Saif Islam, University of California, Davis (United States)
- 9 1D Nanostructure-Based Chemical and Biological Sensors II
M. Saif Islam, University of California, Davis (United States)

- 10 Integrated Nanomaterials, Devices, and Systems for Energy Applications
Nezih Pala, Florida International University (United States)
- 11 MEMS/NEMS Beyond Silicon
Orlando Auciello, Argonne National Laboratory (United States)
Anirudha V. Sumant, Argonne National Laboratory (United States)
- 12 MEMS Optical Systems I
Shanalyn A. Kemme, Sandia National Laboratories (United States)
- 13 MEMS Optical Systems II
Joseph L. Robichaud, L-3 Communications SSG-Tinsley (United States)
- 14 Nanophotonics
Steve Blair, The University of Utah (United States)

Introduction

The 2010 Micro- and Nanotechnology Sensors, Systems, and Applications II conference continued its successful approach of having focused thematic sessions on a wide range of MEMS and Nanotechnology topics. Each session was designed to address three “cornerstones” namely, programmatic investments that set the overall context for the cutting-edge research and development being presented, and the challenges involved in transitioning these exciting concepts to applications in defense, homeland security, and space. We were fortunate to showcase advanced micro and nanoscale research being conducted by the Air Force Office of Scientific Research, National Institutes of Health, Department of Energy, Office of Naval Research and the Naval Research Laboratory, Army Research Office and the Army Research Laboratory, NASA, and the Defense Advanced Research Projects Agency.

Thanks to our distinguished contributors, in this proceedings volume you will find papers covering a breathtaking range of topics from graphene-based nanoelectronics to advanced standoff detection of chemical and biological agents. This year we have continued an exploration of the component technologies required for ARL's Micro Autonomous Systems. The availability of long-lived, miniaturized power sources for these systems has been identified as a critical challenge that needs to be addressed for various mission applications. Attempting to answer this need are efforts aimed at harvesting and storage of energy using micro and nanoscale devices.

Micro and nano sensors continue to be an important focus of this conference, with exciting developments in non-silicon materials development, micro/nano fabrication techniques, and new device architectures for mechanical, chemical, and biological sensors. In the MEMS-based optical devices arena, our authors have reported the creation of new devices for imagers and detectors in the visible and infrared spectral ranges. Last but not least, exciting developments in nanophotonics were reported including the demonstration of the first nanoscale laser based on plasmonics.

Thomas George
M. Saif Islam
Achyut K. Dutta

Opportunities in Basic Research for Battlefield Sensing (Overview)

Jennifer J. Becker, U.S. Army Research Office, P.O. Box 12211, Research Triangle Park, NC 27709

ABSTRACT

Battlefield sensing is a complex, crucial tool that allows the soldier to sense/detect potential threats in order to maintain a safe environment. Its technological development is typically driven by a myriad of field requirements. A variety of chemical sensing technologies currently exist, and there are also many prospects for the development of new, revolutionary technologies.

Keywords: chemical sensing, surface chemistry, molecular recognition

DISCUSSION

Detecting the presence of threats on the battlefield is of great importance to the Department of Defense (DoD). Most agencies have specific detection programs aimed at addressing the critical detection needs of their missions. The Joint Science and Technology Office for Chemical and Biological Defense (JSTO-CBD) invests specifically in development of novel chemical and biological (CB) threat capabilities. Other agencies such as DARPA, AFOSR, ONR, and JIEDDO also support detection and sensing related research. Even non-DoD organizations such as the Department of Homeland Security (DHS), the National Institutes of Health (NIH), and the National Science Foundation (NSF) recognize and manage research programs relevant to detection of hazardous materials. While the programs mentioned above are vitally important for the development of detection systems, fundamental research to support technology development is needed. The mission of the Army Research Office (ARO) is to serve as the premier extramural research agency of the Army. ARO executes this mission by funding innovative basic research that can enable next generation advances in Army systems. In fulfilling its mission, ARO has developed a track record of funding academic and industrial researchers that advance the long term capability of the Army to mitigate existing and emerging chemical, biological, and explosive threats.

Defense detection systems are designed for many scenarios. Point detection is required to detect potentially hazardous substances in close proximity whereas standoff detection is required to detect extremely hazardous material from a distance. DoD detection systems must be able to function reliably in desert (high temperature, low humidity), jungle (moderate temperature, high humidity), and urban (among many industrial materials that would interfere with a detector signal) environments. In developing detector systems, it is imperative that the user has the ability to quantitatively and repeatedly detect threats on the battlefield in a timely manner. Not only must a threat be identified in the midst of other chemicals and substances that may interfere with the operation of the detector, the contaminant must be quantified such that an appropriate mitigation strategy can be developed. In order to appropriately perform these operations, one must design detector systems that sense a threat based on its unique physical or chemical properties and transmit the sensor response over a system that can be easily deciphered by a general operator. Key technical features associated with developing these systems are sensitivity (the concentration range over which a threat can be detected), response time, and selectivity. Optimizing one of these features in a detector usually requires a sacrifice in performance of another. The aforementioned technical features also must be integrated into systems with optimized field attributes such as cost, power consumption, reliability, maintenance, weight, and ease of operation (creating decipherable response). Efforts in electronics and signal processing, materials science, as well as fundamental physical, biological, and chemical studies aimed toward detecting

N/MEMS: small components enable powerful Microsystems (Overview)

Dennis L. Polla*^a and Michael B. Wolfson^b

^aDefense Advanced Research Projects Agency, 3701 Fairfax Rd, Arlington, VA, USA 22203;

^bSystem Planning Corporation, 3601 Wilson Blvd, Arlington, VA USA 22201

ABSTRACT

DARPA's programs in Micro/Nanoelectromechanical Systems development since the mid 1990s have highlighted a number of recurring themes. The valuable lessons learned from these programs have yielded not only useful commercial and defense microsystems components, but they are also positive indicators for the upcoming technological revolution in nanosystems.

Keywords: MEMS, NEMS, sensors, fundamental research

INTRODUCTION

The last 15 years of MEMS technology investment has led to the creation of diverse products driven by developments in manufacturing methodologies, new materials, and component integration strategies resulting in versatile and powerful microsystems. Both commercial and defense products with MEMS inside are now beginning to dramatically impact our lives.

Both physical and chemical microsystems leverage the key principles of multi-domain scaling and heterogeneous integration of sub-components. N/MEMS, or nano/micro-electromechanical systems, include the integration of small sensors, actuators, electronics, photonics, energy, fluidics, plasmonics, chemistry, and biology into meaningful systems enabled by nanotechnologies, sub-micrometer structures, and engineering precision. This talk will describe some selected examples where opportunities have been demonstrated for enabling new component capabilities and significantly enhanced performance over macroscale sensor approaches.

Some general characteristics of N/MEMS technology demonstrated over the past decade have brought out five important themes: (1) MEMS and nanotechnology enable significant new levels of performance, (2) "smaller is better" is a consequence of multi-domain scaling, (3) MEMS technology commitment drives systems integration and innovation, (4) N/MEMS enable completely new opportunities, and (5) a national MEMS basic research infrastructure is important to continued U.S. leadership. These valuable lessons have brought about not only useful commercial and defense microsystems components, but also show the way to the next technological revolution realizing powerful micro/ nanosystems.

*dpolla@darpa.mil; <http://www.darpa.mil/mto>

Approved for Public Release, Distribution Unlimited

KEY LESSONS LEARNED

1.1 N/MEMS Enables Significant New Levels of Performance

MEMS and nanotechnology enable performance unattainable at macroscopic scales. The Chip Scale Micro Gas Analyzers (MGA) program has shown remarkable progress, demonstrating a 2 cm³ system with performance orders of magnitude better than standard bench-top (e.g. 40,000 cm³) laboratory systems. By nature of the reduced system scale, the sample analysis time is substantially reduced, and the energy cost per analysis is likewise reduced by a factor of 1000. In addition, this program has demonstrated detection sensitivity of parts per trillion, orders of magnitude more sensitive than benchtop parts per billion systems.

To develop these chip-scale MGA systems, each fundamental portion of a gas analyzer has been redesigned and implemented with microfabrication technology, from the preconcentrator and separator all the way through to the mass spectrometer detector.

1.2 Scaling – “Smaller is Better”

Multi-domain scaling is the key to performance-driven MEMS and nanotechnology. Dimensional scaling of resonator structures leads to a substantial reduction in dissipative resonator losses to the substrate, increases in operational frequency, and substantial improvements in mechanical compliance. Similarly, thermomechanical noise scales linearly with decreasing base dimensions.

To further DARPA’s goals, we have fostered development of more mature simulation and modeling tools at the nanoscale, in addition to material and device development.

1.3 N/MEMS Integration

Substantial MEMS technology commitment drives systems integration and innovation. DARPA has invested in monolithic and discretely packaged MEMS components to enable applications that demand low power consumption and low-loss, high-speed operation, such as phased array radar, tunable filters, and switching matrices. Among the most interesting integration programs is Nano Electro Mechanical Switches (NEMS). By harnessing the advantages of mechanical switches with nano-scale features, compact digital logic can be fabricated and operated in harsh environments and with very low leakage current, overcoming some of the key weaknesses of transistor-based computation. There have been successful demonstrations of hybrid CMOS/mechanical systems merging the advantageous properties of each to develop FPGAs with substantially reduced size and power consumption. Complex mechanical systems are also possible with nano-switch technology, including analog-to-digital and digital-to-analog conversion circuitry.

1.4 Enabling Completely New Opportunities

Many important sensor technologies require controlled temperatures to operate efficiently and reliably. The Micro Cryogenic Coolers (MCC) program has demonstrated a 3.6 cm³ system capable of reducing mm-scale sensor temperature below 130 K. This new approach to sensor thermal cooling reduces overall system size and power consumption to enable portable sensing.

The Chip-Scale Mechanical Spectrum Analyzers (CSSA) program will produce ultra-fast, low-power, software-defined spectrum analysis. This capability will be used to identify unused spectrum, remove interferers prior to amplification, and rapidly switch channels. These capabilities are not currently possible with existing portable components due to the large size and power consumption of traditional GHz filters.

1.5 Basic Research Infrastructure is Important

A national basic research infrastructure is essential to the continued advancement of MEMS and NEMS technology. Through growth of the basic research infrastructure under the N/MEMS S&T Fundamentals program, we can ensure vibrant academic collaboration with industry guidance to serve the DoD’s future needs.

The N/MEMS S&T Fundamentals program has yielded a profound effect, establishing a broad N/MEMS community and accelerating technical progress important to transitioning emerging capabilities. Among its many accomplishments to date, this program has resulted in:

- More than 350 publications derived from supported research in technical journals and conference proceedings
- Approximately 200 additional conference presentations
- More than 30 patents – pending or issued
- Research is contributing to the education of ~200 graduate students; involving participation of 48 post-docs
- Program research oversight and guidance provided by 90 faculty
- Cost-sharing support in Phase I provided by 68 industry program partners; industry funding met DARPA expectations

CONCLUSION

DARPA is charting a course to develop essential technologies critical to the future. We are not seeking to drive down component cost, but are instead targeting several opportunities for MEMS and nanotechnology that will enable new systems and revolutionize performance levels. A number of important fundamental science and technology issues are being explored in tandem with aggressively targeted applications, thus avoiding undirected fundamental research. Multi-domain scaling is the key to performance-driven nanotechnology (i.e. there remains plenty of room at the bottom). Viewed together, this work will establish new benchmarks and lay the foundation for a clear path to the future of N/MEMS. These programs have developed an N/MEMS basic science research infrastructure with a highly interactive community of academic, industrial, and government researchers.

ACKNOWLEDGEMENTS

The authors wish to thank the multiple investigators and students participating in the Chip Scale Micro Gas Analyzers (MGA), Nano Electro Mechanical Switches (NEMS), Micro Cryogenic Coolers (MCC), Surface-Enhanced Raman Spectroscopy Science & Technology Fundamentals (SERS S&T), Chip-Scale Mechanical Spectrum Analyzers (CSSA), and N/MEMS S&T Fundamentals programs (N/MEMS S&T).