PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 7866

, "Front Matter: Volume 7866," Proc. SPIE 7866, Color Imaging XVI: Displaying, Processing, Hardcopy, and Applications, 786601 (25 January 2011); doi: 10.1117/12.888482

SPIE.

Event: IS&T/SPIE Electronic Imaging, 2011, San Francisco Airport, California, United States

Color Imaging XVI: Displaying, Processing, Hardcopy, and Applications

**Reiner Eschbach
Gabriel G. Marcu
Alessandro Rizzi**
Editors

**24–27 January 2011
San Francisco, California, United States**

Sponsored and Published by
IS&T—The Society for Imaging Science and Technology
SPIE

Volume 7866

Proceedings of SPIE, 0277-786X, v. 7874

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Color Imaging XVI: Displaying, Processing, Hardcopy, and Applications*, edited by Reiner Eschbach, Gabriel G. Marcu, Alessandro Rizzi, SPIE-IS&T Electronic Imaging, Vol. 7866 (SPIE, Bellingham, WA, 2011) Article CID Number.

ISSN 0277-786X
ISBN 9780819484031

Copublished by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445
SPIE.org

and

IS&T—The Society for Imaging Science and Technology

7003 Kilworth Lane, Springfield, Virginia, 22151 USA
Telephone +1 703 642 9090 (Eastern Time) · Fax +1 703 642 9094
imaging.org

Copyright © 2011, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/11/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE
Digital Library

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

- ix Conference Committee
- xi Abstracts from "The Dark Side of Color" session
R. Bala, Xerox Corp. (United States); A. Rizzi, Univ. degli Studi di Milano (Italy); J. McCann, McCann Imaging (United States); G. Beretta, E. Hoarau, J. Zeng, Hewlett-Packard Labs. (United States); J. Allebach, Purdue Univ. (United States); G. Marcu, Apple Inc (United States)

SESSION 1 DISPLAY I

- 7866 03 **Adaptive color visualization for dichromats using a customized hierarchical palette** [7866-02]
C. E. Rodríguez-Pardo, G. Sharma, Univ. of Rochester (United States)
- 7866 04 **R/G/B color crosstalk characterization and calibration for LCD displays** [7866-03]
R. Safaei-Rad, Qualcomm Canada Inc. (Canada); M. Aleksic, Qualcomm (United States)
- 7866 05 **Color gamut boundary optimization of wide gamut display devices** [7866-04]
F. Lebowsky, STMicroelectronics (France)

SESSION 2 DISPLAY II

- 7866 06 **Color correction for projected image on colored-screen based on a camera** [7866-05]
D.-C. Kim, T.-H. Lee, Kyungpook National Univ. (Korea, Republic of); M.-H. Choi, Daegu Polytechnic College Univ. (Korea, Republic of); Y.-H. Ha, Kyungpook National Univ. (Korea, Republic of)
- 7866 07 **Modeling LCD displays with local backlight dimming for image quality assessment** [7866-06]
J. Korhonen, N. Burini, S. Forchhammer, Technical Univ. of Denmark (Denmark); J. M. Pedersen, Bang & Olufsen A/S (Denmark)
- 7866 08 **Content dependent selection of image enhancement parameters for mobile displays** [7866-07]
Y.-G. Lee, Y.-J. Kang, H.-E. Kim, K.-H. Kim, C.-W. Kim, Inha Univ. (Korea, Republic of)
- 7866 09 **Saliency driven black point compensation** [7866-08]
A. Lindner, Ecole Polytechnique Fédérale de Lausanne (Switzerland) and Océ Print Logic Technologies (France); N. Bonnier, Océ Print Logic Technologies (France); S. Süssstrunk, École Polytechnique Fédérale de Lausanne (Switzerland)
- 7866 0A **DIN 6164 for gamut mapping?** [7866-09]
U. Caluori, D. Küpper, K. Simon, EMPA (Switzerland)

SESSION 3 HIGH DYNAMIC RANGE IMAGING

- 7866 0B **Estimation of low dynamic range images from single Bayer image using exposure look-up table for high dynamic range image** [7866-10]
T.-H. Lee, W.-J. Kyung, Kyungpook National Univ. (Korea, Republic of); C.-H. Lee, Andong National Univ. (Korea, Republic of); Y.-H. Ha, Kyungpook National Univ. (Korea, Republic of)
- 7866 0C **Flicker reduction in tone mapped high dynamic range video** [7866-11]
B. Guthier, S. Kopf, M. Eble, W. Effelsberg, Univ. Mannheim (Germany)

SESSION 4 APPLICATIONS

- 7866 0D **Applying AR technology with a projector-camera system in a history museum** [7866-12]
K. Miyata, National Museum of Japanese History (Japan); R. Shiroishi, Ochanomizu Univ. (Japan); Y. Inoue, Bunkyo Univ. (Japan)
- 7866 0E **Memory preservation made prestigious but easy** [7866-13]
R. Fageth, C. Debus, CeWe Color AG & Co. OHG (Germany); P. Sandhaus, Univ. of Oldenburg (Germany)
- 7866 0F **A method to estimate the UV content of illumination sources** [7866-14]
P. Green, Y. Chang, London College of Communication (United Kingdom)

SESSION 5 VISION

- 7866 0G **Knowledge exchange in the CREATE project: Colour Research for European Advanced Technology Employment** [7866-15]
C. Parraman, Univ. of the West of England (United Kingdom); A. Rizzi, Univ. degli Studi di Milano (Italy)
- 7866 0H **Is it turquoise + fuchsia = purple or is it turquoise + fuchsia = blue?** [7866-16]
G. B. Beretta, N. M. Moroney, Hewlett-Packard Labs. (United States)
- 7866 0I **Human vision based color edge detection** [7866-17]
A. Kim, H. Kim, S. Park, Daejin Univ. (Korea, Republic of)
- 7866 0J **Color universal design: analysis of color category dependency on color vision type (2)** [7866-18]
N. Kojima, M. G. Kamachi, Kogakuin Univ. (Japan); Y. G. Ichihara, Kogakuin Univ. (Japan) and NPO Color Universal Design Org. (Japan); K. Ito, Univ. of Tokyo (Japan) and NPO Color Universal Design Org. (Japan)

SESSION 6 IMAGE PROCESSING

- 7866 0K **Object classification by color normalization or calibration?** [7866-19]
W. Hans, D. Paulus, Univ. Koblenz-Landau (Germany)
- 7866 0L **Contrast preserving color fusion** [7866-20]
J. Kamenicky, B. Zitova, Institute of Information Theory and Automation (Czech Republic)

7866 0M **Evaluating the smoothness of color transformations** [7866-21]
A. Aristova, Z. Wang, J. Y. Hardeberg, Gjøvik Univ. College (Norway)

7866 0N **High capacity image barcodes using color separability** [7866-22]
O. Bulan, B. Oztan, G. Sharma, Univ. of Rochester (United States)

SESSION 7 THE DARK SIDE OF COLOR

7866 0Q **HDR imaging and color constancy: two sides of the same coin? (Invited Paper)** [7866-25]
J. J. McCann, McCann Imaging (United States)

7866 0R **ICC profiles: are we better off without them? (Invited Paper)** [7866-26]
G. B. Beretta, G. J. Dispoto, E. Hoarau, I-J. Lin, J. Zeng, Hewlett-Packard Labs. (United States)

SESSION 8 COLOR MANAGEMENT AND CONTROL

7866 0U **Soft proofing of printed colours on substrates with optical brightening agents** [7866-29]
N. Parab, P. Green, London College of Communication (United Kingdom)

7866 0V **Ghostscript color management** [7866-30]
M. J. Vrhel, R. Johnston, Artifex Software Inc. (United States)

7866 0W **Color control of a lighting system using RGBW LEDs** [7866-31]
M. Tanaka, T. Horiuchi, S. Tominaga, Chiba Univ. (Japan)

SESSION 9 COLOR CORRECTION AND COLOR SPACES

7866 0X **Brightness contrast under high surround luminance levels: psychophysical data vs CIECAM02** [7866-32]
Y. S. Baek, A. Kim, H. Kim, S. Park, Daejin Univ. (Korea, Republic of)

7866 0Y **LabRGB: optimization of bit allocation** [7866-33]
F. Nakaya, Fuji Xerox Co., Ltd. (Japan)

7866 0Z **Spatio-temporal colour correction of strongly degraded movies** [7866-34]
A. B. M. T. Islam, I. Farup, Gjøvik Univ. College (Norway)

7866 10 **Color correction optimization with hue regularization** [7866-35]
H. Zhang, Oregon State Univ. (United States) and Broadcom Corp. (United States); H. Liu, Oregon State Univ. (United States); S. Quan, Broadcom Corp. (United States)

SESSION 10 PRINTING I

7866 11 **Spectral model of an electro-photographic printing system** [7866-36]
M. A. Kriss, MAK Consulting (United States)

7866 12 **Optimized selection of image tiles for ink spreading calibration** [7866-37]
T. Bugnon, R. D. Hersch, École Polytechnique Fédérale de Lausanne (Switzerland)

- 7866 13 **Preferred skin color enhancement for photographic color reproduction** [7866-38]
H. Zeng, Hewlett-Packard Co. (United States); R. Luo, Univ. of Leeds (United Kingdom)
- 7866 14 **Kubelka-Munk theory for efficient spectral printer modeling** [7866-39]
M. Abebe, Gjøvik Univ. College (Norway); J. Gerhardt, Fraunhofer FIRST (Germany);
J. Y. Hardeberg, Gjøvik Univ. College (Norway)

SESSION 11 PRINTING II

- 7866 15 **A simple color prediction model based on multiple dot gain curves** [7866-40]
Y. Y. Qu, S. Gooran, Linköping Univ. (Sweden)
- 7866 16 **Subsampled optimal noise management method for a robust separation based calibration of color printing systems** [7866-41]
M. Qiao, Shutterfly Inc. (United States); M. Sanchez, Y. Chen, I. Case, G.-Y. Lin, Xerox Corp. (United States)
- 7866 17 **Investigating the wavelength dependency of dot gain in color print** [7866-42]
M. Namedanian, S. Gooran, D. Nyström, Linköping Univ. (Sweden)
- 7866 18 **Fast approach for toner saving** [7866-43]
I. V. Safonov, I. V. Kurilin, M. N. Rychagov, Samsung Electronics Co., Ltd. (Russian Federation);
H. Lee, S. Kim, D. Choi, Samsung Electronics Co., Ltd. (Korea, Republic of)
- 7866 19 **A virtual printer and reference printing conditions** [7866-44]
P. Green, London College of Communication (United Kingdom); W. C. Revie, FFEI Ltd. (United Kingdom); D. Q. McDowell, Eastman Kodak Co. (United States)

SESSION 12 HALFTONING I

- 7866 1A **Cost function analysis for stochastic clustered-dot halftoning based on direct binary search** [7866-45]
P. Goyal, M. Gupta, Purdue Univ. (United States); C. Staelin, M. Fischer, Hewlett-Packard Labs. Israel Ltd. (Israel); O. Shacham, Hewlett-Packard Indigo Ltd. (Israel); J. Allebach, Purdue Univ. (United States)
- 7866 1B **Stochastic clustered-dot screen design for improved smoothness** [7866-46]
M. Gupta, P. Goyal, Purdue Univ. (United States); M. Fischer, C. Staelin, T. Kashti, Hewlett-Packard Labs. Israel Ltd. (Israel); O. Shacham, Hewlett-Packard Indigo Ltd. (Israel); J. Allebach, Purdue Univ. (United States)
- 7866 1C **Design of color screen tile vector sets** [7866-47]
J.-Y. Kim, Y.-Y. Chen, Purdue Univ. (United States); M. Fischer, Hewlett-Packard Labs. Israel Ltd. (Israel); O. Shacham, Hewlett-Packard Indigo Ltd. (Israel); C. Staelin, Hewlett-Packard Labs. Israel Ltd. (Israel); K. Bengtson, Hewlett-Packard Co. (United States); J. P. Allebach, Purdue Univ. (United States)
- 7866 1D **UV fluorescence encoded image using two halftoning strategies** [7866-48]
Y. Zhao, S. Wang, Xerox Research Ctr. Webster (United States)

- 7866 1E **Moiré-free color halftoning using hexagonal geometry and spot functions** [7866-49]
S. Wang, R. P. Loce, Xerox Research Ctr. Webster (United States)

SESSION 13 HALFTONING II

- 7866 1F **A hybrid adaptive thresholding method for text with halftone pattern in scanned document images** [7866-50]
S. Yu, W. Ming, Konica Minolta Systems Labs., Inc. (United States)
- 7866 1G **Window-based spectral analysis of color halftone screens** [7866-51]
A. H. Eid, B. E. Cooper, E. E. Rippetoe, Lexmark International, Inc. (United States)
- 7866 1H **Descreening of color halftone images in the frequency domain** [7866-52]
C. J. Stanger, T. Tran, E. H. Barney Smith, Boise State Univ. (United States)
- 7866 1I **Analog image backup with steganographic halftones** [7866-53]
R. Ulichney, I. Tastl, E. Hoarau, Hewlett-Packard Co. (United States)

SESSION 14 INTERACTIVE PAPER SESSION

- 7866 1K **Spectral reflection and transmission prediction model of halftone image on fluorescent supports** [7866-55]
G. Shi, Jiangnan Univ. (China); N. Dong, Henan Mechanical and Electrical Engineering College (China); Y. Zhang, J. Chen, Jiangnan Univ. (China)
- 7866 1L **The transmission of light affect the color reproduction of plastic print** [7866-56]
J. Chen, Y. Zhang, G. Shi, Jiangnan Univ. (China)
- 7866 1M **Reflectance model of plastic substrate halftone image based on Markov chain** [7866-57]
W. Ni, Z. Liu, G. Shi, J. Huang, Y. Zhang, Jiangnan Univ. (China)
- 7866 1N **Color image segmentation on region growing and multi-scale clustering** [7866-58]
Z. Jia, W. Wang, J. Sun, Henan Polytechnic Univ. (China); T. Wei, Univ. of Electronic Science And Technology of China (China)
- 7866 1R **Regression based characterization of color measurement instruments in printing applications** [7866-62]
P. Nussbaum, J. Y. Hardeberg, Gjøvik Univ. College (Norway); F. Albrechtsen, Univ. of Oslo (Norway)
- 7866 1S **Printing anaglyph maps optimized for display** [7866-63]
R. Zeng, Liming Vocational Univ. (China); H. Zeng, Hewlett-Packard Co. (United States)
- 7866 1T **A restoration method for distorted image scanned from a bound book** [7866-64]
H. Ohk, H. Seo, K. Kang, S. Kim, D. Choi, Samsung Electronics Co., Ltd. (Korea, Republic of)

Author Index

Conference Committee

Symposium Chair

Sabine Süsstrunk, École Polytechnique Fédérale de Lausanne
(Switzerland)

Symposium Cochair

Majid Rabbani, Eastman Kodak Company (United States)

Conference Chairs

Reiner Eschbach, Xerox Corporation (United States)

Gabriel G. Marcu, Apple Inc. (United States)

Alessandro Rizzi, Università degli Studi di Milano (Italy)

Program Committee

Jan P. Allebach, Purdue University (United States)

Scott J. Daly, Sharp Laboratory of America, Inc. (United States)

Phil J. Green, London College of Communication (United Kingdom)

Roger D. Hersch, École Polytechnique Fédérale de Lausanne
(Switzerland)

Choon-Woo Kim, Inha University (Korea, Republic of)

Michael A. Kriss, Consultant (United States)

Fritz Lebowsky, STMicroelectronics (France)

Nathan Moroney, Hewlett-Packard Laboratories (United States)

Carinna E. Parraman, University of the West of England (United
Kingdom)

Shoji Tominaga, Chiba University (Japan)

Stephen Westland, University of Leeds (United Kingdom)

Session Chairs

1 Display I
Reiner Eschbach, Xerox Corporation (United States)

2 Display II
Gabriel G. Marcu, Apple Inc. (United States)

3 High Dynamic Range Imaging
Alessandro Rizzi, Università degli Studi di Milano (Italy)

- 4 Applications
Gabriel G. Marcu, Apple Inc. (United States)
- 5 Vision
Alessandro Rizzi, Università degli Studi di Milano (Italy)
- 6 Image Processing
Jan P. Allebach, Purdue University (United States)
- 7 The Dark Side of Color
Reiner Eschbach, Xerox Corporation (United States)
- 8 Color Management and Control
Carinna E. Parraman, University of the West of England (United Kingdom)
- 9 Color Correction and Color Spaces
Reiner Eschbach, Xerox Corporation (United States)
- 10 Printing I
Gabriel G. Marcu, Apple Inc. (United States)
- 11 Printing II
Shoji Tominaga, Chiba University (Japan)
- 12 Halftoning I
Michael A. Kriss, Consultant (United States)
- 13 Halftoning II
Reiner Eschbach, Xerox Corporation (United States)

The dark side of color III

Raja Bala ^a, Alessandro Rizzi ^b, John McCann ^c, Giordano Beretta ^d,
Eric Hoarau ^d, Jun Zeng ^d, Jan Allebach ^e, Gabriel Marcu ^f

^a Xerox Corp., USA

^b DICO – Università degli Studi di Milano, Italy

^c McCann Imaging, USA

^d Hewlett-Packard Labs., USA

^e Purdue Univ, USA

^f Apple Inc, USA

ABSTRACT

This year, at Electronic Imaging 2011, will be held for the third time, as part of the "Color Imaging XVI: Displaying, Hardcopy, Processing, and Applications" conference, the special session entitled, "Dark Side of Color". This session aims at introducing innovative thinking, and discussion from experts working in a wide range of disciplines related with color, to foster ideas and stimulate about open issues and common misunderstanding in color science and technology. It is composed by a limited number of invited short presentations that are presented as summaries in this paper together with an overall description of the session point of view.

Keywords: Dark side of color, Color, Color models, Color teaching, Colorimetry, Color related phenomena

1. WHAT THIS SESSION IS ABOUT

What is the dark side of color ?

Color is a very complex phenomenon that cannot be explained with only physics principles. The human vision system is what transforms the physical stimuli into the colors we see.

Color related topics are sometime taught and communicated without presenting their inner complexity, their limits and the simplifications that sometime are at their base. A-critically following pre-defined "recipes" can lead to the risk of loosing the overall framework and consequently a complete understanding of the chosen technique.

Classic colorimetric methods, specifically designed to deal with color in aperture mode (isolated, out of visual context), have become dominant in digital color science and technology. Their use has been extended to deal with a great variety of situations in which color is considered inside a visual context, thus outside its initial scope. Color science is facing this transitional evolution in order to deal with color in context and appearance, but without substantial changes in their original foundation.

There is a need for widening the scientific debate and discuss about paradigms. This can be achieved by, for example, new questions, different attention for details; information in the margins that so far are often discounted or overlooked. These aspects are what we consider to be the "dark side of color".

The invited speakers of this section have been asked to stimulate ideas and discussions on the needs and the characteristics of possible alternative approaches and/or point of view. This session aims at suggesting paradigm shifts, lateral thinking and bottom up experimentation by re-addressing the current state of the evolving situation in color in sciences, arts and technologies.

Following these principles, every speaker has chosen a topic of his/her preference and presents open issues and problems in a short 15-minutes presentation. The presentation abstracts are reported in the following sections to give the reader a glance on the discussed topics.

We would like to stress that basically no answers are expected to arise from the presentations of this session, but more likely questions and perspective shifts.

2. THE SPEAKERS

Here are the abstracts of the speakers that will participate at this second edition of the session of the Dark Side of Color. They are listed in alphabetical order.

2.1 “The Color Side of Dark” Raja Bala

Earlier studies examining preferred printed reproduction of “gray” patches indicated a bias towards the quadrant in the chrominance plane where both a^* and b^* are negative (i.e. towards blue). Furthermore, visual tolerance for gray appeared to be asymmetric about $a^*=b^*=0$, decreasing rapidly for colors in quadrants where a^* or b^* is significantly positive. In follow-on experiments examining preference across different image content and viewing conditions, it was surmised that gray perception is likely affected by a combination of adaptation, image content, and personal preference. In this presentation we extend this analysis to look at preferred black in prints. We observe that in many cases, the preferred black point has a significant chrominance component, and furthermore, as was observed with gray, preferred black has a significant bias towards the chrominance quadrant where both a^* and b^* are negative. This observation raises interesting implications in dynamic range compression and gamut mapping in the dark regions of color space.

2.2 “What a bad signal from this strange device!” Alessandro Rizzi

We are acquainted to a description of the eye as a good camera with clearly determined optical and spectral properties. Reality is not exactly like that. This presentation aims at reviewing the many peculiar characteristics that sometime are not considered in the process of modeling our human vision system. One can be tempted of simplifying or of considering our vision system as a black box that we can describe from a top-down point of view, following the habit of using more engineering than biological descriptions. This talk want to suggest that within the unusual property of our eye it can be hidden the key of interpretation of the inner mechanisms of our vision.

2.3 “HDR Imaging and Color Constancy: Two Sides of the Same Coin?” John McCann

At first, we think that High Dynamic Range (HDR) imaging is a technique for improved recordings of scene radiances. Many of us think that human color constancy is a variation of a camera's automatic white balance algorithm. However, on closer inspection, glare limits the range of light we can detect in cameras and retinas. All scene regions below middle gray are influenced, more or less, by the glare from the bright scene segments. Instead of accurate radiance reproduction, HDR imaging works well because it preserves the details in the scene's spatial contrast. Similarly, human color constancy, also on closer inspection, depends on spatial comparisons that synthesize appearances from all the scene segments. Can spatial image processing play similar principle roles in both HDR imaging and color constancy?

2.4 “Is the future of digital printing paperless?” Giordano Beretta, Eric Hoarau, Jun Zeng

Before ICC profiles, a device-independent document would encode all color in a device independent CIE space like CIELAB. When the document was to be printed, the press person would measure a target and create a color transformation from the CIE coordinates to device coordinates. For office and consumer color printers, the color transformation for a standard paper would be hardwired in the printer driver or the printer firmware. This procedure had two disadvantages: the color transformations required deep expertise to produce and were hard to manage (the latter

making them hard to share), and the image data was transformed twice (from input device to colorimetric and then to output device coordinates) introducing discretization errors twice. The first problem was solved with the ICC profile standard, and the last problem was solved by storing the original device dependent coordinates in the document - together with an input ICC profile - so the color management system could first collapse the two profiles and then perform a single color transformation. Unfortunately, there is a wide variety in the quality of ICC profiles. Even worse, the real nightmare is that quite frequently the incorrect ICC profiles are embedded in documents or the color management systems apply the wrong profiles. For consumer and office printers, the solution is to forgo ICC profiles and reduce everything to the single sRGB color space, so only the printer profile is required. However, the sRGB quality is insufficient for print solution providers. How can a modern print workflow solve the ICC profile nightmare?

2.5 “Can less be more?” Jan Allebach

Methods for color halftone imaging have been used in the printing industry for over 100 years. In 1987, Ulichney associated color with another dimension of halftoning when he used the color blue to characterize aperiodic, dispersed-dot halftones for which the spatial Fourier transform has energy predominantly in the short wavelength band. Eleven years later in 1998, Lau continued this theme by using the color green to characterize aperiodic, clustered-dot halftones, for which the spatial Fourier transform has energy predominantly in the mid-wavelength band. There is yet a third dimension of halftoning that can be associated with a color – also the color green, and that is associated with the environmental impact of halftoning.

Halftoning is just one aspect of printing; and a truly meaningful assessment of its environmental impact would require a cradle-to-grave analysis of the cost of manufacture and recycling or disposal of all the hardware associated with the marking, finishing, and distribution processes, as well as all consumables, and a comparable analysis of the environmental impact of alternative means of personal and broadcast communication that could substitute for printing. Our goal in this presentation is much more modest. We propose to consider only the amount of colorant that is required to achieve a fixed level of visual quality in a printed halftone image. Here we assume that the colorant set, the medium onto which the colorant is to be printed, and the marking technology are all fixed. In this case, the primary components of the overall printing process that can be altered are the color management scheme and the halftoning algorithm.

Even within this restricted scope, the problem is far from trivial. In fact, color management and digital halftoning are each, in their own right, sufficiently complex that the practice in the research community has generally been to keep one component fixed while varying the other one. To reduce colorant usage while maintaining a fixed visual appearance, a basic tenet has been that the colorant should be spread more thinly over the media. This argues in favor of using higher spatial frequency periodic or aperiodic halftone textures. However, it is precisely these types of halftones that are most challenging for marking processes to render in a stable, reproducible manner. In our previous research, we have shown that probabilistically based microscopic models that depend on a micro-scale characterization of surface reflectance can substantially improve image quality in the presence of such limitations. Such a characterization of surface reflectance requires a properly calibrated high-resolution imaging device.

If a micro-scale reflectance model could be augmented with a micro-scale model for colorant usage, we believe that the halftoning process could be simultaneously optimized with respect to both halftone image quality and colorant usage. However, we will argue that the capability to obtain micro-scale measurements of colorant usage is presently not well developed. In this paper, we will examine the present capability to make halftoning truly green from the standpoint of minimizing colorant usage while maintaining a fixed level of print quality. We will also discuss what can be achieved given current limitations of measurement devices, and what could be achieved if better micro-scale measurement processes were developed.

2.6 “Can displays go wild?” Gabriel Marcu

This presentation points out several aspects about color displays that are specific to the recent development of display technologies. The traditional color models fail for those devices. The author try to rise awareness on the danger of using color management for those devices based on conventional color models. Elements such as cross talking, RGB primary and white point migration, gamma and gray tracking, dynamic contrast are discussed. Each aspect is illustrated with examples so the viewer can understand the true effect of ignoring them in the color model.