PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 7917

, "Front Matter: Volume 7917," Proc. SPIE 7917, Nonlinear Frequency Generation and Conversion: Materials, Devices, and Applications X, 791701 (1 April 2011); doi: 10.1117/12.890186

SPIE.

Event: SPIE LASE, 2011, San Francisco, California, United States

PROCEEDINGS OF SPIE

Nonlinear Frequency Generation and Conversion: Materials, Devices, and Applications X

Konstantin L. Vodopyanov
Editor

24–27 January 2011
San Francisco, California, United States

Sponsored and Published by
SPIE

Volume 7917

Proceedings of SPIE, 0277-786X, v. 7917

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Nonlinear Frequency Generation and Conversion: Materials, Devices, and Applications X*, edited by Konstantin L. Vodopyanov, Proceedings of SPIE Vol. 7917 (SPIE, Bellingham, WA, 2011) Article CID Number.

ISSN 0277-786X

ISBN 9780819484543

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) • Fax +1 360 647 1445

SPIE.org

Copyright © 2011, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/11/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

- xi *Conference Committee*
- xiii *Introduction*
- xv *Microfabrication by optical tweezers* [7921-02]
R. Ghadiri, T. Weigel, C. Esen, A. Ostendorf, Ruhr-Univ. Bochum (Germany)

SESSION 1 VISIBLE LASERS I: JOINT SESSION WITH CONFERENCE 7912

- 7917-02 **Multi-watt orange light generation by intracavity frequency doubling in a dual-gain quantum dot semiconductor disk laser (Invited Paper)** [7917-01]
J. Rautiainen, Tampere Univ. of Technology (Finland); I. Krestnikov, Innolume GmbH (Germany); J. Nikkinen, O. G. Okhotnikov, Tampere Univ. of Technology (Finland)
- 7917-03 **1 W at 531 nm generated in a ppMgO:LN planar waveguide by means of frequency doubling of a DBR tapered diode laser** [7917-02]
D. Jedrzejczyk, D. Feise, R. Güther, K. Paschke, G. Erbert, Ferdinand-Braun-Institut (Germany)
- 7917-04 **High-power (1.1W) green (532nm) laser source based on single-pass second harmonic generation on a compact micro-optical bench** [7917-03]
P. Q. Liu, Ferdinand-Braun-Institut (Germany) and Princeton Univ. (United States); C. Fiebig, M. Uebernickel, G. Blume, D. Feise, A. Sahm, D. Jedrzejczyk, K. Paschke, G. Erbert, Ferdinand-Braun-Institut (Germany)
- 7917-05 **Modulation and efficiency characteristics of miniature microchip green laser sources based on PPMgOLN nonlinear material** [7917-04]
J. Khaydarov, S. Essaian, A. Shchegrov, S. Slavov, Spectralus Corp. (United States); G. Gabrielyan, A. Poghosyan, S. Soghomonyan, Spectralus CJSC (Armenia)

SESSION 2 VISIBLE LASERS II: JOINT SESSION WITH CONFERENCE 7912

- 7917-06 **Fiber-laser-pumped CW OPO for red, green, blue laser generation (Invited Paper)** [7917-05]
Y.-Y. Lin, National Tsing Hua Univ. (Taiwan); S.-T. Lin, National Tsing Hua Univ. (Taiwan) and Feng Chia Univ. (Taiwan); Y.-C. Huang, National Tsing Hua Univ. (Taiwan)

SESSION 3 VISIBLE AND UV LASERS

- 7917-07 **Amplification of ps-pulses from freely triggerable gain-switched laser diodes at 1062 nm and second harmonic generation in periodically poled lithium niobate** [7917-06]
T. Schönau, S. M. Riecke, K. Lauritsen, R. Erdmann, PicoQuant GmbH (Germany)

- 7917 08 **Thermal optimization of the second harmonic generation with tapered diode lasers** [7917-07]
A. Sahm, M. Uebernickel, C. Fiebig, K. Paschke, G. Erbert, G. Tränkle, Ferdinand-Braun-Institut (Germany)
- 7917 09 **Vacuum ultraviolet light generation at 193 nm by quasi-phase-matched quartz** [7917-08]
M. Harada, National Institute for Materials Science (Japan) and Nikon Corp. (Japan);
M. Adachi, National Institute for Materials Science (Japan) and Nidek Co., Ltd. (Japan);
K. Muramatsu, M. Ueda, Nikon Corp. (Japan); T. Yamada, Nidek Co., Ltd. (Japan);
S. Kurimura, National Institute for Materials Science (Japan)
- 7917 0A **70% frequency-doubling efficiency of 0.8-W mode-locked picosecond Ti:sapphire laser with external cavity** [7917-09]
T. Ohira, S. Maeda, Y. Takida, H. Kumagai, Osaka City Univ. (Japan)
- 7917 0B **Multiple-wavelength synthetic green laser source for speckle reduction** [7917-71]
D. V. Kuksenkov, R. V. Roussev, S. Li, W. A. Wood, C. M. Lynn, Corning Inc. (United States)

SESSION 4 TERAHERTZ GENERATION I

- 7917 0C **Multi-THz fields exceeding 100 MV/cm: an ultrabroadband source for sub-cycle nonlinear optics (Invited Paper)** [7917-11]
R. Huber, A. Sell, F. Junginger, Univ. of Konstanz (Germany); O. Schubert, Univ. of Konstanz (Germany) and Fritz-Haber-Institut der Max-Planck-Gesellschaft (Germany); B. Mayer, S. Mährlein, C. Schmidt, Univ. of Konstanz (Germany); T. Kampfrath, M. Wolf, Fritz-Haber-Institut der Max-Planck-Gesellschaft (Germany); D. Brida, M. Marangoni, G. Cerullo, Politecnico di Milano (Italy); A. Leitenstorfer, Univ. of Konstanz (Germany)
- 7917 0D **Nonlinear holographic imaging of terahertz radiation** [7917-12]
J. C. Delagnes, P. Mounaix, L. Canioni, Ctr. de Physique Moléculaire Optique et Hertzienne, CNRS, Univ. Bordeaux 1 (France)
- 7917 0E **Investigation of metamaterials for terahertz frequency range** [7917-13]
R. Yahiaoui, Ctr. de Physique Moléculaire Optique et Hertzienne, CNRS, Univ. Bordeaux 1 (France); H. Němec, P. Kužel, F. Kadlec, C. Kadlec, Institute of Physics of the ASCR, v.v.i. (Czech Republic); J. Schilling, Martin-Luther-Univ. Halle-Wittenberg (Germany); M. Bari, Science and Technology Research Partners Ltd. (Ireland); J. C. Delagnes, P. Mounaix, Ctr. de Physique Moléculaire Optique et Hertzienne, CNRS, Univ. Bordeaux 1 (France)
- 7917 0F **Parametric generation of terahertz wave pumped by picosecond Ti:sapphire laser with MgO-doped LiNbO₃ installed in external enhancement cavity** [7917-14]
Y. Takida, S. Maeda, T. Ohira, H. Kumagai, S. Nashima, Osaka City Univ. (Japan)

SESSION 5 TERAHERTZ GENERATION II

- 7917 0G **Recent progress of THz generation and detection in ambient air or gases (Invited Paper)** [7917-15]
X. Lu, B. Clough, I.-C. Ho, J. Liu, J. Dai, X.-C. Zhang, Rensselaer Polytechnic Institute (United States)

- 7917 OH **Coherent monolithic THz generation based on quasi-phase-matched GaP bonded structures pumped by pulsed fiber lasers at ~ 1.5 μm** [7917-16]
W. Shi, NP Photonics, Inc. (United States); E. B. Petersen, NP Photonics, Inc. (United States) and College of Optical Sciences, The Univ. of Arizona (United States); A. Chavez-Pirson, NP Photonics, Inc. (United States); N. Peyghambarian, NP Photonics, Inc. (United States) and College of Optical Sciences, The Univ. of Arizona (United States)
- 7917 OI **Length dependence of forward and backward THz DFG in a strongly absorptive material** [7917-17]
Y.-C. Huang, M.-Y. Chuang, Y.-H. Lin, C.-H. Lee, T.-D. Wang, Y.-Y. Lin, F.-Y. Lin, National Tsing Hua Univ. (Taiwan)
- 7917 OJ **Terahertz generation with tilted-front laser pulses: dynamical theory** [7917-18]
M. I. Bakunov, Univ. of Nizhny Novgorod (Russian Federation) and Institute of Applied Physics (Russian Federation); S. B. Bodrov, Institute of Applied Physics (Russian Federation) and Univ. of Nizhny Novgorod (Russian Federation); E. A. Mashkovich, Univ. of Nizhny Novgorod (Russian Federation)

SESSION 6 OPTICAL PARAMETRIC DEVICES I

- 7917 OL **CdSiP₂ optical parametric generator** [7917-20]
O. Chalus, ICFO - Institut de Ciències Fotoniques (Spain); P. G. Schunemann, K. T. Zawilski, BAE Systems, Inc. (United States); J. Biegert, ICFO - Institut de Ciències Fotoniques (Spain), Institució Catalana de Recerca i Estudis Avançats (Spain), and Univ. of New Mexico (United States); M. Ebrahim-Zadeh, ICFO - Institut de Ciències Fotoniques (Spain) and Institució Catalana de Recerca i Estudis Avançats (Spain)
- 7917 OM **Ho:YAG laser pumped walk-off compensated mid-infrared ZGP optical parametric oscillation** [7917-21]
X. Mu, H. Meissner, H.-C. Lee, Onyx Optics Inc. (United States)
- 7917 ON **Development of a mid-infrared tunable optical parametric oscillator pumped by a Q-switched Tm,Ho:YAG laser** [7917-22]
H. Hazama, Osaka Univ. (Japan); M. Yumoto, T. Ogawa, S. Wada, RIKEN (Japan); K. Awazu, Osaka Univ. (Japan), Univ. of Fukui (Japan), and Kyoto Univ. (Japan)
- 7917 OO **Generation of watt level mid-infrared wavelengths using intra-cavity ZnGeP₂ OPO within a 2.1 μm Ho:YAG laser** [7917-23]
L. H. Tan, P. B. Phua, DSO National Labs. (Singapore) and Nanyang Technological Univ. (Singapore)

SESSION 7 ULTRAFAST NONLINEAR DEVICES AND APPLICATIONS

- 7917 OR **Linear light bullets based on Airy-Bessel wave packets (Invited Paper)** [7917-26]
A. Chong, W. H. Renninger, F. W. Wise, Cornell Univ. (United States)

- 7917 OS **Performing the triple auto-correlations of picosecond optical pulse trains with a photo electromotive force detector** [7917-27]
A. S. Shcherbakov, S. Mansurova, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico); P. Moreno Zarate, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico) and NovaUniv. (Mexico); J. Campos Acosta, Consejo Superior de Investigaciones Científicas (Spain); S. A. Nemov, St. Petersburg State Polytechnical Univ. (Russian Federation)
- 7917 OT **Broadband third-harmonic generation on interfaces using femtosecond pulses** [7917-28]
E. C. Barbano, J. P. Siqueira, C. R. Mendonça, L. Misoguti, S. C. Zílio, Univ. de São Paulo (Brazil)
- 7917 OU **MHz-rate picosecond laser discretely tunable from the near-infrared to the deep ultraviolet** [7917-29]
G. I. Petrov, V. V. Yakovlev, Univ. of Wisconsin-Milwaukee (United States)
- 7917 OV **Highly simplified device for measuring the intensity and phase of picosecond pulses** [7917-30]
J. Cohen, D. Lee, V. Chauhan, P. Vaughan, R. Trebino, Georgia Institute of Technology (United States)

SESSION 8 NONLINEAR FIBER DEVICES AND APPLICATIONS

- 7917 OW **Rediscovered dynamics of nonlinear fiber optics: from breathers to extreme localisation** [7917-31]
B. Kibler, J. Fatome, C. Finot, K. Hammani, G. Millot, Lab. Interdisciplinaire Carnot de Bourgogne, CNRS, Univ. de Bourgogne (France); F. Dias, Ecole Normale Supérieure de Cachan (France); G. Genty, M. Erkintalo, Tampere Univ. of Technology (Finland); N. Akhmediev, The Australian National Univ. (Australia); B. Wetzel, J. M. Dudley, FEMTO-ST, CNRS, Univ. de Franche-Comté (France)
- 7917 OX **Enhanced supercontinuum generation by minute continuous wave seed** [7917-32]
K. K. Y. Cheung, C. Zhang, Y. Zhou, K. K. Y. Wong, K. K. Tsia, The Univ. of Hong Kong (Hong Kong, China)
- 7917 OY **The use of the nonlinear optical loop mirror for investigations of pulse breakup in optical fibers (Invited Paper)** [7917-33]
E. A. Kuzin, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico); O. Pottiez, Ctr. de Investigaciones en Óptica, A.C. (Mexico); B. Ibarra-Escamilla, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico)
- 7917 OZ **Interference of FSBS and Kerr effect in a standard highly nonlinear fiber** [7917-34]
Y. Zhu, Duke Univ. (United States); J. Wang, Duke Univ. (United States) and Beijing Jiaotong Univ. (China); R. Zhang, D. J. Gauthier, Duke Univ. (United States)
- 7917 IO **Failure and limitations of linear Raman gain approximation for fiber supercontinuum generation modelling** [7917-35]
M. Erkintalo, G. Genty, Tampere Univ. of Technology (Finland); B. Wetzel, J. M. Dudley, FEMTO-ST, CNRS, Univ. de Franche-Comté (France)

SESSION 9	OPTICAL PARAMETRIC DEVICES II
7917 11	Ultra-sensitive room-temperature THz detection based on parametric upconversion by using a pulsed 1550nm optical source (Invited Paper) [7917-36] M. J. Khan, J. C. Chen, Z.-L. Liao, S. Kaushik, MIT Lincoln Lab. (United States)
7917 12	Optical-parametric-amplification imaging of complex objects [7917-37] P. M. Vaughan, R. Trebino, Georgia Institute of Technology (United States)
7917 13	High resolution 2D image upconversion of incoherent light [7917-38] J. S. Dam, C. Pedersen, P. Tidemand-Lichtenberg, Technical Univ. of Denmark (Denmark)
7917 14	A simple model for 2D image upconversion of incoherent light [7917-39] J. S. Dam, C. Pedersen, P. Tidemand-Lichtenberg, Technical Univ. of Denmark (Denmark)
7917 15	Characterizing the performances of an advanced acousto-optical filter exploiting the collinear calcium molybdate crystalline cell [7917-40] A. S. Shcherbakov, National Institute for Astrophysics, Optics, and Electronics (Mexico); J. Maximov, Molecular Technology GmbH (Germany); D. Sanchez Lucero, K. J. Sanchez Perez, National Institute for Astrophysics, Optics, and Electronics (Mexico)
SESSION 10	MID-IR FREQUENCY COMBS AND APPLICATIONS
7917 18	Mid-IR spectral comb with broad instantaneous bandwidth using subharmonic OPO [7917-43] N. Leindecker, A. Marandi, K. L. Vodopyanov, R. L. Byer, Stanford Univ. (United States)
SESSION 11	NONLINEAR MATERIALS AND CHARACTERIZATION I
7917 1B	Mid-infrared photonics in silicon (Invited Paper) [7917-46] A. Spott, Y. Liu, T. W. Baehr-Jones, Univ. of Washington (United States); R. Ilic, Cornell Univ. (United States); M. Hochberg, Univ. of Washington (United States)
7917 1C	Third harmonic generation in periodically poled crystals [7917-47] J. C. Delagnes, L. Canioni, Ctr. de Physique Moléculaire Optique et Hertzienne, CNRS, Univ. Bordeaux 1 (France)
7917 1D	Flat-top wideband wavelength converters based on cascaded sum and difference-frequency generation using step-chirped gratings [7917-48] A. Tehranchi, R. Kashyap, Univ. of Montreal (Canada)
7917 1E	Laser heated pedestal growth of potassium lithium niobate for UV generation [7917-49] G. Maxwell, Shasta Crystals Inc. (United States); A. Petersen, Newport Spectra-Physics (United States); D. Dalton, Shasta Crystals Inc. (United States)
SESSION 12	NONLINEAR MATERIALS AND CHARACTERIZATION II
7917 1F	Future directions in quasi-phasematched semiconductors for mid-infrared lasers [7917-50] P. G. Schunemann, S. D. Setzler, BAE Systems, Inc. (United States)

- 7917 1G **Some properties of the mixed $\text{Ga}_{0.4}\text{Se}_{0.6}$ nonlinear crystal in comparison to GaSe** [7917-51]
G. Marchev, A. Tyazhev, V. Panyutin, V. Petrov, F. Noack, K. Miyata, Max-Born-Institute for Nonlinear Optics and Ultrafast Spectroscopy (Germany); M. Griepentrog, BAM Federal Institute for Materials Research and Testing (Germany)
- 7917 1H **Frequency doubling of a CO_2 laser using orientation patterned GaAs** [7917-52]
L. P. Gonzalez, Air Force Research Lab. (United States); D. C. Upchurch, J. O. Barnes, Air Force Research Lab. (United States) and General Dynamics Information Technology (United States); P. G. Schunemann, L. Mohnkern, BAE Systems, Inc. (United States); S. Guha, Air Force Research Lab. (United States)
- 7917 1I **Photoacoustic Z-scan for the measurement of third-order nonlinear absorption coefficient** [7917-53]
C. S. Yelleswarapu, Univ. of Massachusetts Boston (United States); S.-R. Kothapalli, Stanford Univ. (United States); D. V. G. L. N. Rao, Univ. of Massachusetts Boston (United States)
- 7917 1K **Limitations and improvements upon the two-level approximation for molecular nonlinear optics** [7917-55]
D. L. Andrews, D. S. Bradshaw, M. M. Coles, Univ. of East Anglia (United Kingdom)
- 7917 1L **New mixed $\text{LiGa}_{0.5}\text{In}_{0.5}\text{Se}_2$ nonlinear crystal for the mid-IR** [7917-56]
V. Vedenyapin, L. Isaenko, A. Yelisseyev, S. Lobanov, Institute of Geology and Mineralogy (Russian Federation); A. Tyazhev, G. Marchev, V. Petrov, Max-Born-Institute for Nonlinear Optics and Ultrafast Spectroscopy (Germany)

POSTER SESSION

- 7917 1M **Calculation characteristics of spontaneous parametric emission based on $\text{BaAlBO}_3\text{F}_2$ crystal** [7917-58]
H. Wang, Xi'an Univ. of Arts and Science (China); K. Li, N. J. Copner, Univ. of Glamorgan (United Kingdom)
- 7917 1O **Output characteristics of 579nm Raman laser for medical application** [7917-60]
Y.-S. Kim, W.-J. Jeon, Y. Do, Dankook Univ. (Korea, Republic of); E.-J. Hahn, Univ. of Suwon (Korea, Republic of)
- 7917 1P **Low-threshold quasi-cw terahertz parametric amplification in an external ring cavity with an MgO:LiNbO_3 crystal** [7917-61]
S. Maeda, T. Ohira, Y. Takida, H. Kumagai, S. Nashima, Osaka City Univ. (Japan)
- 7917 1Q **A study on fabrication of BaMgF_4 thin film toward frequency-conversion device in UV/VUV region** [7917-62]
H. Matsukawa, T. Shimono, N. Hirano, H. Kumagai, Osaka City Univ. (Japan)
- 7917 1R **Study on periodic twinning of quartz crystal under bending stress** [7917-63]
T. Shimono, H. Matsukawa, N. Hirano, H. Kumagai, Osaka City Univ. (Japan); N. Fukuda, T. Takiya, N. Inoue, K. Nakayama, Hitachi Zosen Corp. (Japan)

- 7917 1S **Effect of post-growth annealing on the optical properties of LiGaS₂ nonlinear crystals** [7917-64]
A. Yelisseyev, Institute of Geology and Mineralogy (Russian Federation); M. Starikova, Novosibirsk State Technical Univ. (Russian Federation); L. Isaenko, S. Lobanov, Institute of Geology and Mineralogy (Russian Federation); V. Petrov, Max-Born-Institute for Nonlinear Optics and Ultrafast Spectroscopy (Germany)
- 7917 1T **Parabolic pulse generation in the nonlinear nonuniform fibre cascade** [7917-65]
I. O. Zolotovskiy, M. S. Yavtushenko, Ulyanovsk State Univ. (Russian Federation); A. A. Sysoliatin, A. M. Prokhorov General Physics Institute (Russian Federation); D. I. Sementsov, I. O. Yavtushenko, Ulyanovsk State Univ. (Russian Federation); O. G. Okhotnikov, Tampere Univ. of Technology (Finland)
- 7917 1V **Modified Sellmeier equations for ZnGeP₂ in the 0.97-1640μm range** [7917-67]
K. Kato, N. Umemura, Chitose Institute of Science and Technology (Japan); T. Okamoto, Okamoto Optics Work, Inc. (Japan); T. Mikami, Chitose Institute of science and Technology (Japan) and Okamoto Optics Work, Inc. (Japan)
- 7917 1W **Analysis of single frequency Raman amplifier for guide star application** [7917-68]
I. Dajani, C. Vergien, C. Zeringue, C. Robin, Air Force Research Lab. (United States)
- 7917 1X **Statistical properties of partially coherent CW fiber lasers** [7917-69]
D. V. Churkin, Institute of Automation and Electrometry (Russian Federation) and Novosibirsk State Univ. (Russian Federation); S. V. Smirnov, Novosibirsk State Univ. (Russian Federation); E. V. Podivilov, Institute of Automation and Electrometry (Russian Federation)
- 7917 1Y **Demonstration of a high power 1.5344μm output Nd:YAG pumped OPO** [7917-70]
M. D. Wojcik, R. J. Foltynowicz, Utah State Univ. (United States)
- 7917 1Z **Reverse-proton-exchanged waveguide frequency doublers for green light generation** [7917-72]
R. V. Roussev, V. Bhagavatula, J. Himmelreich, K. Becken, J. Tingley, Corning Inc. (United States)

Author Index

Conference Committee

Symposium Chairs

Friedhelm Dorsch, TRUMPF GmbH & Company KG (Germany)
Alberto Piqué, U.S. Naval Research Laboratory (United States)

Symposium Cochairs

Donald J. Harter, IMRA America, Inc. (United States)
Peter R. Herman, University of Toronto (Canada)

Conference Chair

Konstantin L. Vodopyanov, Stanford University (United States)

Conference Cochair

Yehoshua Y. Kalisky, Nuclear Research Center Negev (Israel)

Program Committee

Darrell J. Armstrong, Sandia National Laboratories (United States)
Pinhas Blau, Soreq Nuclear Research Center (Israel)
Majid Ebrahim-Zadeh, ICFO - Instituto de Ciencias Fotónicas (Spain)
Peter P. Günter, ETH Zürich (Switzerland)
Angus J. Henderson, Lockheed Martin Aculight (United States)
Baldemar Ibarra-Escamilla, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico)
Yun-Shik Lee, Oregon State University (United States)
Rita D. Peterson, Air Force Research Laboratory (United States)
Peter E. Powers, University of Dayton (United States)
Kenneth L. Schepler, Air Force Research Laboratory (United States)
Peter G. Schunemann, BAE Systems (United States)
Andrei V. Shchegrov, Spectralus Corporation (United States)
Wei Shi, NP Photonics, Inc. (United States)
Ramesh Shori, Naval Air Warfare Center Weapons Division (United States)

Session Chairs

- 1 Visible Lasers I: Joint Session with Conference 7912
W. Andrew Clarkson, University of Southampton (United Kingdom)
Andrei V. Shchegrov, Spectralus Corporation (United States)
- 2 Visible Lasers II: Joint Session with Conference 7912
Wolf R. Seelert, Coherent Lübeck GmbH (Germany)
- 3 Visible and UV Lasers
Darrell J. Armstrong, Sandia National Laboratories (United States)
- 4 Terahertz Generation I
Wei Shi, NP Photonics, Inc. (United States)
- 5 Terahertz Generation II
Peter P. Günter, ETH Zürich (Switzerland)
- 6 Optical Parametric Devices I
Pinhas Blau, Soreq Nuclear Research Center (Israel)
- 7 Ultrafast Nonlinear Devices and Applications
Darrell J. Armstrong, Sandia National Laboratories (United States)
- 8 Nonlinear Fiber Devices and Applications
Baldemar Ibarra-Escamilla, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico)
- 9 Optical Parametric Devices II
Peter E. Powers, University of Dayton (United States)
- 10 Mid-IR frequency Combs and Applications
Konstantin L. Vodopyanov, Stanford University (United States)
- 11 Nonlinear Materials and Characterization I
Peter G. Schunemann, BAE Systems (United States)
- 12 Nonlinear Materials and Characterization II
Rita D. Peterson, Air Force Research Laboratory (United States)

Introduction

The span of electromagnetic frequencies, which can be achieved by means of nonlinear optics is impressive—more than four orders of magnitude: from the UV to THz—and this is reflected by a remarkable variety of current achievements in nonlinear optics presented in this volume.

In the realm of visible and UV generation, most hot topics are producing green, yellow and red colors by frequency conversion of the radiation of semiconductor lasers, the latter being known as efficient and inexpensive sources of near-infrared photons. For example, multi-watt orange light was generated by intracavity frequency doubling in a dual-gain quantum dot semiconductor disk laser (paper [7917-1]) and 1 Watt at 531 nm was generated in a ppMgO:LN planar waveguide by means of frequency doubling of a distributed Bragg reflector (DBR) tapered diode laser [7917-2]. Also, fiber-laser-pumped CW optical parametric oscillator (OPO) was shown to produce red, green, and blue laser light—all in one device [7917-5]. Vacuum UV light was produced at 193 nm by frequency conversion in quasi-phase-matched crystalline quartz that utilizes stress-induced twinning [7917-8].

On the other end of the spectrum, intense ultra-broadband (0.1 to 140 THz) terahertz waves with the field amplitude exceeding 100 MV/cm were produced via optical method using a hybrid Er:fiber-Ti:sapphire laser system. These pulses might be suitable for sub-cycle nonlinear optics [7917-11]. It has been demonstrated that ionized air plasma can be used as an emitter and a sensor for both generation and detection of broadband THz waves. In the case of THz generation, intense THz waves (peak THz field > 1.5 MV/cm) with a broadband spectrum, from 0.1 THz to 46 THz, were produced [7917-15]. Ultrasensitive room-temperature THz detection using parametric up conversion with a pulsed 1550-nm optical source was described in paper [7917-36].

In the field of ultrafast nonlinear devices, "light bullets" - Airy-Bessel wave packets which can be regarded as three-dimensionally localized light waves that do not spread in time or space as they propagate were reported and their applications highlighted [7917-26].

A new approach for generating ultra-broadband mid-infrared frequency combs in the difficult-to-access mid-infrared spectral region was implemented, based on degenerate (frequency-divide-by-two) optical parametric oscillation. This technique efficiently transfers the desirable properties of shorter wavelength mode-locked sources to the mid-infrared [7917-43].

As for new nonlinear optical materials, mid-infrared photonics based on silicon waveguides has been proposed. Low-loss (~4 dB/cm) waveguides appear to be

suitable for microresonators operating at wavelengths around $5.5\text{ }\mu\text{m}$, which can be used for sensing and nonlinear optics [7917-46]. In another paper, a new mixed LiGaInSe nonlinear optical crystal for the mid-IR was reported [7917-56]. Future directions in quasi-phase matched (QPM) semiconductors for mid-infrared lasers were highlighted and the properties, processing, and performance of orientation patterned GaAs (as a typical example of semiconductor QPM material) were compared to those of the next generation materials. In particular, gallium phosphide (GaP) was identified as the most promising material for near-term development [7917-50].

In short, the future of nonlinear optics looks bright. Laser outputs are converted to new wavelengths, from vacuum UV (or even XUV) to THz and sub-THz with time formats varying from continuous-wave operation to attosecond pulse regimes.

Konstantin L. Vodopyanov