PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 7954

, "Front Matter: Volume 7954," Proc. SPIE 7954, Light-Emitting Diodes: Materials, Devices, and Applications for Solid State Lighting XV, 795401 (9 March 2011); doi: 10.1117/12.890417

SPIE.

Event: SPIE OPTO, 2011, San Francisco, California, United States

PROCEEDINGS OF SPIE

Light-Emitting Diodes: Materials, Devices, and Applications for Solid State Lighting XV

**Klaus P. Streubel
Li-Wei Tu
Heonsu Jeon
Norbert Linder**
Editors

**25–27 January 2011
San Francisco, California, United States**

Sponsored by
SPIE

Cosponsored by
OSRAM GmbH (Germany)

Published by
SPIE

Volume 7954

Proceedings of SPIE, 0277-786X, v. 7954

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Light-Emitting Diodes: Materials, Devices, and Applications for Solid State Lighting XV*, edited by Klaus P. Streubel, Li-Wei Tu, Heonsu Jeon, Norbert Linder, Proceedings of SPIE Vol. 7954 (SPIE, Bellingham, WA, 2011) Article CID Number.

ISSN 0277-786X

ISBN 9780819484918

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) • Fax +1 360 647 1445

SPIE.org

Copyright © 2011, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/11/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

- vii Conference Committee
- ix *Daytime light, performance, and sleep (Abstract Only)* [7954-04]
D. Kunz, German Heart Institute (Germany)

SESSION 1 SPECIAL SESSION ON LIGHT AND HEALTH: HUMAN FACTORS FOR SSL

- 7954 02 **Energy efficient illumination for the biological clock (Invited Paper)** [7954-01]
D. Lang, OSRAM GmbH (Germany)
- 7954 03 **Human preference in tunable solid state lighting (Invited Paper)** [7954-02]
J. M. Spaulding, M. R. Thompson, R. E. Levin, OSRAM SYLVANIA Inc. (United States)
- 7954 04 **Human health and well-being: promises for a bright future from solid-state lighting (Invited Paper)** [7954-03]
M. S. Rea, Rensselaer Polytechnic Institute (United States)

SESSION 2 HIGH CURRENT PERFORMANCE AND DROOP EFFECT IN LEDs I

- 7954 08 **Improvement in efficiency droop of GaN-based light-emitting diodes by optimization of active regions (Invited Paper)** [7954-07]
C. H. Wang, D. W. Lin, C. H. Chiu, S. P. Chang, Z. Y. Li, J. C. Li, H. C. Kuo, T. C. Lu, S. C. Wang, National Chiao Tung Univ. (Taiwan)

SESSION 3 LED APPLICATIONS AND SSL

- 7954 0A **Randomized micro lens arrays for color mixing (Invited Paper)** [7954-09]
J. Muschaweck, OSRAM GmbH (Germany)

SESSION 4 HIGH CURRENT PERFORMANCE AND DROOP EFFECT IN LEDs II

- 7954 0H **Density-activated defect recombination as a possible explanation for the efficiency droop in GaN-based diodes** [7954-15]
J. Hader, J. V. Moloney, College of Optical Sciences, The Univ. of Arizona (United States) and Nonlinear Control Strategies Inc. (United States); S. W. Koch, Philipps Univ. Marburg (Germany)

SESSION 5 LED MANUFACTURING AND APPLICATIONS

- 7954 0K **Characteristics of linear position sensor based on bi-cell photodiode** [7954-18]
I. Friedland, A. Brandes, Elbit Systems Electro-Optics EL OP (Israel)

- 7954 OL **A flexible rugged testbed for passive solar collector development** [7954-19]
A. N. Bharathwaj, A. Mishra, B. Srinivasan, Indian Institute of Technology (India)

SESSION 6 NOVEL SUBSTRATES FOR LEDs

- 7954 ON **Non-polar GaInN-based light-emitting diodes: an approach for wavelength-stable and polarized-light emitters (Invited Paper)** [7954-21]
T. Detchprohm, M. Zhu, S. You, L. Zhao, W. Hou, C. Stark, C. Wetzel, Rensselaer Polytechnic Institute (United States)

SESSION 7 UV EMITTING LEDs

- 7954 OQ **Efficient 350nm LEDs on low edge threading dislocation density AlGaIn buffer layers** [7954-24]
R. Gutt, T. Passow, W. Pletschen, M. Kunzer, L. Kirste, Fraunhofer-Institut für Angewandte Festkörperphysik (Germany); K. Forghani, F. Scholz, O. Klein, U. Kaiser, Univ. Ulm (Germany); K. Köhler, J. Wagner, Fraunhofer-Institut für Angewandte Festkörperphysik (Germany)

SESSION 8 NANOMATERIALS AND NANOSTRUCTURES FOR LEDs

- 7954 OS **Nitride nanowire structures for LED applications (Invited Paper)** [7954-26]
H. Riechert, O. Brandt, C. Cheze, V. Consonni, M. Knelangen, J. Lähnemann, F. Limbach, C. Pfüller, A. Trampert, M. Wölz, L. Geelhaar, Paul-Drude-Institut für Festkörperelektronik (Germany)
- 7954 OT **III-nitride nanowires: novel materials for solid-state lighting (Invited Paper)** [7954-27]
G. T. Wang, Q. Li, J. Huang, Sandia National Labs. (United States); A. A. Talin, NIST (United States); A. Armstrong, Sandia National Labs. (United States); P. C. Upadhyaya, R. P. Prasankumar, Los Alamos National Lab. (United States)
- 7954 OU **Enhancement of light extraction efficiency of InGaIn quantum wells light-emitting diodes using TiO₂ microsphere arrays** [7954-28]
X.-H. Li, Y.-K. Ee, R. Song, N. Tansu, Lehigh Univ. (United States)
- 7954 OW **Nanostructure based antireflection coatings for EO/IR sensor applications** [7954-50]
A. K. Sood, R. E. Welser, A. W. Sood, E. J. Egerton, Y. R. Puri, Magnolia Optical Technologies, Inc. (United States); D. Poxson, S. C. J. Cho, E. F. Schubert, Rensselaer Polytechnic Institute (United States); D. L. Polla, N. K. Dhar, DARPA/MTO (United States); R. S. Balcerak, Raymond S. Balcerak, LLC (United States); M. B. Soprano, U.S. Army Research, Development and Engineering Command (United States)

SESSION 9 OLEDs AND OLED LIGHTING

- 7954 OZ **New concept for in-line OLED manufacturing (Invited Paper)** [7954-33]
U. Hoffmann, H. Landgraf, M. Campo, S. Keller, M. Koenig, Applied Materials GmbH & Co. KG (Germany)

- 7954 10 **In situ measurement of spectrum, emission zone, and dipole emitter orientation in OLEDs** [7954-34]
M. Flämmich, D. Michaelis, N. Danz, Fraunhofer Institute for Applied Optics and Precision Engineering (Germany)

SESSION 10 PHOSPHORS FOR LEDs

- 7954 12 **Luminescent features of novel sol-gel derived lanthanide multi-doped oxyfluoride nano-structured phosphors for white LED** [7954-36]
A. S. Gouveia-Neto, A. F. da Silva, L. A. Bueno, E. B. Costa, Univ. Federal Rural de Pernambuco (Brazil)
- 7954 14 **Process to measure particulate down-converting phosphors and create well-correlated software models of LED performance** [7954-38]
M. W. Zollers, Synopsys, Inc. (United States); H. Yang, J. H. Melman, Intematix Corp. (United States); S. R. David, Synopsys, Inc. (United States); G. Wang, X. Xu, Intematix Corp. (United States)
- 7954 15 **Luminescent ceramics for LED conversion** [7954-39]
M. Raukas, G. Wei, OSRAM SYLVANIA Inc. (United States); K. Bergenek, OSRAM GmbH (Germany); J. Kelso, N. Zink, Y. Zheng, M. Hannah, M. Stough, OSRAM SYLVANIA Inc. (United States); R. Wirth, OSRAM GmbH (Germany); A. Linkov, OSRAM Opto Semiconductors GmbH (Germany); F. Jermann, OSRAM GmbH (Germany); D. Eisert, OSRAM Opto Semiconductors GmbH (Germany)

SESSION 11 NOVEL TECHNOLOGIES FOR LED DESIGN AND FABRICATION

- 7954 16 **Development of patterned sapphire substrate and the application to the growth of non-polar and semi-polar GaN for light-emitting diodes (Invited Paper)** [7954-40]
K. Tadatomo, N. Okada, Yamaguchi Univ. (Japan)
- 7954 17 **Novel approaches to realizing chemical lift-off of GaN epilayer from sapphire substrate (Invited Paper)** [7954-41]
R.-H. Horng, National Cheng Kung Univ. (Taiwan) and National Chung Hsing Univ. (Taiwan); T.-Y. Tsai, C.-Y. Yen, M.-T. Hung, C.-T. Pan, D.-S. Wu, National Chung Hsing Univ. (Taiwan)
- 7954 18 **Novel approaches for high-efficiency InGaN quantum wells light-emitting diodes: device physics and epitaxy engineering (Invited Paper)** [7954-42]
N. Tansu, H. Zhao, J. Zhang, G. Liu, X.-H. Li, Y.-K. Ee, R. Song, T. Toma, L. Zhao, G. S. Huang, Lehigh Univ. (United States)
- 7954 19 **Optimisation of pattern geometry and investigations of physical mechanisms contributing to improved light extraction in patterned substrate LEDs** [7954-43]
M. D. B. Charlton, Univ. of Southampton (United Kingdom); S. Linn, Unilite/Luxtaltek Corp. (Taiwan)

POSTER SESSION

- 7954 1F **Efficiency enhancement of blue InGaN LEDs with indium composition graded InGaN barriers**
[7954-49]
T.-H. Wang, J.-Y. Chang, M.-C. Tsai, Y.-K. Kuo, National Changhua Univ. of Education
(Taiwan)

Author Index

Conference Committee

Symposium Chair

Liang-Chy Chien, Kent State University (United States)

Symposium Cochairs

Klaus P. Streubel, OSRAM GmbH (Germany)

E. Fred Schubert, Rensselaer Polytechnic Institute (United States)

Program Track Chair

Klaus P. Streubel, OSRAM GmbH (Germany)

Conference Chairs

Klaus P. Streubel, OSRAM GmbH (Germany)

Li-Wei Tu, National Sun Yat-Sen University (Taiwan)

Heonsu Jeon, Seoul National University (Korea, Republic of)

Conference Cochair

Norbert Linder, OSRAM Opto Semiconductors GmbH (Germany)

Program Committee

Gerd Bacher, Universität Duisburg-Essen (Germany)

Mitch M. C. Chou, National Sun Yat-Sen University (Taiwan)

Michael Heuken, AIXTRON AG (Germany)

Z. Rena Huang, Rensselaer Polytechnic Institute (United States)

Satoshi Kamiyama, Meijo University (Japan)

Jong Kyu Kim, Pohang University of Science and Technology (Korea, Republic of)

Markus Klein, OSRAM Opto Semiconductors GmbH (Germany)

Michael R. Krames, Sora, Inc. (United States)

Kei May Lau, Hong Kong University of Science and Technology (Hong Kong, China)

Kurt J. Linden, Spire Corporation (United States)

Hans Nikol, Philips Lighting B.V. (Netherlands)

E. Fred Schubert, Rensselaer Polytechnic Institute (United States)

Jerry A. Simmons, Sandia National Laboratories (United States)

Ross P. Stanley, Centre Suisse d'Electronique et de Microtechnique SA (Switzerland)

Session Chairs

- 1 Special Session on Light and Health: Human Factors for SSL
Klaus P. Streubel, OSRAM GmbH (Germany)
- 2 High Current Performance and Droop Effect in LEDs I
Jong Kyu Kim, Pohang University of Science and Technology (Korea, Republic of)
- 3 LED Applications and SSL
Michael R. Krames, Sora, Inc. (United States)
- 4 High Current Performance and Droop Effect in LEDs II
E. Fred Schubert, Rensselaer Polytechnic Institute (United States)
- 5 LED Manufacturing and Applications
Kurt J. Linden, Spire Corporation (United States)
- 6 Novel Substrates for LEDs
Michael Heuken, AIXTRON AG (Germany)
- 7 UV Emitting LEDs
Tilmar Kümmell, Universität Duisburg-Essen (Germany)
- 8 Nanomaterials and Nanostructures for LEDs
Mitch M. C. Chou, National Sun Yat-Sen University (Taiwan)
- 9 OLEDs and OLED Lighting
Ross P. Stanley, Centre Suisse d'Electronique et de Microtechnique SA (Switzerland)
- 10 Phosphors for LEDs
Heonsu Jeon, Seoul National University (Korea, Republic of)
- 11 Novel Technologies for LED Design and Fabrication
Satoshi Kamiyama, Meijo University (Japan)

Daytime Light, Performance and Sleep

Dieter Kunz

Working Group Sleep Research & Clinical Chronobiology,
German Heart Institute, Berlin, Germany, dieter.kunz@charite.de

ABSTRACT

The discovery of intrinsically photosensitive, retinal ganglion cells, the photopigment melanopsin and the description of its action spectrum some ten years ago, initiated a rapid development in the field of light and health. Research in animals and humans has shown a surprising similarity in molecular mechanisms and signalling pathways between unicells, amphibians as well as mammals including humans. These nonvisual light effects contribute to the regulation of e.g. the circadian timing system, sleep-wake, performance, learning, temperature, heart rate and metabolism. The introduction of new light sources is unlikely to worsen the current situation with respect to the nonvisual, eye-mediated, biological effects of light. Rather these new devices will enable light industry, clinical chronobiologists and architects to improve health, save energy and improve learning and performance in large parts of the population. The magnitude of this potential benefit can hardly be overestimated. In order to provide these groups with concrete instructions for application human experimental and applicational studies are desperately needed.

Keywords: light, health, melatonin, alertness, performance, sleep, circadian timing system, melanopsin

Background:

The rotation of the earth is the source of the most reliably recurring event in nature: the daily light-dark cycle. The evolutionary result is a network of internal clocks, governed by a master clock, which drives the predictable part of daily physiological variations in a precise manner. One hand of this clockwork is melatonin. Melatonin is secreted by the pineal gland during darkness, mediated by a signal of the internal clock.

Although industrial progress and life in a 24-hour-society are based on the use of artificial light at night, the endogenous circadian timing system (CTS) is synchronized to the solar day by means of the environmental light-dark cycle. Maintaining synchronized circadian rhythms is important to health and well-being. A growing body of evidence suggests

that a desynchronisation of circadian rhythms may play a role in various tumoral diseases, diabetes, obesity and depression. Shift-workers, who are a model for internal desynchronisation, are known to experience increased morbidity and mortality for a number of diseases, including cardiovascular disorders and cancer.

Research starting in the 1980s / 1990s led at the beginning of this century to the discovery that the mammalian eye contains a subset of directly photosensitive retinal ganglion cells (pRGCs). These pRGCs respond maximally in the blue part of the visible spectrum and utilize melanopsin as the photopigment. The pRGCs project to the circadian clock (located in the suprachiasmatic nuclei of the hypothalamus) and entrain the circadian timing system to the environmental light-dark cycle. Thus, in order to stay synchronized, the circadian timing system needs a daily variation of light and darkness.

Using various designs, it was repeatedly shown that light of high intensity and/or monochromatic blue light not only suppresses melatonin at night, but also induced pupil constriction, increases heart-rate, influences thermo-regulation, enhances alertness, and changes the frequency of the electro-encephalogram. Nevertheless, most of these studies were performed using artificial environments and long-term, high-intensity, polychromatic or monochromatic blue light in a way that seldom occurs even in our world of artificial lighting.

The aim of our recent research was to evaluate the effects of polychromatic light on humans in their natural environment.

In a first experiment we quantified the illumination levels people in an urban environment are exposed to. We found that daytime illumination levels that students in Berlin were exposed to are extremely low when compared to those levels humans are evolutionary made for. One may consider these illumination levels as “living in biological darkness”. In case these illumination levels are representative for the general population one may speculate that the circadian timing system of humans in an urban environment do not receive sufficient light to stay synchronised.

In the next step we conducted various studies on the effects of daytime illumination and nighttime sleep. Ten minutes illumination by everyday lamps significantly suppressed melatonin excretion, increased alertness and changed subsequent sleep. The impact of these studies is that not only monochromatic light in the artificial environment of the lab, but polychromatic light emitted by everyday lamps influences behavior and physiology. The WHO has classified nightshiftwork as probable carcinogenic. The supposed mechanism is the suppression of melatonin by light during nightshift. Furthermore one may speculate that the light induced suppression of melatonin in the evening contributes to the failure to initiate sleep of which a major part of the population suffers from.

In the second part of these studies we investigated the effects of morning illumination on nighttime sleep. Here we found that morning illumination significantly influences subsequent nighttime sleep.

Conclusion:

The rapidly increasing knowledge concerning the circadian timing system and the coordination of physiologic and psychologic processes on the one hand as well as the increasing understanding of the mechanisms of circadian entrainment will induce a substantial change in our daily living. The major aim will have to be to strengthen the circadian timing system which can be achieved by increasing the blue portion in artificial light during day time and by reducing the same blue portion of artificial light during the night and evening hours. Increasing the blue portion of artificial light may improve performance and learning ability in school kids and employees working indoor, health will be improved in patients staying at nursing homes or hospitals. On the other hand a reduction of the blue portion in artificial light during night time hours may prevent shift workers from disorders like cancer and cardiovascular disorders as well as reduce sleep disturbances and their consequences among the general population. Fascinating times are ahead of clinical chronobiologists, light industry and architects to mention just a few.