PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 7965

, "Front Matter: Volume 7965," Proc. SPIE 7965, Medical Imaging 2011: Biomedical Applications in Molecular, Structural, and Functional Imaging, 796501 (25 April 2011); doi: 10.1117/12.896234

SPIE.

Event: SPIE Medical Imaging, 2011, Lake Buena Vista (Orlando), Florida, United States

Medical Imaging 2011

***Biomedical Applications in Molecular,
Structural, and Functional Imaging***

John B. Weaver
Robert C. Molthen
Editors

13–16 February 2011
Lake Buena Vista, United States

Sponsored by
SPIE

Cosponsored by
Dynasil Corporation/RMD Research (United States) • AAPM—American Association of Physicists in Medicine (United States) • DQE Instruments, Inc. (Canada) • Ocean Thin Films, Inc. (United States) • CREOL—The College of Optics and Photonics, Univ. of Central Florida (United States) VIDA Diagnostics, Inc. (United States)

Cooperating Organizations
APS—American Physiological Society (United States) • CARS—Computer Assisted Radiology and Surgery (Germany) • The Society for Imaging Science and Technology • Medical Image Perception Society (United States) • Radiological Society of North America (United States) Society for Imaging Informatics in Medicine (United States) • SMI—The Society for Molecular Imaging • The DICOM Standards Committee (United States)

Published by
SPIE

Volume 7965

Proceedings of SPIE, 0277-786X, v. 7965

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Medical Imaging 2011: Biomedical Applications in Molecular, Structural, and Functional Imaging*, edited by John B. Weaver, Robert C. Molthen, Proceedings of SPIE Vol. 7965 (SPIE, Bellingham, WA, 2011) Article CID Number.

ISSN 1605-7422

ISBN 9780819485076

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2011, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/11/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

xiii Conference Committee

SESSION 1 BRAIN IMAGING I: FMRI

- 7965 02 **Characteristics of voxel prediction power in full-brain Granger causality analysis of fMRI data** [7965-01]
R. Garg, G. A. Cecchi, A. R. Rao, IBM Thomas J. Watson Research Ctr. (United States)
- 7965 03 **A methodology for dynamic functional connectivity** [7965-02]
T. Lei, J. Dell, T. P. L. Roberts, The Children's Hospital of Philadelphia (United States) and Univ. of Pennsylvania (United States)
- 7965 04 **Effective connectivity of neural pathways underlying disgust by multivariate Granger causality analysis** [7965-03]
H. Yan, Shaanxi Normal Univ. (China) and Xidian Univ. (China) and Peking Univ. (China); Y. Wang, Shaanxi Normal Univ. (China); J. Tian, Institute of Automation (China) and Xidian Univ. (China); Y. Liu, Peking Univ. (China) and Univ. of Florida (United States)
- 7965 05 **The neural correlates of face processing and Chinese character processing in children** [7965-04]
J. Liu, Beijing Jiaotong Univ. (China); L. Feng, Institute of Automation (China); L. Li, Beijing Jiaotong Univ. (China); J. Tian, Institute of Automation (China)
- 7965 06 **Learn the effective connectivity pattern of attention networks: a resting functional MRI and Bayesian network study** [7965-05]
J. Li, R. Li, L. Yao, State Key Lab. of Cognitive Neuroscience and Learning, Beijing Normal Univ. (China); X. Wu, Beijing Normal Univ. (China)

SESSION 2 OPTICAL IMAGING I

- 7965 07 **Automatic localization of bifurcations and vessel crossings in digital fundus photographs using location regression** [7965-06]
M. Niemeijer, The Univ. of Iowa Hospitals and Clinics (United States) and VA Ctr. of Excellence for Prevention and Treatment of Visual Loss (United States); A. V. Dumitrescu, The Univ. of Iowa Hospitals and Clinics (United States); B. van Ginneken, Radboud Univ. Nijmegen Medical Ctr. (Netherlands); M. D. Abrámoff, The Univ. of Iowa Hospitals and Clinics (United States) and Radboud Univ. Nijmegen Medical Ctr. (Netherlands) and VA Ctr. of Excellence for Prevention and Treatment of Visual Loss (United States)
- 7965 08 **Normal and keratoconic corneal epithelial thickness mapping using Fourier-domain optical coherence tomography** [7965-07]
Y. Li, O. Tan, D. Huang, Oregon Health & Science Univ. (United States)

- 7965 0A **Deconvolution of dynamic dual photon microscopy images of cerebral microvasculature to assess the hemodynamic status of the brain** [7965-09]
H. Mehrabian, L. Lindvere, B. Stefanovic, A. L. Martel, Univ. of Toronto (Canada) and Sunnybrook Health Sciences Ctr. (Canada)
- 7965 0B **Three-dimensional multi bioluminescent sources reconstruction based on adaptive finite element method** [7965-10]
X. Ma, J. Tian, Institute of Automation (China); B. Zhang, Northeastern Univ. (China); X. Zhang, Z. Xue, D. Dong, D. Han, Institute of Automation (China)
- 7965 0C **In vivo heterogeneous tomographic bioluminescence imaging via a higher-order approximation forward model** [7965-11]
K. Liu, Institute of Automation (China); J. Tian, Institute of Automation (China) and Xidian Univ. (China); C. Qin, X. Yang, Institute of Automation (China); S. Zhu, Xidian Univ. (China); D. Han, P. Wu, X. Dai, Institute of Automation (China)

SESSION 3 BODY IMAGING: IMAGE BASED ANALYSIS

- 7965 0D **Image-guided prostate sectioning supporting registration of graded cancerous foci from digital histopathology images to in vivo MRI: an interactive 3D visualization tool** [7965-12]
E. Gibson, Robarts Research Institute (Canada); A. Fenster, Robarts Research Institute (Canada) and The Univ. of Western Ontario (Canada) and Lawson Health Research Institute (Canada); C. Crukley, Robarts Research Institute (Canada); C. McKenzie, The Univ. of Western Ontario (Canada) and Lawson Health Research Institute (Canada); J. A. Gomez, M. Moussa, G. Bauman, The Univ. of Western Ontario (Canada); A. D. Ward, Robarts Research Institute (Canada) and The Univ. of Western Ontario (Canada)
- 7965 0E **Mouse whole-body organ mapping by non-rigid registration approach** [7965-13]
D. Xiao, Commonwealth Scientific and Industrial Research Organisation (Australia); D. Zahra, Australian Nuclear Science and Technology Organisation (Australia); P. Bourgeat, Commonwealth Scientific and Industrial Research Organisation (Australia); P. Berghofer, Australian Nuclear Science and Technology Organisation (Australia); O. Acosta Tamayo, Commonwealth Scientific and Industrial Research Organisation (Australia) and Univ. de Rennes 1 (France); H. Green, M. C. Gregoire, Australian Nuclear Science and Technology Organisation (Australia); O. Salvado, Commonwealth Scientific and Industrial Research Organisation (Australia)
- 7965 0F **Affine invariant parameterization to assess local shape in abdominal organs** [7965-14]
J. M. Watt, M. G. Linguraru, R. M. Summers, National Institutes of Health (United States)
- 7965 0G **MRI-based quantification of Duchenne muscular dystrophy in a canine model** [7965-15]
J. Wang, Z. Fan, J. N. Kornegay, M. A. Styner, The Univ. of North Carolina at Chapel Hill (United States)
- 7965 0H **Toward understanding the complex mechanisms behind breast thermography: an overview for comprehensive numerical study** [7965-16]
L. Jiang, The George Washington Univ. (United States); W. Zhan, Univ. of California, San Francisco (United States); M. H. Loew, The George Washington Univ. (United States)

SESSION 4 BONE AND MICRO-CT

- 7965 0I **Micro-CT characterization of human trabecular bone in osteogenesis imperfecta** [7965-17]
J. Jameson, C. Albert, Marquette Univ. (United States) and Orthopaedic & Rehabilitation Engineering Ctr. (United States); P. Smith, Orthopaedic & Rehabilitation Engineering Ctr. (United States) and Shriners Hospitals for Children (United States); R. Molthen, Marquette Univ. (United States) and Orthopaedic & Rehabilitation Engineering Ctr. (United States) and Medical College of Wisconsin (United States) and Clement J. Zablocki VA Medical Ctr. (United States); G. Harris, Marquette Univ. (United States) and Orthopaedic & Rehabilitation Engineering Ctr. (United States) and Shriners Hospitals for Children (United States)
- 7965 0J **3D visualization and quantification of bone and teeth mineralization for the study of osteo/dentinogenesis in mice models** [7965-18]
A. Marchadier, Institut PRISME (France); C. Vidal, Institut Pasteur, INSERM (France); S. Ordureau, UsefulProgress (France); R. Lédée, C. Léger, Institut PRISME (France); M. Young, National Institutes of Health (United States); M. Goldberg, Institut Pasteur, INSERM (France)
- 7965 0K **Structure based classification of μ -CT images of human trabecular bone using local Minkowski Functionals** [7965-19]
R. A. Monetti, Max-Planck-Institut für extraterrestrische Physik (Germany); J. Bauer, Technische Univ. Muenchen (Germany); I. Sidorenko, Max-Planck-Institut für extraterrestrische Physik (Germany); D. Müller, E. Rummeny, Technische Univ. Muenchen (Germany); M. Matsuura, Ludwig-Maximilians-Univ. (Germany); F. Eckstein, Paracelsus Private Medical Univ. (Austria); E.-M. Lochmueller, Ludwig-Maximilians-Univ. (Germany); P. Zysset, Vienna Univ. of Technology (Austria); C. Rth, Max-Planck-Institut fr extraterrestrische Physik (Germany)
- 7965 0L **Detecting metastasis of gastric carcinoma using high-resolution micro-CT system: in vivo small animal study** [7965-20]
J. Liu, Xidian Univ. (China); J. Tian, Xidian Univ. (China) and Institute of Automation (China); J. Liang, X. Li, Xidian Univ. (China); X. Yang, X. Chen, Guangzhou Zhongke Kaisheng Medical Technology Co., Ltd. (China); Y. Chen, Y. Zhou, Shanghai Institute of Materia Medica (China); X. Wang, Xidian Univ. (China)
- 7965 0M **Time-course characterization of an aqueous colloidal polydisperse contrast agent in mice using micro-computed tomography** [7965-21]
S. A. Detombe, The Univ. of Western Ontario (Canada) and Robarts Research Institute (Canada); J. Dunmore-Buyze, Robarts Research Institute (Canada); M. Drangova, The Univ. of Western Ontario (Canada) and Robarts Research Institute
- 7965 0N **Implementation and assessment of an animal management system for small-animal micro-CT / micro-SPECT imaging** [7965-22]
D. W. Holdsworth, S. A. Detombe, Robarts Research Institute (Canada); C. Chiodo, ASI Instruments, Inc. (United States); S. T. Fricke, Children's National Medical Ctr. (United States); M. Drangova, Robarts Research Institute (Canada)

SESSION 5 BRAIN IMAGING II: IMAGE BASED ANALYSIS

- 7965 0O **Effect of registration on corpus callosum population differences found with DBM analysis** [7965-23]
Z. Han, Vanderbilt Univ. (United States); T. A. Thornton-Wells, Kennedy Ctr. for Research on Human Development, Vanderbilt Univ. (United States); J. C. Gore, B. M. Dawant, Vanderbilt Univ. (United States)
- 7965 0P **Automated segmentation of ventricles from serial brain MRI for the quantification of volumetric changes associated with communicating hydrocephalus in patients with brain tumor** [7965-24]
J. A. Pura, A. M. Hamilton, G. A. Vargish, J. A. Butman, M. G. Linguraru, National Institutes of Health (United States)
- 7965 0Q **Assessment of variability in cerebral vasculature for neuro-anatomical surgery planning in rodent brain** [7965-25]
J. R. Rangarajan, K. Van Kuyck, U. Himmelreich, B. Nuttin, F. Maes, P. Suetens, Katholieke Univ. Leuven (Belgium)
- 7965 0R **Using tensor-based morphometry to detect structural brain abnormalities in rats with adolescent intermittent alcohol exposure** [7965-26]
B. Paniagua, The Univ. of North Carolina at Chapel Hill (United States); C. Ehlers, The Scripps Research Institute (United States); F. Crews, F. Budin, G. Larson, M. Styner, I. Oguz, The Univ. of North Carolina at Chapel Hill (United States)
- 7965 0S **Functional connectivity comparison of the default mode network in non-depressed Parkinson disease and depressed Parkinson disease** [7965-27]
Y. Han, R. Li, Beijing Normal Univ. (China); J. Liu, Beijing Xuan Wu Hospital (China); L. Yao, X. Wu, Beijing Normal Univ. (China)

SESSION 6 MAGNETIC PARTICLE IMAGING

- 7965 0T **Novel hardware developments in magnetic particle imaging** [7965-28]
T. M. Buzug, T. F. Sattel, M. Erbe, S. Biederer, Univ. zu Lübeck (Germany); D. Finas, K. Diedrich, F. M. Vogt, J. Barkhausen, Univ. Schleswig-Holstein (Germany); K. Lüdtkke-Buzug, T. Knopp, Univ. zu Lübeck (Germany)
- 7965 0U **Experimental demonstration of x-space magnetic particle imaging** [7965-29]
P. W. Goodwill, S. M. Conolly, Univ. of California, Berkeley (United States)
- 7965 0V **Quantifying receptor density in vivo using a dual probe approach with fluorescence molecular imaging** [7965-96]
K. M. Tichauer, K. S. Samkoe, J. O'Hara, K. J. Sexton, S. C. Davis, B. W. Pogue, Thayer School of Engineering, Dartmouth College (United States)
- 7965 0W **Magnetization spectroscopy of biocompatible magnetite (Fe₃O₄) nanoparticles for MPI** [7965-31]
R. M. Ferguson, A. P. Khandhar, K. M. Krishnan, Univ. of Washington (United States)
- 7965 0X **Development of a field free line magnet for projection MPI** [7965-32]
J. Konkle, P. Goodwill, S. Conolly, Univ. of California, Berkeley (United States)

- 7965 0Y **Chemical binding affinity estimation using MSB** [7965-33]
J. B. Weaver, Dartmouth-Hitchcock Medical Ctr. (United States) and Thayer School of Engineering, Dartmouth College (United States) and Norris Cotton Cancer Ctr., Dartmouth Medical School (United States); A. M. Rauwerdink, Thayer School of Engineering, Dartmouth College (United States)

SESSION 7 KEYNOTE AND NANOPARTICLE IMAGING

- 7965 0Z **MPI cell tracking: what can we learn from MRI? (Keynote Paper)** [7965-34]
J. W. M. Bulte, P. Walczak, Russell H. Morgan Dept. of Radiology and Radiological Science, The Johns Hopkins Univ. (United States); B. Gleich, Philips Medical Systems (Germany); J. Weizenecker, Karlsruher Institut für Technologie (Germany); D. E. Markov, Philips Research Europe (Germany); H. C. J. Aerts, Philips Medical Systems (Germany); H. Boeve, Koninklijke Philips Electronics N.V. (Netherlands); J. Borgert, M. Kuhn, Philips Medical Systems (Germany)
- 7965 10 **First phantom and in vivo MPI images with an extended field of view** [7965-35]
I. Schmale, J. Rahmer, B. Gleich, J. Kanzenbach, J. D. Schmidt, C. Bontus, Philips Technologie GmbH Innovative Technologies (Germany); O. Woywode, Philips Medical Systems DMC GmbH (Germany); J. Borgert, Philips Technologie GmbH Innovative Technologies (Germany)
- 7965 11 **Multi-modality PET-CT imaging of breast cancer in an animal model using nanoparticle x-ray contrast agent and 18F-FDG** [7965-36]
C. T. Badea, Ctr. for In Vivo Microscopy, Duke Medical Ctr. (United States); K. Ghaghada, G. Espinosa, Univ. of Texas Health and Sciences Ctr. (United States); L. Strong, Mallinckrodt Institute of Radiology, Washington Univ. in St. Louis (United States); A. Annapragada, Univ. of Texas Health and Sciences Ctr. (United States)
- 7965 12 **Preliminary clinical results: an analyzing tool for 2D optical imaging in detection of active inflammation in rheumatoid arthritis** [7965-37]
R. Adi Aizudin Bin Radin Nasirudin, R. Meier, C. Ahari, M. Sievert, Technische Univ. München (Germany); M. Fiebich, Univ. of Applied Sciences Giessen-Friedberg (Germany); E. J. Rummeny, P. B. Noël, Technische Univ. München (Germany)
- 7965 13 **An image analysis system for near-infrared (NIR) fluorescence lymph imaging** [7965-38]
J. Zhang, S. K. Zhou, X. Xiang, Siemens Corporate Research (United States); J. C. Rasmussen, E. M. Sevick-Muraca, The Univ. of Texas Health Science Ctr. at Houston (United States)

SESSION 8 BRAIN IMAGING III: FUNCTION

- 7965 14 **A new methodology for detecting source number** [7965-39]
T. Lei, T. P. L. Roberts, The Children's Hospital of Philadelphia (United States) and Univ. of Pennsylvania (United States)
- 7965 15 **A retrospective study of white matter integrity in mild cognitive impairment** [7965-40]
T. van Bruggen, B. Stieltjes, H.-P. Meinzer, K. H. Fritzsche, German Cancer Research Ctr. (Germany)

- 7965 16 **Rebuilding the injured brain: use of MRS in clinical regenerative medicine** [7965-41]
A. Zare, Univ. of Missouri, Columbia (United States); M. Weiss, McKnight Brain Institute, Univ. of Florida (United States); P. Gader, Univ. of Florida (United States)
- 7965 17 **Sparse brain network using penalized linear regression** [7965-42]
H. Lee, D. S. Lee, H. Kang, Seoul National Univ. College of Medicine (Korea, Republic of) and Seoul National Univ. (Korea, Republic of); B.-N. Kim, Seoul National Univ. College of Medicine (Korea, Republic of); M. K. Chung, Seoul National Univ. (Korea, Republic of) and Univ. of Wisconsin, Madison (United States)

SESSION 9 OPTICAL IMAGING II

- 7965 1A **A unified approach for high throughput analysis of real-time biomolecular interactions in surface plasmon resonance and fluorescence imaging** [7965-45]
C. Fefita, N. François, ARTEMIS, TELECOM SudParis (France); F. Prêteux, Mines ParisTech (France); H. Delacroix, Univ. Paris-Sud 11 (France)
- 7965 1B **Preparation of near-infrared-labeled targeted contrast agents for clinical translation** [7965-46]
D. M. Olive, LI-COR Biosciences (United States)
- 7965 1C **A fast reconstruction method for fluorescence molecular tomography based on improved iterated shrinkage** [7965-47]
D. Han, J. Tian, C. Qin, Institute of Automation (China); B. Zhang, Northeastern Univ. (China); K. Liu, X. Ma, Institute of Automation (China)
- 7965 1D **A novel method for eliminating autofluorescence of small animals in fluorescence molecular imaging** [7965-48]
Z. Xue, J. Tian, D. Han, X. Ma, Institute of Automation (China)
- 7965 1E **Quantitative analysis of tumor matrix patterns through statistical and topological texture features** [7965-49]
M. B. Nagarajan, X. Han, M. B. Huber, T. H. Foster, E. B. Brown, A. Wismüller, Univ. of Rochester Medical Ctr. (United States)

SESSION 10 VASCULAR IMAGING

- 7965 1F **Time evolution and hemodynamics of cerebral aneurysms** [7965-50]
D. M. Sforza, George Mason Univ. (United States); C. Putman, Inova Fairfax Hospital (United States); S. Tatehima, F. Viñuela, Univ. of California Los Angeles Medical Ctr. (United States); J. Cebral, George Mason Univ. (United States)
- 7965 1G **Study of stent deployment mechanics using a high-resolution x-ray imaging detector** [7965-51]
W. Wang, C. N. Ionita, D. R. Bednarek, S. Rudin, Toshiba Stroke Research Ctr., Univ. at Buffalo (United States)

- 7965 1H **Angiographic imaging evaluation of patient-specific bifurcation-aneurysm phantom treatment with pre-shaped, self-expanding, flow-diverting stents: feasibility study** [7965-52]
C. N. Ionita, H. Suri, S. Nataranjian, A. Siddiqui, E. Levy, N. L. Hopkins, D. R. Bednarek, S. Rudin, Toshiba Stroke Research Ctr., Univ. at Buffalo (United States)
- 7965 1I **Comparison of models and acquisition techniques for estimation of myocardial blood flow from CT** [7965-53]
A. M. Alessio, K. R. Branch, J. H. Caldwell, J. B. Bassingthwaighe, Univ. of Washington (United States)
- 7965 1J **Developing a tool for the validation of quantitative DCE-MRI** [7965-54]
K. Bol, J. C. Haack, L. Alic, M. Bernsen, M. de Jong, Erasmus MC (Netherlands); W. J. Niessen, Erasmus MC (Netherlands) and Delft Univ. of Technology (United States); J. F. Veenland, Erasmus MC (Netherlands)

SESSION 11 CHEST: LUNG AND CARDIAC

- 7965 1K **The effect of PSF spatial-variance and nonlinear transducer geometry on motion estimation from echocardiography** [7965-55]
V. Tavakoli, A. A. Amini, Univ. of Louisville (United States)
- 7965 1L **Carbon nanotube based respiratory gated micro-CT imaging of a murine model of lung tumors with optical imaging correlation** [7965-56]
L. M. Burk, Y. Z. Lee, S. Heathcote, K. Wang, W. Y. Kim, J. Lu, O. Zhou, The Univ. of North Carolina at Chapel Hill (United States)
- 7965 1M **Automated segmentation of lung airway wall area measurements from bronchoscopic optical coherence tomography imaging** [7965-57]
M. Heydarian, S. Choy, A. Wheatley, Robarts Research Institute (Canada); D. McCormack, The Univ. of Western Ontario (Canada); H. O. Coxson, Vancouver General Hospital (Canada) and Univ. of British Columbia (Canada); S. Lam, The Univ. of British Columbia (Canada) and British Columbia Cancer Agency (Canada); G. Parraga, Robarts Research Institute (Canada)
- 7965 1N **Imaging of myocardial infarction using carbon nanotube micro-computed tomography and delayed contrast enhancement** [7965-58]
L. M. Burk, K. Wang, E. Kang, M. Rojas, M. Willis, Y. Z. Lee, J. Lu, The Univ. of North Carolina at Chapel Hill (United States); O. Zhou, The Univ. of North Carolina at Chapel Hill (United States) and Lineberger Comprehensive Cancer Ctr., Univ. of North Carolina (United States)
- 7965 1O **Automated analysis of Xe-133 pulmonary ventilation (AAPV) in children** [7965-66]
X. Cao, S. T. Treves, Children's Hospital Boston (United States)
- 7965 1P **Human pulmonary acinar airspace segmentation from three-dimensional synchrotron radiation micro CT images of secondary pulmonary lobule** [7965-60]
Y. Kawata, T. Hosokawa, N. Niki, Univ. of Tokushima (Japan); K. Umetani, Japan Synchrotron Radiation Research Institute (Japan); Y. Nakano, Shiga Univ. of Medical Science (Japan); H. Ohmatsu, N. Moriyama, National Cancer Ctr. (Japan); H. Itoh, Univ. of Fukui (Japan)

SESSION 12 BRAIN IMAGING IV: fMRI

- 7965 1Q **Differential spatial activity patterns of acupuncture by a machine learning based analysis** [7965-61]
Y. You, L. Bai, Institute of Automation (China); T. Xue, Xidian Univ. (China); C. Zhong, Z. Liu, Institute of Automation (China); J. Tian, Institute of Automation (China) and Xidian Univ. (China)
- 7965 1R **The distributed neural system for top-down letter processing: an fMRI study** [7965-62]
J. Liu, Beijing Jiaotong Univ. (China); L. Feng, Institute of Automation (China); L. Li, Beijing Jiaotong Univ. (China); J. Tian, Institute of Automation (China)
- 7965 1S **Real-time fMRI data analysis using region of interest selection based on fast ICA** [7965-63]
B. Xie, X. Ma, L. Yao, Z. Long, X. Zhao, Beijing Normal Univ. (China)
- 7965 1T **The application of independent component analysis with projection method to two-task fMRI data over multiple subjects** [7965-64]
R. Li, M. Hui, L. Yao, Beijing Normal Univ. (China); K. Chen, Banner Alzheimer's Institute (United States); Z. Long, Beijing Normal Univ. (China)
- 7965 1U **The functional alterations associated with motor imagery training: a comparison between motor execution and motor imagery of sequential finger tapping** [7965-65]
H. Zhang, L. Yao, Z. Long, Beijing Normal Univ. (China)

POSTER SESSION

- 7965 1V **Texture-based segmentation and analysis of emphysema depicted on CT images** [7965-59]
J. Tan, B. Zheng, X. Wang, D. Lederman, J. Pu, F. C. Sciurba, D. Gur, J. K. Leader, Univ. of Pittsburgh Medical Ctr. (United States)
- 7965 1W **Three-dimensional automatic computer-aided evaluation of pleural effusions on chest CT images** [7965-67]
M. Bi, R. M. Summers, J. Yao, National Institutes of Health (United States)
- 7965 1X **Quantitative computed tomography of lung parenchyma in patients with emphysema: analysis of higher-density lung regions** [7965-68]
D. Lederman, J. K. Leader, B. Zheng, F. C. Sciurba, J. Tan, D. Gur, Univ. of Pittsburgh (United States)
- 7965 1Y **Dynamic chest radiography with a flat-panel detector (FPD): ventilation-perfusion study** [7965-69]
R. Tanaka, S. Sanada, M. Fujimura, M. Yasui, Kanazawa Univ. (Japan); S. Tsuji, Public Central Hospital of Matto Ishikawa (Japan); N. Hayashi, Kanazawa Univ. Hospital (Japan); H. Okamoto, Kanazawa Univ. (Japan); Y. Nanbu, O. Matsui, Kanazawa Univ. Hospital (Japan)
- 7965 1Z **Fully automated adipose tissue measurement on abdominal CT** [7965-70]
J. Yao, D. L. Sussman, R. M. Summers, National Institutes of Health (United States)
- 7965 20 **Cardiac motion tracking with multilevel B-splines and SinMod from tagged MRI** [7965-71]
H. Wang, A. A. Amini, Univ. of Louisville (United States)

- 7965 21 **Lung registration using airway tree morphometry** [7965-72]
J. Tan, B. Zheng, Univ. of Pittsburgh (United States); S. Park, Chonnam National Univ. (Korea, Republic of); J. Pu, S. E. Wenzel, J. K. Leader, Univ. of Pittsburgh (United States)
- 7965 22 **Vascular landmark detection in 3D CT data** [7965-73]
D. Liu, S. K. Zhou, Siemens Corporate Research (United States); D. Bernhardt, Siemens Healthcare (Germany); D. Comaniciu, Siemens Corporate Research (United States)
- 7965 23 **Automated segmentation of intraretinal layers from spectral-domain macular OCT: reproducibility of layer thickness measurements** [7965-74]
K. Lee, The Univ. of Iowa (United States); M. D. Abramoff, The Univ. of Iowa (United States) and Veterans Affairs Medical Ctr. (United States); M. Sonka, The Univ. of Iowa (United States); M. K. Garvin, The Univ. of Iowa (United States) and Veterans Affairs Medical Ctr. (United States)
- 7965 24 **A fast dynamic linked library based mixed-language programming technology for the trust region method in bioluminescence tomography** [7965-75]
B. Zhang, Northeastern Univ. (China); J. Tian, Northeastern Univ. (China) and Institute of Automation (China); X. Yang, C. Qin, D. Han, X. Ma, Institute of Automation (China)
- 7965 25 **Bone texture analysis on dental radiographic images: results with several angulated radiographs on the same region of interest** [7965-76]
Y. Amouriq, L'Institut de Recherche en Communications et Cybernétique de Nantes, CNRS, Univ. of Nantes (France) and INSERM, CNRS, Univ. of Nantes (France); J. Guedon, N. Normand, A. Arlicot, L'Institut de Recherche en Communications et Cybernétique de Nantes, CNRS, Univ. of Nantes (France); Y. Benhdech, L'Institut de Recherche en Communications et Cybernétique de Nantes, CNRS, Univ. of Nantes (France) and QualiFormeD (France); P. Weiss, L'Institut de Recherche en Communications et Cybernétique de Nantes, CNRS, Univ. of Nantes (France)
- 7965 26 **Evaluation of image quality characteristics of reduction image in high resolution liquid crystal display** [7965-78]
Y. Kimura, D. Yokoyama, Nagoya Univ. (Japan); N. Fujita, Nagoya Univ. Hospital (Japan); Y. Kodera, Nagoya Univ. (Japan)
- 7965 27 **White matter alterations in temporal lobe epilepsy** [7965-79]
P. B. Diniz, C. E. Salmon, T. R. Velasco, A. C. Sakamoto, J. P. Leite, A. C. Santos, Univ. de São Paulo (Brazil)
- 7965 28 **fMRI analysis software tools: an evaluation framework** [7965-80]
V. Padoa, Univ. degli Studi dell'Insubria (Italy); V. Colli, S. Strocchi, C. Vite, Ospedale di Circolo e Fondazione Macchi Varese (Italy); E. Binaghi, L. Conte, Univ. degli Studi dell'Insubria (Italy)
- 7965 29 **Prediction of fMRI time series of a single voxel using radial basis function neural network** [7965-81]
S. Song, J. Zhang, L. Yao, Beijing Normal Univ. (China)
- 7965 2A **The impact of respiratory and cardiac effects on the phase and magnitude of resting-state fMRI signal (Cum Laude Poster Award)** [7965-82]
Z. Chen, The Mind Research Network (United States); V. Calhoun, The Mind Research Network (United States) and Univ. of New Mexico (United States)

- 7965 2B **A mean-sensitive spatial filtering (MSF) method for trial-by-trial analysis of N170 component** [7965-83]
C. Wang, Beijing Normal Univ. (China) and Emory Univ. and Georgia Institute of Technology (United States); J. Zhang, L. Yao, Beijing Normal Univ. (China); X. Hu, Emory Univ. (United States) and Emory Univ. and Georgia Institute of Technology (United States)
- 7965 2C **Comparison of dynamic susceptibility contrast-MRI perfusion quantification methods in the presence of delay and dispersion** [7965-84]
B. Maan, R. L. Simões, Univ. Twente (Netherlands); F. J. A. Meijer, W. Klaas Jan Renema, Radboud Univ. Nijmegen Medical Ctr. (Netherlands); C. H. Slump, Univ. Twente (Netherlands)
- 7965 2D **Cine phase-contrast MRI measurement of CSF flow in the cervical spine: a pilot study in patients with spinal cord injury** [7965-85]
M. J. Negahdar, M. Shakeri, E. McDowell, J. Wells, Univ. of Louisville (United States); T. Vitaz, Norton Neuroscience Institute (United States); S. Harkema, A. Amini, Univ. of Louisville (United States)
- 7965 2E **Comparison of gray matter volume and thickness for analysis of cortical changes in Alzheimer's disease** [7965-86]
J. Liu, Z. Li, Beijing Normal Univ. (China); K. Chen, Banner Alzheimer's Institute (China); L. Yao, Beijing Normal Univ. (China); Z. Wang, K. Li, Xuanwu Hospital of Capital Medical Univ. (China); X. Guo, Beijing Normal Univ. (China)
- 7965 2F **Altered cortical anatomical networks in temporal lobe epilepsy** [7965-87]
B. Lv, H. He, Institute of Automation (China); J. Lu, Peking Union Medical College Hospital (China); W. Li, D. Dai, M. Li, Institute of Automation (China); Z. Jin, Peking Union Medical College Hospital (China)
- 7965 2G **Abnormalities of hippocampal-cortical connectivity in temporal lobe epilepsy patients with hippocampal sclerosis** [7965-88]
W. Li, H. He, Institute of Automation (China); J. Lu, Peking Union Medical College Hospital (China); C. Wang, M. Li, B. Lv, Institute of Automation (China); Z. Jin, Peking Union Medical College Hospital (China)
- 7965 2H **Transmit filter design methods for magnetic particle imaging** [7965-89]
B. Zheng, P. Goodwill, S. Conolly, Univ. of California, Berkeley (United States)
- 7965 2I **The impact of filtering direct-feedthrough on the x-space theory of magnetic particle imaging** [7965-90]
K. Lu, P. Goodwill, B. Zheng, S. Conolly, Univ. of California, Berkeley (United States)
- 7965 2J **Sensitivity improvement of a molecular imaging technique based on magnetic nanoparticles** [7965-91]
Y. Ishihara, Meiji Univ. (Japan); T. Kuwabara, N. Wadamori, Nagaoka Univ. of Technology (Japan)
- 7965 2K **X-space MPI relaxometry: methods and initial data** [7965-92]
A. Tamrazian, P. Goodwill, L. R. Croft, R. Pidaparth, Univ. of California, Berkeley (United States); R. M. Ferguson, K. Krishnan, Univ. of Washington (United States); S. Conolly, Univ. of California, Berkeley (United States)

- 7965 2L **The x-space formulation of magnetic particle imaging including non-negligible relaxation effects** [7965-93]
L. R. Croft, P. Goodwill, A. Tamrazian, Univ. of California, Berkeley (United States); K. Krishnan, Univ. of Washington (United States); S. Conolly, Univ. of California, Berkeley (United States)
- 7965 2M **Measuring soft tissue elasticity by monitoring surface acoustic waves using image plane digital holography** [7965-94]
S. Li, A. L. Oldenburg, The Univ. of North Carolina at Chapel Hill (United States)

Author Index

Conference Committee

Symposium Chairs

Maryellen L. Giger, The University of Chicago (United States)
Joseph M. Reinhardt, The University of Iowa (United States)

Conference Chairs

John B. Weaver, Dartmouth Hitchcock Medical Center (United States)
Robert C. Molthen, Medical College of Wisconsin (United States)

Program Committee

Amir A. Amini, University of Louisville (United States)
Thorsten M. Buzug, Universität zu Lübeck (Germany)
Juan R. Cebral, George Mason University (United States)
Yu Chen, University of Maryland, College Park (United States)
Anne Clough, Marquette University (United States)
Andreas H. Hielscher, Columbia University (United States)
Eric A. Hoffman, The University of Iowa Hospitals and Clinics
(United States)
Xiaoping P. Hu, Emory University (United States)
John F. LaDisa, Marquette University (United States)
Armando Manduca, Mayo Clinic College of Medicine (United States)
Erik Ritman, Mayo Clinic College of Medicine (United States)
Merryn H. Tawhai, The University of Auckland (New Zealand)
Axel Wismueller, University of Rochester Medical Center (United States)

Session Chairs

- 1 Brain Imaging I: fMRI
Axel Wismueller, University of Rochester Medical Center (United States)
- 2 Optical Imaging I
Andreas H. Hielscher, Columbia University (United States)
Yu Chen, University of Maryland, College Park (United States)
- 3 Body Imaging: Image Based Analysis
Anne Clough, Marquette University (United States)
- 4 Bone and Micro-CT
Robert C. Molthen, Medical College of Wisconsin (United States)

- 5 Brain Imaging II: Image Based Analysis
John B. Weaver, Dartmouth Hitchcock Medical Center (United States)
- 6 Magnetic Particle Imaging
Thorsten M. Buzug, Universität zu Lübeck (Germany)
John B. Weaver, Dartmouth Hitchcock Medical Center (United States)
- 7 Keynote and Nanoparticle Imaging
John B. Weaver, Dartmouth Hitchcock Medical Center (United States)
Robert C. Molthen, Medical College of Wisconsin (United States)
- 8 Brain Imaging III: Function
Armando Manduca, Mayo Clinic College of Medicine (United States)
- 9 Optical Imaging II
Yu Chen, University of Maryland, College Park (United States)
Andreas H. Hielscher, Columbia University (United States)
- 10 Vascular Imaging
Amir A. Amini, University of Louisville (United States)
- 11 Chest: Lung and Cardiac
Amir A. Amini, University of Louisville (United States)
- 12 Brain Imaging IV: fMRI
Axel Wismueller, University of Rochester Medical Center (United States)