PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 8078

, "Front Matter: Volume 8078," Proc. SPIE 8078, Advances in X-ray Free-Electron Lasers: Radiation Schemes, X-ray Optics, and Instrumentation, 807801 (3 June 2011); doi: 10.1117/12.901325

SPIE.

Event: SPIE Optics + Optoelectronics, 2011, Prague, Czech Republic

PROCEEDINGS OF SPIE

Advances in X-ray Free-Electron Lasers: Radiation Schemes, X-ray Optics, and Instrumentation

Thomas Tschentscher
Daniele Cocco
Editors

20–21 April 2011
Prague, Czech Republic

Sponsored and Published by
SPIE

Cooperating Organisations
ELI Beamlines
HiPER

Volume 8078

Proceedings of SPIE, 0277-786X, v. 8078

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Advances in X-ray Free-Electron Lasers: Radiation Schemes, X-ray Optics, and Instrumentation*, edited by Thomas Tschentscher, Daniele Cocco, Proceedings of SPIE Vol. 8078 (SPIE, Bellingham, WA, 2011) Article CID Number.

ISSN 0277-786X

ISBN 9780819486684

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2011, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/11/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

vii	Conference Committee
ix	Introduction

STATUS OF OPERATIONAL AND PLANNED FEL FACILITIES

8078 02	FERMI@Elettra, a seeded free electron laser source for a broad scientific user program (Invited Paper) [8078-01] E. M. Allaria, P. Cinquegrana, P. Craievich, M. Danailov, A. Demidovich, G. De Ninno, S. Di Mitri, B. Diviacco, W. Fawley, L. Froelich, L. Giannessi, R. Ivanov, M. Musardo, I. Nikolov, G. Penco, P. Sigalotti, S. Spampinati, C. Spezzani, M. Trovò, M. Veronese, Sincrotrone Trieste S.C.p.A. (Italy)
8078 05	The SwissFEL facility and its preliminary optics beamline layout [8078-04] P. Oberta, U. Flechsig, R. Abela, Paul Scherrer Institut (Switzerland)

SCIENTIFIC APPLICATIONS AND THEIR INSTRUMENTATION REQUIREMENTS II

8078 09	Single particle imaging with soft x-rays at the Linac Coherent Light Source [8078-08] A. V. Martin, Deutsches Elektronen-Synchrotron (Germany); J. Andreasson, Uppsala Univ. (Sweden); A. Aquila, S. Bajt, Deutsches Elektronen-Synchrotron (Germany); T. R. M. Barends, Max-Planck-Institut für medizinische Forschung (Germany); M. Barthelmess, A. Barty, Deutsches Elektronen-Synchrotron (Germany); W. H. Benner, Lawrence Livermore National Lab. (United States); C. Bostedt, J. D. Bozek, P. Bucksbaum, SLAC National Accelerator Lab. (United States); C. Caleman, Deutsches Elektronen-Synchrotron (Germany) and Univ. of Hamburg (Germany); N. Coppola, D. P. DePonte, Deutsches Elektronen-Synchrotron (Germany); T. Ekeberg, Uppsala Univ. (Sweden); S. W. Epp, B. Erk, Ctr. for Free Electron Laser Science (Germany) and Max-Planck-Institut für Kernphysik (Germany); G. R. Farquar, Lawrence Livermore National Lab. (United States); H. Fleckenstein, Deutsches Elektronen-Synchrotron (Germany); L. Foucar, Max-Planck-Institut für medizinische Forschung (Germany) and Ctr. for Free Electron Laser Science (Germany); M. Frank, Lawrence Livermore National Lab. (United States); L. Gumprecht, Deutsches Elektronen-Synchrotron (Germany); C. Y. Hampton, SLAC National Accelerator Lab. (United States); M. Hantke, Uppsala Univ. (Sweden); A. Hartmann, PNSensor GMBH (Germany); E. Hartmann, Max-Planck-Institut für medizinische Forschung (Germany); R. Hartmann, PNSensor GmbH (Germany); S. P. Hau-Riege, Lawrence Livermore National Lab. (United States); G. Hauser, Max-Planck-Institut Halbleiterlabor (Germany) and Max-Planck-Institut für extraterrestrische Physik (Germany); P. Holl, PNSensor GmbH (Germany); A. Hoemke, Ctr. for Free Electron Laser Science (Germany) and Max-Planck-Institut für Kernphysik (Germany); O. Jönsson, Uppsala Univ. (Sweden); S. Kassemeyer, Max-Planck-Institut für medizinische Forschung (Germany) N. Kimmel, Max-Planck-Institut Halbleiterlabor (Germany) and Max-Planck-Institut für extraterrestrische Physik (Germany); M. Kiskinova, Sincrotrone Trieste S.C.p.A. (Italy); F. Krasniqi, Max-Planck-Institut für medizinische Forschung (Germany) and Ctr. for Free Electron Laser Science (Germany); J. Krzywinski, SLAC National Accelerator Lab. (United States); M. Liang, Deutsches Elektronen-Synchrotron (Germany); N.-T. D. Loh, SLAC National Accelerator Lab. (United States); L. Lomb, Max-Planck-Institut für medizinische Forschung (Germany) F. R. N. C. Maia, S. Marchesini, Lawrence Berkeley National Lab. (United States);
---------	--

M. Messerschmidt, SLAC National Accelerator Lab. (United States); K. Nass, Deutsches Elektronen-Synchrotron (Germany); D. Odic, Uppsala Univ. (Sweden); E. Pedersoli, Sincrotrone Trieste S.C.p.A. (Italy); C. Reich, PNSensor GmbH (Germany); D. Rolles, Max-Planck-Institut für medizinische Forschung (Germany) and Ctr. for Free Electron Laser Science (Germany); B. Rudek, A. Rudenko, C. Schmidt, Ctr. for Free Electron Laser Science (Germany) and Max-Planck-Institut für Kernphysik (Germany); J. Schultz, Deutsches Elektronen-Synchrotron (Germany); M. M. Seibert, SLAC National Accelerator Lab. (United States); R. L. Shoeman, Max-Planck-Institut für medizinische Forschung (Germany); R. G. Sierra, SLAC National Accelerator Lab. (United States); H. Soltau, PNSensor GmbH (Germany); D. Starodub, SLAC National Accelerator Lab. (United States); J. Steinbrener, Max-Planck-Institut für medizinische Forschung (Germany); F. Stellato, Deutsches Elektronen-Synchrotron (Germany); L. Strüder, Max-Planck-Institut Halbleiterlabor (Germany) and Max-Planck-Institut für extraterrestrische Physik (Germany); M. Svenda, Uppsala Univ. (Sweden); H. Tobias, Cornell Univ. (United States); J. Ullrich, Ctr. for Free Electron Laser Science (Germany) and Max-Planck-Institut für Kernphysik (Germany); G. Weidenspointner, Max-Planck-Institut Halbleiterlabor (Germany) and Max-Planck-Institut für extraterrestrische Physik (Germany); D. Westphal, Uppsala Univ. (Sweden); T. A. White, Deutsches Elektronen-Synchrotron (Germany); G. Williams, SLAC National Accelerator Lab. (United States); J. Hajdu, Uppsala Univ. (Sweden); I. Schlichting, Max-Planck-Institut für medizinische Forschung (Germany) and Ctr. for Free Electron Laser Science (Germany); M. J. Bogan, SLAC National Accelerator Lab. (United States); H. N. Chapman, Deutsches Elektronen-Synchrotron (Germany) and Univ. of Hamburg (Germany)

- 8078 0A **Ultrafast pump/probe diffraction and spectroscopy experiments with FEL radiation: setup development from the soft to the hard x-rays with the aim of studying chemical processes** [8078-09]
I. Rajkovic, S. Grübel, W. Quevedo, S. Techert, Max-Planck-Institut für biophysikalische Chemie (Germany)

OPTICS AND BEAM TRANSPORT PERFORMANCE

- 8078 0F **Multilayer mirrors for FERMI@ELETRA beam transport system** [8078-14]
A. J. Corso, P. Zuppella, P. Nicolosi, Lab. for Ultraviolet and X-ray Optical Research, CNR, Institut for Photonics and Nanotechnologies (Italy) and Univ. degli Studi di Padova (Italy); D. Cocco, Sincrotrone Trieste S.C.p.A. (Italy); M. G. Pelizzo, Lab. for Ultraviolet and X-ray Optical Research, CNR, Institut for Photonics and Nanotechnologies (Italy) and Univ. degli Studi di Padova (Italy)
- 8078 0G **Development of x-ray optics for advanced research light sources** [8078-15]
M. Störmer, Helmholtz-Zentrum Geesthacht (Germany); F. Siewert, Helmholtz-Zentrum Berlin (Germany); J. Gaudin, European XFEL GmbH (Germany)

DIAGNOSTICS OF FEL RADIATION

- 8078 0H **Determination of temporal FEL pulse properties: challenging concepts and experiments (Invited Paper)** [8078-16]
S. Düsterer, Deutsches Elektronen-Synchrotron (Germany)

- 8078 0I **First results from the commissioning of the FERMI@Elettra free electron laser by means of the Photon Analysis Delivery and Reduction System (PADReS)** [8078-17]
M. Zangrando, IOM-CNR Lab. TASC (Italy); I. Cudin, C. Fava, S. Gerusina, R. Gobessi, R. Godnig, L. Rumiz, C. Svetina, F. Parmigiani, Sincrotrone Trieste S.C.p.A. (Italy); D. Cocco, IOM-CNR Lab. TASC (Italy)
- 8078 0K **Beam characterization of FLASH from Hartmann data and measurement of the Wigner distribution function** [8078-19]
B. Schäfer, B. Flöter, K. Mann, Laser-Lab. Göttingen e.V. (Germany); B. Keitel, E. Plönjes, K. Tiedtke, Deutsches Elektronen-Synchrotron (Germany)

FEL INSTRUMENTATION AND SAMPLE RELATED ISSUES

- 8078 0M **Sample injection for pulsed x-ray sources** [8078-21]
D. P. DePonte, K. Nass, F. Stellato, M. Liang, Deutsches Elektronen-Synchrotron (Germany); H. N. Chapman, Deutsches Elektronen-Synchrotron (Germany) and Univ. of Hamburg (Germany)
- 8078 0P **Characterization and diagnostics of fast x-ray imaging detectors for x-ray free electron laser sources** [8078-29]
A. Castoldi, C. Guazzoni, D. Mezza, Politecnico di Milano (Italy) and Istituto Nazionale di Fisica Nucleare (Italy); L. Carraresi, Univ. degli Studi di Firenze (Italy) and Istituto Nazionale di Fisica Nucleare (Italy); F. Taccetti, Univ. degli Studi di Firenze (Italy)

ADVANCED FEL RADIATION SCHEMES

- 8078 0Q **Echo-enabled harmonic generation for seeded FELs (Invited Paper)** [8078-24]
G. Stupakov, SLAC National Accelerator Lab. (United States)
- 8078 0R **Self-seeding schemes for the European XFEL** [8078-25]
G. Geloni, European XFEL GmbH (Germany); V. Kocharyan, E. Saldin, Deutsches Elektronen Synchrotron (Germany)

POSTER SESSION

- 8078 0U **Practical experience from operating the imaging pnCCD detectors of the CAMP instrument at LCLS** [8078-30]
G. Weidenspointner, Max-Planck-Institut Halbleiterlabor (Germany) and Max-Planck-Institut für extraterrestrische Physik (Germany); S. Epp, Ctr. for Free Electron Laser Science (Germany) and Max-Planck-Institut für Kernphysik (Germany); A. Hartmann, R. Hartmann, PnSensor GmbH (Germany); G. Hauser, Max-Planck-Institut Halbleiterlabor (Germany) and Max-Planck-Institut für extraterrestrische Physik (Germany); P. Holl, PnSensor GmbH (Germany); N. Kimmel, Max-Planck-Institut Halbleiterlabor (Germany) and Max-Planck-Institut für extraterrestrische Physik (Germany); D. Rolles, Ctr. for Free Electron Laser Science (Germany) and Max-Planck-Institut für medizinische Forschung (Germany); L. Strüder, Max-Planck-Institut Halbleiterlabor (Germany) and Max-Planck-Institut für extraterrestrische Physik (Germany); J. Ullrich, Ctr. for Free Electron Laser Science (Germany) and Max-Planck-Institut für Kernphysik (Germany)

- 8078 OV **Calibration methods and performance evaluation for pnCCDs in experiments with FEL radiation** [8078-31]
 N. Kimmel, R. Andritschke, L. Englert, Max-Planck-Institut für extraterrestrische Physik (Germany) and Max-Planck-Institut Halbleiterlabor (Germany); S. Epp, Deutsches Elektronen-Synchrotron (Germany) and Max-Planck-Institut für Kernphysik (Germany); A. Hartmann, R. Hartmann, PNSensor GmbH (Germany) and Max-Planck-Institut Halbleiterlabor (Germany); G. Hauser, Max-Planck-Institut für extraterrestrische Physik (Germany) and Max-Planck-Institut Halbleiterlabor (Germany); P. Holl, I. Ordavo, PNSensor GmbH (Germany) and Max-Planck-Institut Halbleiterlabor (Germany); R. Richter, Max-Planck-Institut für Physik (Germany) and Max-Planck-Institut Halbleiterlabor (Germany); L. Strüder, Max-Planck-Institut für extraterrestrische Physik (Germany) and Max-Planck-Institut Halbleiterlabor (Germany); J. Ullrich, Max-Planck-Institut für Kernphysik (Germany) and Deutsches Elektronen-Synchrotron (Germany)
- 8078 OW **Large format imaging detectors for x-ray free-electron-lasers** [8078-32]
 R. Hartmann, PNSensor GmbH (Germany); S. Epp, Deutsches Elektronen-Synchrotron (Germany); H. Gorke, Forschungszentrum Jülich GmbH (Germany); A. Hartmann, PNSensor GmbH (Germany); G. Hauser, S. Herrmann, Max-Planck Institut für Extraterrestrische Physik (Germany); P. Holl, PNSensor GmbH (Germany); N. Kimmel, N. Meidinger, Max-Planck Institut für Extraterrestrische Physik (Germany); C. Reich, PNSensor GmbH (Germany); D. Rolles, Deutsches Elektronen-Synchrotron (Germany); H. Soltau, PNSensor GmbH (Germany); L. Strüder, Deutsches Elektronen-Synchrotron (Germany) and Max-Planck Institut für Extraterrestrische Physik (Germany); J. Ullrich, Deutsches Elektronen-Synchrotron (Germany) and Max-Planck Institut für Kernphysik (Germany); G. Weidenspointner, Max-Planck Institut für Extraterrestrische Physik (Germany)
- 8078 OX **Delay systems and phase retarders based on multilayers coated mirrors for FEL beam manipulation** [8078-34]
 M. G. Pelizzo, A. J. Corso, Institute for Photonics and Nanotechnologies, CNR (Italy) and Univ. degli Studi di Padova (Italy); D. Cocco, Sincrotrone Trieste S.C.p.A. (Italy)

Author Index

Conference Committee

Symposium Chairs

Miroslav Hrabovský, Palacký University Olomouc (Czech Republic)
Wolfgang Sandner, Max-Born-Institut für Nichtlineare Optik und
Kurzzeitspektroskopie (Germany) and Laserlab Europe
Bahaa Saleh, CREOL, The College of Optics and Photonics, University
of Central Florida (United States)
Jan Řídký, Institute of Physics of the ASCR, v.v.i. (Czech Republic)

Symposium Honorary Chair

Jan Peřina, Sr., Palacký University Olomouc (Czech Republic)

Conference Chairs

Thomas Tschentscher, European XFEL GmbH (Germany)
Daniele Cocco, Sincrotrone Trieste S.C.p.A. (Italy)

Program Committee

Fred Bijkerk, FOM-Institute for Plasma Physics Rijnhuizen (Netherlands)
Roberto Cimino, Istituto Nazionale di Fisica Nucleare (Italy)
Christian David, Paul Scherrer Institut (Switzerland)
Klaus Mann, Laser-Laboratory Göttingen e.V. (Germany)
Aymeric Robert, SLAC National Accelerator Laboratory (United States)
Kai I. Tiedtke, Deutsches Elektronen-Synchrotron (Germany)
Makina Yabashi, SPring-8 (Japan)
Philippe Zeitoun, ENSTA-LOA (France)

Session Chairs

- 1 Status of Operational and Planned FEL Facilities
Roberto Cimino, Istituto Nazionale di Fisica Nucleare (Italy)
- 2 Scientific Applications and their Instrumentation Requirements I
Robert Aymeric, SLAC National Accelerator Laboratory (United States)
- 3 Scientific Applications and their Instrumentation Requirements II
Robert Aymeric, SLAC National Accelerator Laboratory (United States)
- 4 Optics and Beam Transport Performance
Klaus Mann, Laser-Laboratory Göttingen e.V. (Germany)

- 5 Diagnostics of FEL Radiation
 Kai Tiedtke, Deutsches Elektronen-Synchrotron (Germany)
- 6 FEL Instrumentation and Sample Related Issues
 Makina Yabashi, SPring-8 (Japan)
- 7 Advanced FEL Radiation Schemes
 Philippe Zeitoun, Ecole Nationale Supérieure de Techniques Avancées
 (France)

Introduction

Free-electron lasers (FEL) facilities based on low emittance electron accelerators and generating highly brilliant radiation in the short-wavelength regime from the vacuum-ultraviolet to hard x-ray have become reality. The scientific exploitation of these new sources has started and with new facilities the experimental program flourishes at present. Following the initial phase of demonstrating the feasibility of short-wavelength FEL radiation, the scientific experiments define better and more precise the requirements to FEL beam parameters and thereby guide the development of new, advanced schemes for FEL operation, for x-ray beam transport and shaping, and for x-ray instrumentation in general. Since FELs operate distinctly different to both high power optical laser and synchrotron radiation facilities, there exists a strong demand for new experimental techniques and for new instrumentation. New radiation schemes will push the FEL performance even further.

With operating electron accelerator-based FELs and providing extremely brilliant x-ray radiation now routinely the effort has to be augmented in developing the necessary x-ray instrumentation to perform the high-level applications the scientific communities strive for. In several areas there exist still challenges to be overcome by new ideas and new concepts for realization. This conference therefore aimed at outlining current and future advances in the field of x-ray instrumentation for FEL science. In presenting highlight scientific applications of recent years and their instrumentation requirements the motivation was provided for the topics new FEL sources, optics for and diagnostics of FEL radiation, sample schemes and detectors, and advanced FEL schemes that were addressed in the various sessions.

The realization of FELs for x-ray radiation took a big leap in the 1990's when new concepts for single-pass and high gain were introduced [1,2] and electron accelerators with the required small emittance became available. Motivated by the outstanding performances of x-ray FEL radiation a world-wide activity started to develop concepts for facilities delivering FEL radiation for scientific experiments. The FEL simulations indicated that sub-femtosecond pulse duration, spatial coherence, and extreme peak power would be provided. The predicted increase in peak brilliance was very high and was considered to enable new x-ray techniques and the access to new x-ray phenomena and new scientific applications. The success of the first test machines delivering radiation in the visible and VUV wavelength regime [3,4] allowed indeed the observation of new phenomena in the interaction of intense FEL radiation pulses with matter [5].

These first results sparked an even stronger interest in scientific applications of FEL radiation and prepared the ground for approval of a number of FEL projects for VUV to x-ray radiation around the globe. The first user facility entering into

operation was the Free-Electron-LASer in Hamburg (FLASH) at Deutsches Elektronen-Synchrotron in Hamburg [6,7]. This facility initially operated at electron energies of 1 GeV providing photon energies up to 200 eV and its scientific user program commenced in 2005. The operation of FLASH showed that much shorter x-ray pulse duration than predicted could be provided, thus emphasizing the capability to study ultrafast dynamics. Further FEL facilities for the visible to XUV regimes came into operation in Japan (Small Compact SASE Source (SCSS) at Spring-8) and Italy (SPARC at Frascati). The first facility to reach the hard x-ray regime was the Linac Coherent Light Source (LCLS) at Stanford Linear Accelerator Center in Menlo Park [8] where user experiments started in fall 2009 for soft x-ray and in fall 2010 for hard x-ray radiation. At the end of 2010 the FERMI@Elettra FEL in Trieste reported first XUV light generated by using high-gain harmonic generation (HGHG) seeding and in spring 2011 the Spring-8 Angstrom Compact Free Electron Laser (SACLA) at Spring-8 reported first spontaneous radiation. Both results were presented at this conference. In parallel several other projects progress in their design and construction phases. FLASH, being one of the first FEL facilities, already underwent an upgrade program towards higher electron energy providing higher photon energies and a second FEL undulator and photon beamline will be constructed until 2014.

While the first user facilities make use of the self-amplified spontaneous emission (SASE) scheme of FEL generation [9] the development of more advanced FEL schemes has been progressing. At SCSS and SPARC experiments using optical laser radiation to directly seed the FEL process have been carried out [10]. FERMI is employing seeding and HGHG schemes for its user operation mode [11]. These advanced FEL schemes provide a lot of promise towards higher performance of FEL radiation. In particular the spectral purity and the longitudinal coherence of the seeded FEL radiation can improve significantly. A further aspect is improving the stochastic radiation properties inherent to the SASE mode of FEL operation. Current seeding schemes are most promising for the visible to XUV regime and their extension into the hard x-ray regime requires further investigation. Two promising concepts to reach the x-ray regime were discussed at this conference.

Scientific experiments using FEL radiation have to consider the particular aspects of these sources. Many experiments take single-shot data while beam properties fluctuate strongly. This requires both high repetition rate data taking and photon diagnostics operating at the x-ray pulse frequency. The high repetition rate poses a particular challenge for the read-out frequency of two-dimensional area detectors. With these requirements FELs differ from high power laser facilities operating at much lower frequency and from synchrotron radiation facilities where data are typically integrated over many x-ray pulses. In addition, accurate characterizations of the temporal and coherence properties of FEL radiation are completely new fields of hard x-ray instrumentation for which further research and development are needed.

The program of this conference encompassed the major areas of FEL instrumentation. The status of development of FEL sources was presented for nearly all projects pursued in the moment. The first beams at FERMI and SACLA being particular highlights. The presentation of a wide range of scientific experiments carried out at operating facilities allowed to review the requirements of FEL experiments to x-ray instrumentation and to point out the future needs. A first instrumentation area to be discussed was the x-ray optics for transport and for spatial, spectral and temporal shaping of the FEL radiation pulse delivered to the sample. In this area special emphasis is put on the preservation of the extreme peak brilliance and the high power of the FEL beam being reflected by the optical elements, and on new methods to temporally shape the x-ray pulse. The characterization of the FEL radiation was a further topic. Here, special attention was devoted to the characterization of temporal, wavefront and coherence properties. The discussion of sample environments and of x-ray area detector developments focused in particular on techniques enabling very high repetition rates of order MHz which are provided by super-conducting electron accelerators like available at FLASH and at European XFEL. The final session concentrated on new and advanced schemes for seeding FEL radiation with an emphasis to be suitable for the hard x-ray regime.

The success of this conference will have to be evaluated by its contribution to broaden this field and to attract new researchers and scientific groups to this field. The initial step towards new science using FELs has been achieved very successfully, now the next steps need to be made.

References

1. A.M. Kondratenko, E.L. Saldin, "Generation of Coherent Radiation by a Relativistic Electron Beam in an Undulator", Part. Accelerators 10, 207 (1980).
2. R. Bonifacio, C. Pellegrini, L.M. Narducci, "Collective Instabilities and High-Gain Regime in a Free-Electron Laser", Opt. Commun. 50, 373 (1984).
3. S.V. Milton et al., "First lasing and operation of an angstrom-wavelength free-electron laser", Science 292, 2037 (2001).
4. V. Ayvazyan et al., "Generation of GW Radiation Pulses from a VUV Free-Electron Laser Operating in the Femtosecond Regime", Phys. Rev Lett. 88, 104802 (2002).
5. H. Wabnitz et al., "Multiple ionization of atom clusters by intense soft X-rays from a free-electron laser", Nature 420, 482 (2002).
6. V. Ayvazyan et al., "First operation of a free-electron laser generating GW power radiation at 32 nm wavelength," Eur. J. Phys. D37, 297 (2006).
7. W. Ackermann et al., "Operation of a free-electron laser from the extreme ultraviolet to the water window", Nature Photonics 1, 336 (2007).
8. P. Emma et al., "First lasing and operation of an angstrom-wavelength free-electron laser", Nature Photonics 4, 641 (2010).
9. E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov, *The Physics of Free Electron Lasers*, Springer, Berlin 1999.

10. G. Lambert et al., "Injection of harmonics generated in gas in a free-electron laser providing intense and coherent extreme-ultraviolet light", *Nature Physics* 4, 296 (2008).
11. E. Allaria et al., The FERMI@Elettra free-electron-laser source for coherent x-ray physics: photon properties, beam transport system and applications, *New Journal of Physics* 12, (2010)

Thomas Tschentscher
Daniele Cocco