PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 8277

, "Front Matter: Volume 8277," Proc. SPIE 8277, Novel In-Plane
Semiconductor Lasers XI, 827701 (14 February 2012); doi:
10.1117/12.927872

SPIE.

Event: SPIE OPTO, 2012, San Francisco, California, United States

PROCEEDINGS OF SPIE

Novel In-Plane Semiconductor Lasers XI

Alexey A. Belyanin

Peter M. Smowton

Editors

23-26 January 2012

San Francisco, California, United States

Sponsored and Published by
SPIE

Volume 8277

Proceedings of SPIE, 0277-786X, v. 8277

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Novel In-Plane Semiconductor Lasers XI*, edited by Alexey A. Belyanin, Peter M. Smowton, Proceedings of SPIE Vol. 8277 (SPIE, Bellingham, WA, 2012) Article CID Number.

ISSN 0277-786X

ISBN 9780819489203

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2012, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/12/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

ix *Conference Committee*

NEW MATERIAL AND DEVICE CONCEPTS I

- 8277 02 **Photo-pumped GaAs_{1-x}Bi_x lasing operation with low-temperature-dependent oscillation wavelength (Invited Paper)** [8277-01]
Y. Tominaga, K. Oe, M. Yoshimoto, Kyoto Institute of Technology (Japan)
- 8277 03 **Stacking-layer-number dependence of highly stacked InAs quantum dot laser diodes fabricated using strain-compensation technique** [8277-69]
K. Akahane, N. Yamamoto, T. Kawanishi, National Institute of Information and Communications Technology (Japan); S. Bietti, National Institute of Information and Communications Technology (Japan) and Univ. degli Studi di Milano-Bicocca (Italy); A. Takata, National Institute of Information and Communications Technology (Japan) and The Univ. of Tokyo (Japan); Y. Okada, The Univ. of Tokyo (Japan)
- 8277 05 **Electrically driven photonic crystal nanocavity lasers, LEDs, and modulators (Invited Paper)** [8277-04]
G. Shambat, Stanford Univ. (United States); B. Ellis, Soraa, Inc. (United States); M. Mayer, Univ. of California, Berkeley (United States); A. Majumdar, J. Petykiewicz, T. Sarmiento, J. Harris, Stanford Univ. (United States); E. E. Haller, Univ. of California, Berkeley (United States); J. Vuckovic, Stanford Univ. (United States)
- 8277 06 **Lateral cavity photonic crystal surface emitting lasers with ultralow threshold and large power** [8277-05]
Y. Wang, H. Qu, W. Zhou, B. Jiang, J. Zhang, A. Qi, L. Liu, F. Fu, W. Zheng, Institute of Semiconductors (China)

PUSHING PERFORMANCE LIMITS I

- 8277 08 **Red-emitting diode lasers with internal surface DBR gratings** [8277-07]
D. Feise, W. John, G. Blume, C. Kaspari, J. Fricke, K. Paschke, G. Erbert, Ferdinand-Braun-Institut, Leibniz-Institut für Höchstfrequenztechnik (Germany)
- 8277 0A **830nm high power single mode DFB laser for high volume applications** [8277-09]
P. Doussiere, M. Tashima, H. Djie, K. W. Lee, V. Wong, D. Venables, V. Rossin, E. Zucker, JDSU Corp. (United States)

- 8277 OB **AlGaInAs semi-insulating buried-heterostructure distributed reflector lasers for low-driving-current high-speed direct modulation (Invited Paper)** [8277-10]
T. Simoyama, M. Matsuda, Photonic Electronics Technology Research Association (Japan), Fujitsu Ltd. (Japan), and Fujitsu Labs., Ltd. (Japan); S. Okumura, Fujitsu Labs., Ltd. (Japan); A. Uetake, M. Ekawa, Photonic Electronics Technology Research Association (Japan), Fujitsu Ltd. (Japan), and Fujitsu Labs., Ltd. (Japan); T. Yamamoto, Fujitsu Labs., Ltd. (Japan)

PUSHING PERFORMANCE LIMITS II

- 8277 OC **Long-wavelength quantum dot FP and DFB lasers for high temperature applications (Invited Paper)** [8277-11]
T. Kageyama, QD Laser, Inc. (Japan); K. Takada, The Univ. of Tokyo (Japan); K. Nishi, QD Laser, Inc. (Japan) and The Univ. of Tokyo (Japan); M. Yamaguchi, QD Laser, Inc. (Japan); R. Mochida, QD Laser, Inc. (Japan) and The Univ. of Tokyo (Japan); Y. Maeda, H. Kondo, K. Takemasa, QD Laser, Inc. (Japan); Y. Tanaka, QD Laser, Inc. (Japan) and Fujitsu Labs., Ltd. (Japan); T. Yamamoto, QD Laser, Inc. (Japan) and Fujitsu Labs., Ltd. (Japan) and The Univ. of Tokyo (Japan); M. Sugawara, QD Laser, Inc. (Japan) and The Univ. of Tokyo (Japan); Y. Arakawa, The Univ. of Tokyo (Japan)
- 8277 OD **InAs/InP quantum dot based lasers and effect of optical feedback (Invited Paper)** [8277-12]
K. Merghem, R. Rosales, S. Azouigui, CNRS, Lab. for Photonics and Nanostructures (France); Q. Zou, CNRS, Telecom SudParis (France); A. Martinez, CNRS, Lab. for Photonics and Nanostructures (France); A. Accard, F. Lelarge, III-V Lab. (France); A. Ramdane, CNRS, Lab. for Photonics and Nanostructures (France)
- 8277 OE **Generation of picosecond pulses and optical frequency combs with multi-section 1065nm ridge waveguide diode lasers** [8277-13]
A. Klehr, S. Schwertfeger, A. Liero, T. Hoffmann, J. Fricke, H. Wenzel, G. Erbert, G. Tränkle, Ferdinand-Braun-Institut, Leibniz-Institut für Höchstfrequenztechnik (Germany)

NITRIDES

- 8277 OH **(Al,In)GaN laser diodes with optimized ridge structures** [8277-16]
K. Holc, K. Köhler, W. Pletschen, J. Wagner, Fraunhofer-Institut für Angewandte Festkörperphysik (Germany); U. T. Schwarz, Fraunhofer-Institut für Angewandte Festkörperphysik (Germany) and Freiburg Univ. (Germany)
- 8277 OJ **Engineering of AlGaIn-Delta-GaN quantum wells gain media for mid- and deep-ultraviolet lasers** [8277-18]
J. Zhang, Lehigh Univ. (United States); H. Zhao, Case Western Reserve Univ. (United States); N. Tansu, Lehigh Univ. (United States)
- 8277 OK **Beyond blue pico laser: development of high power blue and low power direct green** [8277-77]
C. Vierheilig, C. Eichler, S. Tautz, A. Lell, J. Müller, F. Kopp, B. Stojetz, T. Hager, G. Brüderl, A. Avramescu, T. Lerner, J. Ristic, U. Strauss, OSRAM Opto Semiconductors GmbH (Germany)

MULTI-WAVELENGTH, TUNABLE, AND DFB QCLS

- 8277 OR **Dual-wavelength homogeneous mid-infrared quantum cascade laser** [8277-32]
M. I. Hossain, Purdue Univ. (United States); Y. Wang, A. Belyanin, Texas A&M Univ. (United States); D. L. Sivco, A. M. Sergent, Alcatel-Lucent Bell Labs. (United States); O. Malis, Purdue Univ. (United States)
- 8277 OS **Continuous wave operation of distributed feedback quantum cascade lasers with low threshold voltage and low power consumption** [8277-78]
F. Xie, C. Caneau, H. P. LeBlanc, S. Coleman, L. C. Hughes, C. Zah, Corning Inc. (United States)

TUNABLE QCLS AND NEW DESIGNS

- 8277 OV **Broadband continuous-wave tuning of external cavity anticrossed dual-upper-state quantum cascade lasers** [8277-30]
T. Dougakiuchi, K. Fujita, T. Edamura, M. Yamanishi, S. Furuta, A. Sugiyama, Hamamatsu Photonics K.K. (Japan)
- 8277 OW **Tapered active-region, mid-infrared quantum cascade lasers for complete suppression of carrier-leakage currents** [8277-31]
D. Botez, J. C. Shin, J. D. Kirch, C.-C. Chang, L. J. Mawst, Univ. of Wisconsin-Madison (United States); T. Earles, Intraband, LLC (United States)

NEW MATERIAL AND DEVICE CONCEPTS II

- 8277 11 **Strained confinement layers in InP quantum dot lasers** [8277-37]
S. N. Elliott, P. M. Smowton, Cardiff Univ. (United Kingdom); A. B. Krysa, The Univ. of Sheffield (United Kingdom)

EXTERNAL CAVITY

- 8277 12 **Broadband modeless cw quantum-dot semiconductor laser: design and coherence properties** [8277-38]
A. Garnache, Institut d'Electronique du Sud, CNRS, Univ. Montpellier 2 (France); C. Michel, Lab. Interdisciplinaire Carnot, CNRS, Univ. de Bourgogne (France); M. Myara, Institut d'Electronique du Sud, CNRS, Univ. Montpellier 2 (France)
- 8277 13 **All semiconductor high power fs laser system with variable repetition rate** [8277-39]
J. C. Balzer, T. Schlauch, Ruhr-Univ. Bochum (Germany); A. Klehr, G. Erbert, Ferdinand-Braun-Institut (Germany); M. R. Hofmann, Ruhr-Univ. Bochum (Germany)
- 8277 14 **Continuously current-tunable, narrow line-width miniaturized external cavity diode laser at 633 nm** [8277-40]
B. Sumpf, A. Bawamia, G. Blume, B. Eppich, A. Ginolas, S. Spießberger, M. Thomas, G. Erbert, Ferdinand-Braun-Institut, Leibniz-Institut für Höchstfrequenztechnik (Germany)

- 8277 15 **High-power single-mode InGaAsP/InP laser diodes for pulsed operation** [8277-41]
E. Kotelnikov, A. Katsnelson, K. Patel, I. Kudryashov, Princeton Lightwave, Inc. (United States)

MID-INFRARED LASERS

- 8277 1B **Room-temperature type-I GaSb-based lasers in the 3.0 - 3.7 μm wavelength range (Invited Paper)** [8277-47]
K. Vizbaras, A. Vizbaras, A. Andrejew, C. Grasse, S. Sprengel, M.-C. Amann, Technische Univ. München (Germany)
- 8277 1C **Optically pumped type-II mid-IR tunable DFB laser** [8277-48]
X. He, The Univ. of New Mexico (United States); R. Kaspi, Air Force Research Lab. (United States); S. R. J. Brueck, The Univ. of New Mexico (United States)
- 8277 1D **Mid-IR interband cascade lasers operating at very low input powers (Invited Paper)** [8277-49]
C. S. Kim, U.S. Naval Research Lab. (United States); M. Kim, Sotera Defense Solutions (United States); C. L. Canedy, W. W. Bewley, C. D. Merritt, I. Vurgaftman, J. Abell, J. R. Meyer, U.S. Naval Research Lab. (United States)
- 8277 1E **High performance interband cascade lasers at 3.8 microns** [8277-50]
R. P. Leavitt, J. D. Bruno, J. L. Bradshaw, K. M. Lascola, J. T. Pham, F. J. Towner, Maxion Technologies, Inc. (United States); S. Suchalkin, G. Belenky, State Univ. of New York at Stony Brook (United States); I. Vurgaftman, C. L. Canedy, W. W. Bewley, C. S. Kim, U.S. Naval Research Lab. (United States); M. Kim, Sotera Defense Solutions, Inc. (United States); C. D. Merritt, J. R. Meyer, U.S. Naval Research Lab. (United States)

HIGH POWER I

- 8277 1G **Numerical studies of thermal lensing effects on high-CW-power single-spatial- mode diode lasers (Invited Paper)** [8277-52]
A. P. Napartovich, N. N. Elkin, D. V. Vysotsky, Troitsk Institute for Innovation and Fusion Research (Russian Federation); D. Botez, L. J. Mawst, Univ. of Wisconsin-Madison (United States)
- 8277 1H **Near-field evolution in strongly pumped broad area diode lasers** [8277-53]
M. Hempel, J. W. Tomm, Max-Born-Institut (Germany); M. Baeumler, H. Konstanzer, Fraunhofer-Institut für Angewandte Festkörperphysik (Germany); J. Mukherjee, Univ. of Surrey (United Kingdom); T. Elsässer, Max-Born-Institut (Germany)
- 8277 1I **100,000 h estimated lifetime of 100- μm -stripe width 650 nm broad area lasers at an output power of 1.2 W** [8277-54]
B. Sumpf, J. Fricke, P. Ressel, M. Zorn, G. Erbert, G. Tränkle, Ferdinand-Braun-Institut, Leibniz-Institut für Höchstfrequenztechnik (Germany)
- 8277 1J **Performance limitation and mitigation of longitudinal spatial hole burning in high-power diode lasers** [8277-55]
Z. Chen, L. Bao, J. Bai, M. Grimshaw, R. Martinsen, M. DeVito, J. Haden, nLIGHT Corp. (United States); P. Leisher, Rose-Hulman Institute of Technology (United States)

- 8277 1K **High-power operation of a wide-striped InGaN laser diode array (Invited Paper)** [8277-19]
K. Samonji, S. Yoshida, H. Hagino, K. Yamanaka, S. Takigawa, Panasonic Corp. (Japan)

HIGH POWER II

- 8277 1L **Wavelength tunable high-power single-mode 1060-nm DBR lasers (Invited Paper)** [8277-56]
J. Li, D. V. Kuksenkov, W. Liu, Y. Li, N. J. Visovsky, D. Pikula, A. P. Heberle, G. C. Brown, G. A. Piech, D. L. Butler, C. Zah, Corning Inc. (United States)
- 8277 1M **High efficiency laser sources usable for single mode fiber coupling and frequency doubling** [8277-57]
P. Friedmann, J. Schleife, J. Gilly, M. T. Kelemen, m2k-laser GmbH (Germany)
- 8277 1N **Short pulse generation by Q-switching two section tapered lasers** [8277-58]
P. Adamiec, A. Consoli, J. M. G. Tijero, I. Esquivias, Univ. Politcnica de Madrid (Spain); S. Schwertfeger, A. Klehr, H. Wenzel, G. Erbert, Ferdinand-Braun-Institut fr Hchstfrequenztechnik (Germany)
- 8277 1O **Laser diodes with distributed feedback for application as subnanosecond fiber laser seeder** [8277-59]
E. A. Zibik, Oclaro (Switzerland) AG (Switzerland); A. Bertrand, MULTITEL asbl (Belgium); W. Kaiser, J. Boucart, A. Thies, Oclaro (Switzerland) AG (Switzerland); I. Davies, D. Inder, C. Button, Oclaro Technology Ltd. (United Kingdom); Y. Hernandez, MULTITEL asbl (Belgium); N. Lichtenstein, Oclaro (Switzerland) AG (Switzerland)

HIGH-PERFORMANCE AND HIGH-POWER MID-IR LASERS I

- 8277 1S **Long wavelength quantum cascade lasers for applications in the second atmospheric window at wavelength of 9-11 microns** [8277-63]
G. Tsvid, AdTech Optics, Inc. (United States) and Princeton Univ. (United States); X. Wang, J. Fan, AdTech Optics, Inc. (United States); C. Gmachl, Princeton Univ. (United States); M. Troccoli, AdTech Optics, Inc. (United States)

HIGH-PERFORMANCE AND HIGH-POWER MID-IR LASERS II

- 8277 1T **32 emitters quantum cascade laser phased array** [8277-64]
G. M. de Naurois, M. Carras, B. Simozrag, F. Alexandre, X. Marcadet, III-V Lab. (France)
- 8277 1U **Passive coherent beam combining of quantum-cascade lasers with a Dammann grating** [8277-65]
G. Bloom, C. Larat, E. Lallier, G. Lehoucq, S. Bansropun, M.-S. L. Lee-Bouhours, B. Loiseaux, Thales Research and Technology (France); M. Carras, X. Marcadet, Alcatel-Thales III-V Lab. (France); G. Lucas-Leclin, P. Georges, Lab. Charles Fabry, CNRS, Univ. Paris-Sud (France)
- 8277 1W **28-dB gain mid-infrared optical amplification using resonant quantum cascade laser optical amplifier** [8277-67]
X. Chen, D. Guo, D. Shyu, L. Cheng, F.-S. Choa, Univ. of Maryland, Baltimore County (United States); S. Trivedi, Brimrose Corp. of America (United States)

POSTER SESSION

- 8277 1Y **Modeling gallium-arsenide-based and indium-phosphide-based distributed feedback quantum-well lasers** [8277-71]
M.-M. Shih, Univ. of Florida (United States)
- 8277 1Z **Direct intensity modulation of three-guide coupled rectangular ring laser having bidirectional lasing characteristics** [8277-72]
D. G. Kim, S. H. Kim, H. C. Ki, W.-G. Jang, D.-K. Lee, H. J. Kim, H. J. Kim, Korea Photonics Technology Institute (Korea, Republic of); G.-Y. Oh, Y. W. Choi, Chung-Ang Univ. (Korea, Republic of); N. Dagli, Univ. of California, Santa Barbara (United States)
- 8277 20 **Effect of modulation p-doping on the differential carrier lifetime of quantum dot lasers** [8277-73]
K. Zhou, S. Chen, D. T. D. Childs, R. A. Hogg, The Univ. of Sheffield (United Kingdom)
- 8277 21 **Anti reflection coatings in semiconductor lasers: effects on power emission and external cavity lasing** [8277-76]
M. Q. Huda, Univ. of Alberta (Canada); J. Tulip, Univ. of Alberta (Canada) and Boreal Laser, Inc. (Canada); W. Jäger, Univ. of Alberta (Canada)

Author Index

Conference Committee

Symposium Chair

Klaus P. Streubel, OSRAM GmbH (Germany)

Symposium Cochairs

David L. Andrews, University of East Anglia Norwich (United Kingdom)
Liang-Chy Chien, Kent State University (United States)

Program Track Chair

Klaus P. Streubel, OSRAM GmbH (Germany)

Conference Chairs

Alexey A. Belyanin, Texas A&M University (United States)
Peter M. Smowton, Cardiff University (United Kingdom)

Program Committee

Martin Achtenhagen, Brightline Photonics (United States)
Yasuhiko Arakawa, The University of Tokyo (Japan)
Dan Botez, University of Wisconsin-Madison (United States)
Federico Capasso, Harvard School of Engineering and Applied Sciences (United States)
Claire F. Gmachl, Princeton University (United States)
Michael Kneissl, Technische Universität Berlin (Germany)
Hui Chun Liu, National Research Council Canada (Canada)
Luke J. Mawst, University of Wisconsin-Madison (United States)
Jerry R. Meyer, U.S. Naval Research Laboratory (United States)
Jesper Moerk, Technical University of Denmark (Denmark)
Mario J. Paniccia, Intel Corporation (United States)
Richard V. Pently, University of Cambridge (United Kingdom)
Johann P. Reithmaier, Universität Kassel (Germany)
Nelson Tansu, Lehigh University (United States)
Shinji Tsuji, Hitachi, Ltd. (Japan)

Session Chairs

- 1 New Material and Device Concepts I
Peter M. Smowton, Cardiff University (United Kingdom)

- 2 Pushing Performance Limits I
Shinji Tsuji, Hitachi, Ltd. (Japan)
- 3 Pushing Performance Limits II
Richard V. Penty, University of Cambridge (United Kingdom)
- 4 Nitrides
Michael Kneissl, Technische Universität Berlin (Germany)
- 5 Quantum Cascade Lasers
Alexey A. Belyanin, Texas A&M University (United States)
- 6 Multi-wavelength, Tunable, and DFB QCLs
Dan Botez, University of Wisconsin-Madison (United States)
- 7 Tunable QCLs and New Designs
Jerry R. Meyer, U.S. Naval Research Laboratory (United States)
- 8 New Material and Device Concepts II
Luke J. Mawst, University of Wisconsin-Madison (United States)
- 9 External Cavity
Johann Peter Reithmaier, Universität Kassel (Germany)
- 10 QCL: Novel Cavities and Mode Coupling
Romain Blanchard, Harvard University (United States)
- 11 Mid-infrared Lasers
Gene Tsvi, AdTech Optics, Inc. (United States)
- 12 High Power I
Gary A. Evans, Photodigm, Inc. (United States)
- 13 High Power II
Paul Crump, Ferdinand-Braun-Institut (Germany)
- 14 High-performance and High-power Mid-IR Lasers I
Ron Kaspi, Air Force Research Laboratory (United States)
- 15 High-performance and High-power Mid-IR Lasers II
Xiaojun Wang, AdTech Optics, Inc. (United States)