PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 8298

, "Front Matter: Volume 8298," Proc. SPIE 8298, Sensors, Cameras, and Systems for Industrial and Scientific Applications XIII, 829801 (21 February 2012); doi: 10.1117/12.927609

SPIE.

Event: IS&T/SPIE Electronic Imaging, 2012, Burlingame, California, United States

Sensors, Cameras, and Systems for Industrial and Scientific Applications XIII

**Ralf Widenhorn
Valérie Nguyen
Antoine Dupret**
Editors

**25–26 January 2012
Burlingame, California, United States**

Sponsored and Published by
IS&T—The Society for Imaging Science and Technology
SPIE

Volume 8298

Proceedings of SPIE, 0277-786X, v. 8298

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publishers are not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Sensors, Cameras, and Systems for Industrial and Scientific Applications XIII*, edited by Ralf Widenhorn, Valérie Nguyen, Antoine Dupret, Proceedings of SPIE-IS&T Electronic Imaging, SPIE Vol. 8298, Article CID Number (2012).

ISSN 0277-786X

ISBN 9780819489456

Copublished by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

and

IS&T—The Society for Imaging Science and Technology

7003 Kilworth Lane, Springfield, Virginia, 22151 USA

Telephone +1 703 642 9090 (Eastern Time) · Fax +1 703 642 9094

imaging.org

Copyright © 2012, Society of Photo-Optical Instrumentation Engineers and The Society for Imaging Science and Technology.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by the publishers subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/12/\$18.00.

Printed in the United States of America.

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

vii *Conference Committee*

SESSION 1 HIGH-SPEED SENSORS

- 8298 02 **High-speed VGA resolution CMOS image sensor with global shutter** [8298-01]
P. Willems, G. Meynants, G. Vanhorebeek, C. Ma, CMOSIS nv (Belgium)
- 8298 03 **High-speed global shutter CMOS machine vision sensor with high dynamic range image acquisition and embedded intelligence** [8298-02]
F. Jiménez-Garrido, J. Fernández-Pérez, C. Utrera, J. M. Muñoz, M. D. Pardo, A. Giuliatti, R. Domínguez-Castro, F. Medeiro, AnaFocus (Spain); A. Rodríguez-Vázquez, Univ. de Sevilla (Spain) and AnaFocus (Spain)
- 8298 04 **High-speed CMOS image sensor for high-throughput lensless microfluidic imaging system** [8298-03]
M. Yan, X. Huang, Q. Jia, R. Nadipalli, T. Wang, Y. Shang, H. Yu, Nanyang Technological Univ. (Singapore); M. Je, Institute of Microelectronics (Singapore); K. Yeo, Nanyang Technological Univ. (Singapore)

SESSION 2 SMART SENSORS

- 8298 05 **Smart image sensor with adaptive correction of brightness** [8298-04]
M. Paindavoine, Lab. d'Etude de l'Apprentissage et du Développement, CNRS, Univ. de Bourgogne (France); A. Ngoua, Lab. Electronique, Informatique et Image, CNRS, Univ. de Bourgogne (France); O. Brousse, Lab. d'Etude de l'Apprentissage et du Développement, CNRS, Univ. de Bourgogne (France); C. Clerc, Lab. Electronique, Informatique et Image, CNRS, Univ. de Bourgogne (France)
- 8298 06 **Algorithm architecture co-design for ultra low-power image sensor** [8298-05]
T. Laforest, A. Dupret, A. Verdant, D. Lattard, P. Villard, CEA-LETI (France)
- 8298 07 **A CMOS imager using focal-plane pinhole effect for confocal multibeam scanning microscopy** [8298-06]
M.-W. Seo, A. Wang, Z. Li, K. Yasutomi, K. Kagawa, S. Kawahito, Shizuoka Univ. (Japan)
- 8298 08 **Time-to-impact sensors in robot vision applications based on the near-sensor image processing concept** [8298-07]
A. Åström, Combitech AB (Sweden); R. Forchheimer, Linköping Univ. (Sweden)

SESSION 3 HIGH-PERFORMANCE SENSORS

- 8298 09 **Diffusion dark current in front-illuminated CCDs and CMOS image sensors** [8298-36]
M. M. Blouke, Portland State Univ. (United States)

- 8298 0A **A 176x144 148dB adaptive tone-mapping imager** [8298-08]
S. Vargas-Sierra, G. Liñán-Cembrano, A. Rodríguez-Vázquez, Consejo Superior de Investigaciones Científicas (CSIC) (Spain) and Univ. de Sevilla (Spain)
- 8298 0B **A high-dynamic range (HDR) back-side illuminated (BSI) CMOS image sensor for extreme UV detection** [8298-09]
X. Wang, B. Wolfs, J. Bogaerts, G. Meynants, CMOSIS nv (Belgium); A. BenMoussa, Royal Observatory of Belgium (Belgium)
- 8298 0C **A low-noise 15- μ m pixel-pitch 640x512 hybrid InGaAs image sensor for night vision** [8298-10]
F. Guellec, S. Dubois, E. de Borniol, P. Castelein, S. Martin, R. Guiguet, M. Tchagaspanian, CEA-LETI Minattec (France); A. Rouvié, P. Bois, III-V Lab. (France)
- 8298 0D **High-dynamic-range 4-Mpixel CMOS image sensor for scientific applications** [8298-11]
P. Vu, B. Fowler, C. Liu, S. Mims, P. Bartkovjak, H. Do, W. Li, J. Appelbaum, A. Lopez, BAE Systems Imaging Solutions (United States)

SESSION 4 NOISE AND CHARACTERIZATION

- 8298 0E **Projecting the rate of in-field pixel defects based on pixel size, sensor area, and ISO** [8298-12]
G. H. Chapman, J. Leung, R. Thomas, A. Namburete, Simon Fraser Univ. (Canada); Z. Koren, I. Koren, Univ. of Massachusetts Amherst (United States)
- 8298 0F **Dynamic CCD pixel depletion edge model and the effects on dark current production** [8298-13]
J. C. Dunlap, M. M. Blouke, E. Bodegom, R. Widenhorn, Portland State Univ. (United States)
- 8298 0G **Characterizing the response of charge-couple device digital color cameras** [8298-14]
V. Slavkovikj, J. Y. Hardeberg, Gjøvik Univ. College (Norway); A. Eichhorn, Simula Research Lab. (Norway)
- 8298 0H **Implementing and using the EMVA1288 standard** [8298-15]
A. Darmont, J. Chahiba, J. -F. Lemaitre, M. Pirson, D. Dethier, Aphesa (Belgium)
- 8298 0I **An overview of the European patent system with particular emphasis on IP issues for imaging devices** [8298-35]
M. Boero, A. Cabrita, European Patent Office (Netherlands)

SESSION 5 TECHNOLOGICAL IMPROVEMENTS

- 8298 0K **Development of high-transmittance back-illuminated silicon-on-sapphire substrates thinned below 25 micrometers and bonded to fused silica for high quantum efficiency and high resolution avalanche photodiode imaging arrays** [8298-16]
A. G. Stern, AG Stern, LLC (United States)
- 8298 0L **29-mp 35-mm format interline CCD image sensor** [8298-17]
E. J. Meisenzahl, D. A. Carpenter, J. A. DiBella, J. Doran, R. P. Fabinski, S. L. Kosman, J. P. McCarten, Truesense Imaging, Inc. (United States)

- 8298 OM **Photodiode dopant structure with atomically flat Si surface for high-sensitivity and stability to UV light** [8298-18]
T. Nakazawa, R. Kuroda, Y. Koda, S. Sugawa, Tohoku Univ. (Japan)
- 8298 ON **New smart readout technique performing edge detection designed to control vision sensors dataflow** [8298-19]
H. Amhaz, G. Sicard, TIMA Lab., CNRS, Institut Polytechnique de Grenoble, Univ. Joseph Fourier (France)
- 8298 OO **Characterization of orthogonal transfer array CCDs for the WIYN one degree imager** [8298-20]
M. Lesser, D. Ouellette, The Univ. of Arizona (United States); T. Boroson, National Optical Astronomy Observatory (United States); D. Harbeck, P. Martin, WIYN Observatory (United States); G. Jacoby, Carnegie Observatories (United States); J. Cavin, Univ. of Wisconsin-Madison (United States); D. Sawyer, National Optical Astronomy Observatory (United States); K. Boggs, R. Bredthauer, Semiconductor Technology Associates Inc. (United States)

SESSION 6 COLOR IMAGING

- 8298 OP **Multispectral device for help in diagnosis** [8298-21]
C. Delporte, M. Ben Chouikha, Univ. Pierre et Marie Curie (France) and Electronics and Electromagnetism Lab., Sorbonne Univ. (France); S. Sautrot, Univ. Denis Diderot (France) and Electronics and Electromagnetism Lab., Sorbonne Univ. (France); F. Viénot, Ctr. de Recherche sur la Conservation des Collections, CNRS, Muséum National d'Histoire Naturelle (France); G. Alquié, Univ. Pierre et Marie Curie (France) and Electronics and Electromagnetism Lab., Sorbonne Univ. (France)
- 8298 OQ **Development of a driving method suitable for ultrahigh-speed shooting in a 2M-fps 300k-pixel single-chip color camera** [8298-22]
J. Yonai, T. Arai, NHK Science and Technology Research Labs. (Japan); T. Hayashida, NHK Engineering Services (Japan); H. Ohtake, NHK Science and Technology Research Labs. (Japan); J. Namiki, T. Yoshida, Hitachi Kokusai Electric Inc. (Japan); T. G. Etoh, Kinki Univ. (Japan)
- 8298 OR **Accurate color with increased sensitivity using IR** [8298-24]
A. Enge, J. DiBella, Truesense Imaging, Inc. (United States)
- 8298 OS **Computational color constancy using chromagenic filters in color filter arrays** [8298-25]
R. Shrestha, J. Y. Hardeberg, Gjøvik Univ. College (Norway)

INTERACTIVE PAPER SESSION

- 8298 OT **The infrared network video monitoring system based on Linux OS** [8298-27]
L. Liu, Nanjing Univ. of Science & Technology (China); C. Ning, Nanjing Normal Univ. (China); X. Zhou, T. Pan, Nanjing Univ. of Science & Technology (China)

- 8298 OU **Motion blur-free time-of-flight range sensor** [8298-28]
S. Lee, B. Kang, J. D. K. Kim, C. Y. Kim, Samsung Advanced Institute of Technology (Korea, Republic of)
- 8298 OV **CMOS BDJ photodiode for trichromatic sensing** [8298-29]
L. Tu, S. V. Setlur Nagesh, Univ. at Buffalo (United States); Z. Fu, OmniVision Technologies, Inc. (United States); A. H. Titus, Univ. at Buffalo (United States)
- 8298 OW **On image sensor dynamic range utilized by security cameras** [8298-30]
A. Johannesson, Axis Communications AB (Sweden)
- 8298 OX **Design of low-noise output amplifiers for P-channel charge-coupled devices fabricated on high-resistivity silicon** [8298-31]
S. Haque, Lawrence Berkeley National Lab. (United States); F. Dion, R. Frost, R. Groulx, Teledyne DALSA Semiconductor (Canada); S. E. Holland, A. Karcher, W. F. Kolbe, N. A. Roe, G. Wang, Lawrence Berkeley National Lab. (United States); Y. Yu, Stanford Univ. (United States)
- 8298 OY **S/N improvement for the optical-multiplex image-acquisition system** [8298-32]
T. Narabu, Sony Corp. (Japan)
- 8298 OZ **Fully integrated system-on-chip for pixel-based 3D depth and scene mapping** [8298-33]
M. Popp, B. De Coi, M. Thalmann, R. Gancarz, P. Ferrat, M. Dürmüller, F. Britt, M. Annese, M. Ledergerber, G.-P. Catregu, ESPROS Photonics AG (Switzerland)

Author Index

Conference Committee

Symposium Chairs

Majid Rabbani, Eastman Kodak Company (United States)
Gaurav Sharma, University of Rochester (United States)

Conference Chairs

Ralf Widenhorn, Portland State University (United States)
Valérie Nguyen, CEA LETI MINATEC (France)
Antoine Dupret, Commissariat à l'Énergie Atomique (France)

Program Committee

Morley M. Blouke, Portland State University (United States)
Erik Bodegom, Portland State University (United States)
Glenn H. Chapman, Simon Fraser University (Canada)
James A. DiBella, Sr., Eastman Kodak Company (United States)
Terrence S. Lomheim, The Aerospace Corporation (United States)
Pierre Magnan, Institut Supérieur de l'Aéronautique et de l'Espace (France)
Kevin J. Matherson, Hewlett-Packard Company (United States)
Alice L. Reinheimer, e2v (United States)
Nobukazu Teranishi, Panasonic Corporation (Japan)
Xinyang Wang, CMOSIS nv (Belgium)

Session Chairs

- 1 High Speed Sensors
Morley M. Blouke, Portland State University (United States)
- 2 Smart Sensors
Alice L. Reinheimer, e2v (United States)
- 3 High Performance Sensors
Antoine Dupret, Commissariat à l'Énergie Atomique (France)
- 4 Noise and Characterization
Kevin J. Matherson, Hewlett-Packard Company (United States)
- 5 Technological Improvements
Xinyang Wang, CMOSIS nv (Belgium)
- 6 Color Imaging
Erik Bodegom, Portland State University (United States)