PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 8586

, "Front Matter: Volume 8586," Proc. SPIE 8586, Optogenetics: Optical Methods for Cellular Control, 858601 (13 March 2013); doi: 10.1117/12.2021444

Event: SPIE BiOS, 2013, San Francisco, California, United States

PROGRESS IN BIOMEDICAL OPTICS AND IMAGING

Vol.14 No. 22

Optogenetics: Optical Methods for Cellular Control

Samarendra K. Mohanty

Nitish V. Thakor

Editors

2–3 February 2013

San Francisco, California, United States

Sponsored by

SPIE

Cosponsored by

Plexon Inc. (United States)

Published by

SPIE

Volume 8586

Proceedings of SPIE 1605-7422, V.8586

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Optogenetics: Optical Methods for Cellular Control, edited by Samarendra K. Mohanty, Nitish V. Thakor,
Proc. of SPIE Vol. 8586, 858601 · © 2013 SPIE · CCC code: 1605-7422/13/\$18 · doi: 10.1117/12.2021444

Proc. of SPIE Vol. 8586 858601-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Optogenetics: Optical Methods for Cellular Control*, edited by Samarendra K. Mohanty, Nitish V. Thakor, Proceedings of SPIE Vol. 8586 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 1605-7422

ISBN: 9780819493552

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

vii	Conference Committee
ix	Introduction

OPTOGENETICS: TECHNOLOGY

- 8586 03 **High-speed optogenetic circuit mapping (Invited Paper)** [8586-2]
G. J. Augustine, Duke-NUS Medical School (Singapore) and Korea Institute of Science and Technology (Korea, Republic of); S. Chen, H. Gill, M. Katarya, J. Kim, Duke-NUS Medical School (Singapore); J. Kudolo, Korea Institute of Science and Technology (Korea, Republic of); L. M. Lee, Duke-NUS Medical School (Singapore); H. Lee, Korea Institute of Science and Technology (Korea, Republic of); S. Q. Lo, Duke-NUS Medical School (Singapore); R. Nakajima, M.-Y. Park, Korea Institute of Science and Technology (Korea, Republic of); G. Tan, Y. Tang, P. Teo, S. Tsuda, Duke-NUS Medical School (Singapore); L. Wen, Korea Institute of Science and Technology (Korea, Republic of); S.-I. Yoon, Duke-NUS Medical School (Singapore)
- 8586 08 **Multifractal detrended fluctuation analysis of optogenetic modulation of neural activity** [8586-7]
S. Kumar, The Univ. of Texas at Arlington (United States) and IISER Kolkatta (India); L. Gu, The Univ. of Texas at Arlington (United States); N. Ghosh, IISER Kolkatta (India); S. K. Mohanty, The Univ. of Texas at Arlington (United States)

IN VIVO OPTOGENETICS

- 8586 0A **A precise and minimally invasive approach to optogenetics in the awake primate** [8586-9]
J. J. Nassi, A. H. Cetin, The Salk Institute for Biological Studies (United States); A. W. Roe, Vanderbilt Univ. (United States); E. M. Callaway, The Salk Institute for Biological Studies (United States); K. Deisseroth, Stanford Univ. (United States); J. H. Reynolds, The Salk Institute for Biological Studies (United States)
- 8586 0B **A combinatorial optogenetic approach to medial habenula function** [8586-10]
E. E. Turner, Y.-W. Hsu, S. Wang, G. Morton, Seattle Children's Research Institute (United States); H. Zeng, Allen Institute for Brain Science (United States)
- 8586 0C **Evaluating cerebellar functions using optogenetic transgenic mice** [8586-11]
J. P. Welsh, Seattle Children's Research Institute (United States) and Univ. of Washington (United States); J. Turecek, Seattle Children's Research Institute (United States); E. E. Turner, Seattle Children's Research Institute (United States) and Univ. of Washington (United States)

- 8586 OF **Laser speckle contrast reveals cerebral blood flow dynamics evoked by optogenetically controlled neuronal activity** [8586-14]
N. Li, Kennedy Krieger Institute (United States) and Johns Hopkins Univ. School of Medicine (United States); N. V. Thakor, Johns Hopkins Univ. School of Medicine (United States); G. Pelled, Kennedy Krieger Institute (United States) and Johns Hopkins Univ. School of Medicine (United States)
- 8586 OG **Comparison between Bessel and Gaussian beam propagation for in-depth optogenetic stimulation** [8586-15]
H. Tejeda, The Univ. of Texas at Arlington (United States); T. Li, Univ. of Electronic Science and Technology of China (China); S. Mohanty, The Univ. of Texas at Arlington (United States)

CELLULAR OPTOGENETICS

- 8586 OI **Expression and function of channelrhodopsin 2 in mouse outer hair cells** [8586-17]
F. Chen, South Univ. of Science and Technology of China (United States) and Oregon Health & Science Univ. (United States); T. Wu, T. Wilson, H. Subhash, I. Omelchenko, M. Bateschell, L. Wang, J. Brigande, Z.-G. Jiang, Oregon Health & Science Univ. (United States); A. Nuttall, Oregon Health & Science Univ. (United States) and Univ. of Michigan, Ann Arbor (United States)
- 8586 OL **Optogenetic control of ATP release** [8586-20]
M. A. Lewis, The Univ. of Texas Southwestern Medical Ctr. (United States); B. Joshi, The Univ. of Texas at Arlington (United States); L. Gu, The Univ. of Texas at Arlington (United States); A. Feranchak, The Univ. of Texas Southwestern Medical Ctr. (United States); S. K. Mohanty, The Univ. of Texas at Arlington (United States)

HYBRID-OPTICAL CONTROL OF CELLS II

- 8586 OR **Development of optics with micro-LED arrays for improved opto-electronic neural stimulation** [8586-23]
L. Chaudet, M. Neil, Imperial College London (United Kingdom); P. Degenaar, K. Mehran, R. Berlinguer-Palmini, Newcastle Univ. (United Kingdom); B. Corbet, P. Maaskant, National Tyndall Institute (Ireland); D. Rogerson, P. Lanigan, Scientifica (United Kingdom); E. Bamberg, Max Planck Institute of Biophysics (Germany); B. Roska, Friederich Miescher Institut (Switzerland)
- 8586 OS **Optogenetics to target actin-mediated synaptic loss in Alzheimer's** [8586-24]
A. Zahedi, K. DeFea, I. Ethell, Univ. of California, Riverside (United States)
- 8586 OT **Optofluidic control of axonal guidance** [8586-25]
L. Gu, S. Ordonez, B. Black, S. K. Mohanty, The Univ. of Texas at Arlington (United States)

- 8586 OU **Micro mirror arrays as high-resolution spatial light modulators for photoactivation and optogenetics** [8586-26]
F. Rückerl, Institut Pasteur (France); M. Kielhorn, Institute of Photonic Technology (Germany) and King's College London (United Kingdom); J.-Y. Tinevez, Institut Pasteur (France); J. Heber, Fraunhofer Institute for Photonic Microsystems (Germany); R. Heintzmann, Institute of Photonic Technology (Germany) and King's College London (United Kingdom); S. Shorte, Institut Pasteur (France)
- 8586 OV **Glass optrode arrays for optogenetic stimulation** [8586-27]
T. V. F. Abaya, M. Diwekar, S. Blair, P. Tathireddy, L. Rieth, G. A. Clark, F. Solzbacher, Univ. of Utah (United States)

POSTER SESSION

- 8586 OX **Miniaturized LED sources for in vivo optogenetic experimentation** [8586-31]
I. P. Clements, A. G. Gnade, A. D. Rush, C. D. Patten, M. C. Twomey, Plexon Inc. (United States); A. V. Kravitz, NIDDK, National Institutes of Health (United States)
- 8586 OY **Quantitative phase microscopy of cellular fluctuations modulated by optogenetic stimulation** [8586-32]
B. Banjara, N. Cardenas, S. Mohanty, The Univ. of Texas at Arlington (United States)

Author Index

Conference Committee

Symposium Chairs

James Fujimoto, Massachusetts Institute of Technology (United States)
R. Rox Anderson, Wellman Center for Photomedicine, Massachusetts General Hospital (United States) and Harvard School of Medicine (United States)

Program Track Chairs

Steven L. Jacques, Oregon Health & Science University (United States)
William P. Roach, U.S. Air Force (United States)

Conference Chairs

Samarendra K. Mohanty, The University of Texas at Arlington (United States)
Nitish V. Thakor, Johns Hopkins University (United States)

Conference Program Committee

Anna W. Roe, Vanderbilt University (United States)
Elizabeth M. Hillman, Columbia University (United States)
Isaac Clements, Plexon Inc. (United States)
John Welsh, University of Washington (United States)
Rafael Yuste, Columbia University (United States)
Xue Han, Boston University (United States)
George J. Augustine, KIST (Korea, Republic of) and Duke-NUS Medical School (Singapore)
Richard Kramer, University of California, Berkeley (United States)
Klaus Gerwert, Ruhr-Universität Bochum (Germany)
Alfred L. Nuttall, Oregon Health & Science University (United States)

Session Chairs

- 1 Optogenetics: Technology
Ulrich T. Schwarz, Fraunhofer-Institut für Angewandte Festkörperphysik (Germany)
Alfred L. Nuttall, Oregon Health & Science University (United States)
- 2 In Vivo Optogenetics
Anna W. Roe, Vanderbilt University (United States)

- 3 Cellular Optogenetics
George J. Augustine, KIST (Korea, Republic of) and Duke-NUS
Medical School (Singapore)
- 4 Hybrid-Optical Control of Cells I
Klaus Gerwert, Ruhr-Universität Bochum (Germany)
- 5 Hybrid-Optical Control of Cells II
John P. Welsh, University of Washington (United States)

Introduction

By combining genetic and optical methods, "optogenetics" has allowed control (stimulation or silencing) of electrically activatable, genetically targeted cells with high temporal precision. This has heavily impacted neuroscience research by allowing dissection of neuronal circuitry function. Since its first in-vivo demonstration, optogenetics technology has been applied to freely moving mammals and could eventually form the basis for vision restoration, psychiatric treatment and pain control. Optogenetic technology is also impacting other biomedical research areas such as control of cardiac function, stem cell differentiation and reprogramming of metabolic activities in mammalian cells. Topics of interest for this conference included new therapeutic applications, including control of central and peripheral nervous system, cardiac system, as well as control of metabolic activities of cancer cells. In these therapeutic settings, optics is playing a crucial role in both delivering light for cellular control, and, in some cases, for imaging the consequences of this control.

The conference was divided into five major sessions, namely (1) Optogenetics: Technology, (2) In-vivo Optogenetics, (3) Cellular optogenetics, (4) Hybrid Optical control of cells-I, and (5) Hybrid Optical control of cells-II, along with the poster session. Prof. Karl Deisseroth (Stanford University) described advancement of optogenetics technology and applications carried out in his laboratory as part of the opening keynote lecture. Prof. George Augustine (KIST and Duke) presented an invited talk on the use of optogenetics in probing functioning of specific neuronal circuitry in a high-throughput manner. Use of combinatorial optogenetic approach to understand the functioning of medial habenula, as well as theta and gamma oscillations from cerebellum and pre-frontal cortex respectively, was presented by several researchers. The second keynote lecture by Prof. Ernst Bamberg (Max Planck Institute) was related to advancement in the development of optogenetics probes, their characterization, and applications. He also gave a lecture titled "Optogenetics and Hybrid Optical control of cells" as part of BIOS Hot Topics. Prof. Richard Kramer (UC Berkeley) gave the third Keynote lecture on photochemical tools for manipulation of endogenous ion channels and neuronal firing for applications in pain inhibition and vision restoration.

Optical microscopy, spectroscopy, and imaging techniques hold significant promise for characterizing optogenetic probes and the invited talk by Prof. Klaus Gerwert (Ruhr-Univ. Bochum) precisely highlighted the use of FTIR in understanding the functioning of light-activated proteins. While use of crystallography and spectroscopic methods will enhance the understanding of the interaction processes between light and optogenetic molecules, a detailed understanding of tissue optics is essential for delivery of stimulation light. Innovative schemes for delivery and control of light irradiation, including miniaturized light sources, fiber optics, waveguides and special beams can potentially improve optogenetic therapy. In-vivo optical stimulation and electrical read-out from neural circuits in non-human primates and rodents by chronically implanted devices was presented. The invited talk by Prof. Arto Nurmikko (Brown University), as well as other talks (e.g. micro-LED array

and Bessel beam), depicted the role of nanophotonics and understanding of tissue optics in successful implementation of optogenetic technologies. Development of optics with micro-LED arrays, micro-mirror arrays and glass-optrode arrays were presented for stimulation of cells with high spatial resolution. The use of micro-LED arrays on flexible substrates was demonstrated for optical cochlear implants. Optogenetic stimulation of the auditory nerve for cochlear implants provides increased number of frequency channels and dynamic range.

The introduction of non-linear optics has further allowed very precise and in-depth spatial control of optogenetic stimulation. The talks on in-vivo near-infrared stimulation and use of two-photon for precise activation were presented highlighting the better penetration depth and functional mapping of neural circuitry. Though fiber optic and waveguide technology is enabling delivery of light to targeted tissue regions, other photonic imaging technologies have the potential to significantly contribute to imaging read-outs of neural/cellular activities during optogenetic stimulation. Interesting talks on label-free speckle imaging and quantitative phase imaging, as well as bioluminescence and calcium-fluorescence imaging were presented as non-invasive optical modalities for detection of optogenetically activated processes. These optical readout methods can provide complementary information to electrical recordings for better evaluation of the physiological changes in the whole tissue-system during optogenetic stimulation. Further, a new multifractal detrended fluctuation analysis method was presented for monitoring optogenetic modulation of neural activity.

Notably, several talks on other emerging hybrid optical technologies, such as optomechanical, photothermal, optoelectronic, and photochemical modulation of cells, were presented. In one of the talks, application of light with genetic manipulations in cells was used to target spatial regulation of actin-regulating proteins in dendritic spines to intervene Alzheimer's disease. Photothermal, as well as optofluidic control of cells, especially axonal guidance was also presented. While looking forward, we believe applications of optogenetic and other hybrid-optical modulation of cells will have wide-variety of biomedical applications including neural modulation for restoration of audio-visual systems, and inhibition of pain and psychiatric disorders, to name a few. Therefore, one-to-one interaction and dialogue between optical engineers, molecular biologists and medicos is required in a platform such as this conference.

While molecular biology researchers will continue to engineer more efficient opsins having unique temporal, functional, and spectral characteristics, there is also a need to develop new molecular probes for imaging cellular activation. With development of near-infrared light controllable proteins, cellular systems can be modulated in a minimally invasive manner. While lasers have been used to deliver genes (encoding for the opsins) to targeted cells/tissue by a process called optoporation, and for monitoring expression of marker fluorescent proteins (and opsins) in a minimally invasive manner, new optical methods are emerging to control the expression of genes-of-interest. For the optics community, there is a big opportunity, as well as challenge, to first deliver the light efficiently to tissues of interest, and also to develop and/or implement functional optical imaging methods for high-throughput detection of cellular stimulation. The role of the

photonics industry in developing novel source and imaging platforms for stimulation and detection will be crucial for the successful development of this area.

We hope that reading the articles provided in this volume will convey the knowledge and excitement of the first annual Optogenetics and Hybrid Optical control of cells conference. We look forward to your participation as authors and presenters in this conference next year. Besides the travel support provided by SPIE to selected students, we are proud to announce that travel grants will be available to support graduate and undergraduate students who are first authors, provide oral or poster presentations for this conference, and submit the full paper to the proceedings. We believe that we will be able to support a large number of students next year with support from the sponsors.

We would like to thank BiOS symposium chairs Prof. Rox Anderson (Harvard) and Prof. Jim Fujimoto (MIT) for allowing us to organize the first conference on Optogenetics and Hybrid Optical control of cells as part of the BiOS symposium during Photonics West 2013. We would also like to thank Prof. Anna Roe (Vanderbilt University), Prof. Elizabeth Hillman (Columbia University), Prof. George Augustine (KIST and Duke University), Dr. Isaac Clements (Plexon Inc.), Prof. John Welsh (University of Washington-Seattle), Prof. Rafael Yuste (Columbia University), Prof. Richard Kramer (UC Berkeley), Prof. Xue Han (Boston University), Prof. Klaus Gerwert (Ruhr-Univ. Bochum), Prof. Alfred L. Nuttall (Oregon Health & Science Univ) for their valuable input as members of the Program Committee. We would like to thank all keynote and invited speakers, session chairs, and participants for their important contributions. We would like to thank our sponsors, SPIE and Plexon Inc. (Mr. Harvey Wiggins) for their support.

Samarendra K. Mohanty
Nitish V. Thakor