PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 8736

, "Front Matter: Volume 8736," Proc. SPIE 8736, Display Technologies and Applications for Defense, Security, and Avionics VII, 873601 (4 June 2013); doi: 10.1117/12.2030340

SPIE.

Event: SPIE Defense, Security, and Sensing, 2013, Baltimore, Maryland, United States

PROCEEDINGS OF SPIE

Display Technologies and Applications for Defense, Security, and Avionics VII

**Daniel D. Desjardins
Kalluri R. Sarma**
Editors

**2 May 2013
Baltimore, Maryland, United States**

Sponsored and Published by
SPIE

Volume 8736

Proceedings of SPIE 0277-786X, V. 8736

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Display Technologies and Applications for Defense, Security, and Avionics VII,
edited by Daniel D. Desjardins, Kalluri R. Sarma, Proc. of SPIE Vol. 8736, 873601
© 2013 SPIE · CCC code: 0277-786X/13/\$18 · doi: 10.1117/12.2030340

Proc. of SPIE Vol. 8736 873601-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Display Technologies and Applications for Defense, Security, and Avionics VII*, edited by Daniel D. Desjardins, Kalluri R. Sarma, Proceedings of SPIE Vol. 8736 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X

ISBN: 9780819495273

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

v	Conference Committee
vii	Introduction

DISPLAY ERGONOMICS AND HUMAN FACTORS

8736 02	A SWIR radiance model for cockpit instrumentation (Invited Paper) [8736-1] J. Green, T. Robinson, Korry Electronics Co. (United States)

DISPLAY ALGORITHMS AND INFORMATION MANAGEMENT

8736 06	An innovative algorithm for panoramic representation in observation systems (Invited Paper) [8736-6] C. Luison, V. Aquilanti, Altran Italy S.p.A. (Italy); A. Riccobono, C. Liberace, SELEX ES S.p.A (Italy)
8736 08	A low-bandwidth graphical user interface for high-speed triage of potential items of interest in video imagery [8736-8] D. J. Huber, D. Khosla, K. Martin, Y. Chen, HRL Labs., LLC (United States)
8736 09	Testing a collision avoidance display with high-precision navigation (Invited Paper) [8736-9] N. Peinecke, Deutsches Zentrum für Luft- und Raumfahrt eV (Germany); M. Uijt de Haag, Ohio Univ. (United States); F. Meysel, Deutsches Zentrum für Luft- und Raumfahrt eV (Germany); P. Duan, Ohio Univ. (United States); R. Küppers, Deutsches Zentrum für Luft- und Raumfahrt eV (Germany); B. Beernink, Delft Univ. of Technology (Netherlands)

BODY-WORN AND MAN-PORTABLE DISPLAYS

8736 0A	Advances in Liquid Crystal on Silicon (LCOS) spatial light modulator technology (Invited Paper) [8736-10] W. P. Bleha, L. A. Lei, HOLOEYE Systems, Inc. (United States)
8736 0B	Precision guided firearms: disruptive small arms technology [8736-11] B. Boyd, J. Lupher, TrackingPoint, Inc. (United States)
8736 0C	Microdisplay modules for enhanced system integration [8736-12] T. Edwards, T. Hogan, Kopin Display Corp. (United States)

HEAD-UP DISPLAYS

- 8736 0E   **The use of optical waveguides in head up display (HUD) applications (Best Paper Award)**
[8736-14]
M. Homan, BAE Systems (United Kingdom)
- 8736 0F   **Integration of Head-Up Display system in automotive industry: a generalized application**
[8736-15]
J. Alejandro Betancur, G. Osorio, A. Mejía, Univ. EAFIT (Colombia)
- 8736 0G   **“Head up and eyes out” advances in head mounted displays capabilities** [8736-22]
A. Cameron, BAE Systems (United Kingdom)

Author Index

Conference Committee

Symposium Chair

Kenneth R. Israel, Major General (USAF Retired) (United States)

Symposium Cochair

David A. Whelan, Boeing Defense, Space, and Security
(United States)

Conference Chairs

Daniel D. Desjardins, Consultant (United States)

Kalluri R. Sarma, Honeywell Technology (United States)

Conference Program Committee

Hari M. Atkuri, Gamma Dynamics (United States)

James C. Byrd, Consultant (United States)

Jerome Conway, L-3 Display Systems (United States)

Joseph L. Cox, Missile Defense Agency (United States)

Reginald Daniels, Air Force Research Laboratory (United States)

Steven D. Harbour, U.S. Air Force (United States)

Gary W. Jones, NanoQuantum Sciences, Inc. (United States)

Gail M. Nicholson, Naval Surface Warfare Center Crane Division
(United States)

Robert D. Seinfeld, Astronautics Corporation of America
(United States)

Joe Tchon, Rockwell Collins, Inc. (United States)

Paul L. Wisely, Aardvark Aerospace, Ltd. (United Kingdom)

Session Chairs

- 1 Display Ergonomics and Human Factors
Daniel D. Desjardins, Consultant (United States)
- 2 Display Algorithms and Information Management
Joe Tchon, Rockwell Collins, Inc. (United States)
- 3 Body-Worn and Man-Portable Displays
Kalluri R. Sarma, Honeywell Technology (United States)
- 4 Head-Up Displays
Paul L. Wisely, Aardvark Aerospace, Ltd. (United Kingdom)

- 5 Display Innovations
Gary W. Jones, NanoQuantum Sciences, Inc. (United States)

Introduction

This year's conference was a success despite the government sequester and despite a number of related and un-related cancellations. For one thing, we enjoyed a maximum room count of some 42 attendees and an average count of 30.5, slightly better than the overall, average DSS13 conference room count of 29.4. We were well within the 10 – 15% down-turn experienced by the symposium as a whole. And whereas we went from 20 abstracts to only 11 presented papers, those papers covered a diversity of topics - ranging from display ergonomics to information management - were of high quality and great interest to our audience.

Thanks to the continuing breadth of our conference committee members from both industry and government, we were privileged to receive papers from Esterline Control Systems (USA), Altran S.p.A. and SELEX ES S.p.A. (Italy), HRL Labs (USA), Deutsches Zentrum für Luft-und-Raumfahrt e.V. (Germany), Holoeye Systems (Germany/USA), TrackingPoint, Inc. (USA), Kopin Corp. (USA), BAE Systems (U.K.), and Universidad EAFIT (Columbia). As per last year, our one-day conference, despite the sequester, included 10 papers from industry and one from academia. However, and unfortunately, we lost all five papers from government sources.

Invited paper presentations focused on new research to establish a model for cockpit lighting SWIR radiance limits, the development of an innovative algorithm designed to create panoramic representation of a scene scanned by passive sensors, testing of a collision avoidance display utilizing high-precision navigation, advances in LCOS spatial light modulation. These papers were presented by Esterline Control Systems (USA), SELEX Galileo (Italy), Deutsches Zentrum für Luft-und Raumfahrt (Germany), and HOLOEYE Systems (USA), respectively.

The Display Ergonomics and Human Factors session (Session 1) presented information on a two-year study regarding the impact of adopting digital night vision goggle devices extending capability of light detection beyond the near infra-red to short-wave infra-red (SWIR). The paper discussed the development of a model establishing proposed cockpit lighting SWIR radiance limits. A second paper in this session was an update to an earlier paper presented to SPIE in 2012 regarding efforts towards identifying a metric to establish anti-aliasing sufficiency for stereoscopic displays. Stereoscopic disparity thresholds are dependant on pixel pitch, but the coarseness of the pitch must be chosen with regard to anti-aliasing. The paper provides equations that describe the critical level of anti-aliasing as a function of pixel pitch. Unfortunately, because the original paper was already published in a previous proceedings volume, SPIE has made the decision not to reprint it here. We nevertheless thank the author for helping us fill a gap in our oral presentation agenda.

Display Algorithms and Information Management, a new session theme for our conference, opened with an invited paper discussing development of an innovative algorithm designed to create a planar 360° panoramic representation (on an LCD display) of a scene scanned by passive sensors. It was followed by a paper presenting information regarding a "threat chip display" which facilitates rapid human-in-the-loop detection and analysis of threats in high-bandwidth visual imagery. The work and field testing were part of a Phase 2 and 3 DARPA Cognitive Threat Technology Warning System program. Yet another paper, the last in this session, explored development and test of a display for situational awareness and collision avoidance by foreseeing the hazard zone of a possible intruder. Working in conjunction with the Ohio University Avionics Department, which provided the test aircraft, the authors reported on the principal architecture of the display and initial performance results of the lateral avoidance cueing.

With a view in mind to allow our audience sufficient time to visit the last day of the Exhibitors' Hall, there was an extended lunch period (12:20 – 1:50) before resumption of the afternoon papers. These papers, starting with Session 3, looked at body-worn and man-portable displays, a topic with a long history in our conference. Although Liquid Crystal on Silicon (LCOS) technology had an unfortunate start for large-area displays, its application for miniature displays is progressing and the first paper in this session was an attempt to bring our audience up-to-date on LCOS micro-display advances, to include improved integrated circuit design and liquid crystal materials, decreased pixel pitch ($<3\mu\text{m}$), increased resolution (8K x 4K), extremely high sequential contrast ratios (100K:1), improved optical system elements (e.g., image and illumination waveguides), and new operating modes (e.g., phase mode). A somewhat unusual paper on precision guided firearms spoke to the electro-optical mechanical integration of a networked tracking scope, advanced fire-control technology and heads-up display to achieve improved long-range shooting accuracy. The paper claimed up to five (5) times increase in First Shot Success Probability ($\geq 1,200$ yards) compared with conventional scope technology, by eliminating aiming, trigger jerk and shot set-up miscalculation. A final paper in this session brought to our attention how implementation of higher efficiency backlights, lower power drive electronics and improved display performance have allowed marked improvements for high-brightness daytime image overlays as applied to see-through micro-displays. The paper spoke of greater than twenty-fold increases in backlight luminance to power ratios, and greater than two-fold power reductions for graphics and bi-level display drive electronics.

Yet another major and recurring topic, Head-Up Displays, was the focus of our final session, opening with information on an amazing advance in HUD technology whereby the traditional projector and combiner are replaced by an optical waveguide combiner to achieve reduced mass, reduced volume and decreased cost. Because the optical waveguide solution removes the restrictions on pilot eye positioning, this approach also allows for a substantially improved Head Motion Box. The paper addresses a first of its kind potential application for

business jet, air transport and military fast jet cockpits, achieving at least equivalent optical performance to in-service conventional HUDs. Our second paper in this final session is admittedly a paper we have seen before, although a summary and update, regarding use of head-up displays for automotive applications, discussing the main principles of optical design and the operational human-graphical interface. The final paper was an attempt to identify the requirements and key drivers for aviation head-mounted systems of the future. The paper presented key drivers such as easy portability and operation, simple installation in any platform, ease of helmet/human integration, compact, low mass display optics, and improved integration with current and planned Night Vision Aids for reduced workload in day, night and poor visibility situations. This paper, unlike others focussing on the technology aspects of HMD's, looked at the harder to define capability aspects of HMD design.

Best Paper: We would like to extend our hearty congratulations to Malcolm G. Homan of BAE Systems as winner of this year's Best Paper award: **The use of optical waveguides in head-up display (HUD) applications** (paper 8736-14). Please join us in congratulating Malcolm on this fine achievement!

As always, it was a great pleasure seeing everyone at this year's conference, now our second in Baltimore. We who have attended this conference and the larger symposium over the years, know that networking is a fundamental plus to attending each year – there is always a potential business element in this – but on the purely human side, renewing old acquaintances year by year is something to look forward to, bringing us together as part of an extended family. So think of next year as part of old home week, a family reunion, organized around the presentation and exchange of worthwhile knowledge we can use in our professional lives. As always, we are looking to expand our conference with more and worthy papers. Please look for the Call which shall be issued late June to see our conference's wide range of topics and be sure to alert your colleagues and co-workers. Thank you, and see you in 2014!

**Daniel D. Desjardins
Kalluri R. Sarma**