PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 8789

, "Front Matter: Volume 8789," Proc. SPIE 8789, Modeling Aspects in Optical Metrology IV, 878901 (13 May 2013); doi: 10.1117/12.2028772

SPIE.

Event: SPIE Optical Metrology 2013, 2013, Munich, Germany

PROCEEDINGS OF SPIE

Modeling Aspects in Optical Metrology IV

**Bernd Bodermann
Karsten Frenner
Richard M. Silver**
Editors

**13–14 May 2013
Munich, Germany**

Sponsored by
SPIE

Cooperating Organisations
European Optical Society
German Scientific Laser Society (Wissenschaftliche Gesellschaft
Lasertechnik e.V.)
The European Society for Biomaterials

Published by
SPIE

Volume 8789

Proceedings of SPIE 0277-786X, V. 8789

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Modeling Aspects in Optical Metrology IV, edited by Bernd Bodermann, Karsten Frenner, Richard M. Silver,
Proc. of SPIE Vol. 8789, 878901 · © 2013 SPIE · CCC code: 0277-786X/13/\$18 · doi: 10.1117/12.2028772

Proc. of SPIE Vol. 8789 878901-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Modeling Aspects in Optical Metrology IV*, edited by Bernd Bodermann, Karsten Frenner, Richard M. Silver, Proceedings of SPIE Vol. 8789 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X

ISBN: 9780819496058

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

ix	Conference Committee
xi	Introduction

SESSION 1 SCATTEROMETRY I

- 8789 02 **Assessment of the scatterometry capability to detect an etch process deviation (Invited Paper) [8789-1]**
N. Troscompt, M. Besacier, Lab. des technologies de la microélectronique, CNRS, UJF (France); M. Saïb, Aselta Nanographics, MINATEC (France)
- 8789 03 **Mueller matrix characterization using spectral reflectometry [8789-2]**
D. Shafir, G. Barak, M. H. Yachini, Nova Measuring Instruments, Ltd. (Israel); M. Sendelbach, C. Bozdog, Nova Measuring Instruments, Inc. (United States); S. Wolfling, Nova Measuring Instruments, Ltd. (Israel)
- 8789 05 **Scatterometry sensitivity analysis for conical diffraction versus in-plane diffraction geometry with respect to the side wall angle [8789-4]**
V. Soltwisch, Physikalisch-Technische Bundesanstalt (Germany); S. Burger, Zuse Institute Berlin (Germany) and JCMwave GmbH (Germany); F. Scholze, Physikalisch-Technische Bundesanstalt (Germany)

SESSION 2 INTERFEROMETRY I

- 8789 06 **Phase unwrapping using geometric constraints for high-speed fringe projection based 3D measurements (Invited Paper) [8789-5]**
C. Bräuer-Burchardt, P. Kühmstedt, G. Notni, Fraunhofer IOF Jena (Germany)
- 8789 07 **Sensitivity analysis of tilted-wave interferometer asphere measurements using virtual experiments [8789-6]**
I. Fortmeier, M. Stavridis, A. Wiegmann, M. Schulz, Physikalisch-Technische Bundesanstalt (Germany); G. Baer, C. Pruss, W. Osten, Univ. Stuttgart (Germany); C. Elster, Physikalisch-Technische Bundesanstalt (Germany)
- 8789 08 **A method to measure sub nanometric amplitude displacements based on optical feedback interferometry [8789-7]**
F. J. Azcona, R. Atashkhoei, S. Royo, J. Méndez Astudillo, A. Jha, Instrumentació i Sistemes (Spain)
- 8789 09 **Influence of surface structure on shape and roughness measurement using two-wavelength speckle interferometry [8789-8]**
T. Bodendorfer, P. Mayinger, A. W. Koch, Technische Univ. München (Germany)

SESSION 3 OPTICAL SYSTEMS I

- 8789 0A **Design rules for a compact and low-cost optical position sensing of MOEMS tilt mirrors based on a Gaussian-shaped light source** [8789-9]
M. Baumgart, A. Tortschanoff, CTR Carinthian Tech Research AG (Austria)
- 8789 0B **Extremum seeking control to avoid speckle-dropouts in a vibrometer** [8789-10]
R. Dehnert, S. Mayer, B. Tibken, Univ. of Wuppertal (Germany)
- 8789 0C **Characterisation and comparison of ophthalmic instrument quality using a model eye with reverse ray-tracing** [8789-11]
C. Sheil, A. V. Goncharov, National Univ. of Ireland Galway (Ireland)
- 8789 0D **Modelling PTB's spatial angle autocollimator calibrator** [8789-13]
O. Kranz, R. D. Geckeler, A. Just, M. Krause, Physikalisch-Technische Bundesanstalt (Germany)
- 8789 0E **Transmission functions of optical choppers for Gaussian beam distributions: modeling and simulations** [8789-14]
O. Cira, V.-F. Duma, Aurel Vlaicu Univ. of Arad (Romania)

SESSION 4 MICROSCOPY AND IMAGING SYSTEMS

- 8789 0F **Deconvolution microscopy of living cells for phase-contrast imaging (Invited Paper)** [8789-15]
G. Cheng, P. Xu, Z. Sun, C. Hong, Z. Li, Shenzhen Univ. (China)
- 8789 0G **Measurement based simulation of microscope deviations for evaluation of stitching algorithms for the extension of Fourier-based alignment** [8789-16]
F. Engelke, M. Kästner, E. Reithmeier, Leibniz Univ. Hannover (Germany)
- 8789 0I **Reconstruction of SNOM near-field images from rigorous optical simulations by including topography artifacts** [8789-18]
M. Ermes, S. Lehnen, K. Bittkau, R. Carius, Forschungszentrum Juelich GmbH (Germany)

SESSION 5 MAXWELL SOLVER AND WAVE PROPAGATION

- 8789 0K **Alternative discretization in the aperiodic Fourier modal method leading to reduction in computational costs (Invited Paper)** [8789-20]
M. Pisarenco, I. D. Setija, ASML Research (Netherlands)
- 8789 0L **Modeling and optimization of high index contrast gratings with aperiodic topologies** [8789-21]
M. Maksimovic, Focal Vision and Optics (Netherlands)
- 8789 0N **Effect of imposed boundary conditions on the accuracy of transport of intensity equation based solvers** [8789-23]
J. Martinez-Carranza, K. Falaggis, T. Kozacki, M. Kujawska, Warsaw Univ. of Technology (Poland)

8789 0O **Rigorous Dyson equation and quasi-separable T-scattering operator technique for study of magnetic response from ordered and disordered non-magnetic particles' ensembles at electromagnetic wave multiple scattering** [8789-24]
Y. N. Barabanenkov, V. A Kotelnikov Institute of Radioengineering and Electronics (Russian Federation); M. Yu. Barabanenkov, Institute of Microelectronics Technology (Russian Federation)

8789 0P **The influence of nonlinear modal propagation analysis on MMI power splitters for miniaturization** [8789-25]
M. Tajaldini, M. Z. Mat Jafri, Univ. Sains Malaysia (Malaysia)

SESSION 6 NEW MATERIALS AND SCATTEROMETRY II

8789 0Q **Multi resonant platform based on modified metallic nanoparticles for biological tissue characterization** [8789-26]
R. Iovine, L. La Spada, R. Tarparelli, L. Vegni, Roma Tre Univ. (Italy)

8789 0R **Investigation of microstructured fiber geometries by scatterometry** [8789-27]
P.-E. Hansen, Danish Fundamental Metrology Ltd. (Denmark); S. Burger, JCMwave GmbH (Germany) and Zuse Institute Berlin (Germany)

8789 0S **Simulation based optimization of scatterometric signatures by designed near field structures** [8789-28]
V. Ferreras Paz, K. Frenner, W. Osten, Univ. Stuttgart (Germany)

8789 0T **Alternative methods for uncertainty evaluation in EUV scatterometry** [8789-29]
S. Heidenreich, M.-A. Henn, H. Gross, B. Bodermann, M. Bär, Physikalisch Technische Bundesanstalt (Germany)

8789 0U **The effect of line roughness on DUV scatterometry** [8789-30]
M.-A. Henn, S. Heidenreich, H. Gross, B. Bodermann, M. Bär, Physikalisch-Technische Bundesanstalt (Germany)

SESSION 7 OPTICAL II

8789 0V **A simulation environment for assisting system design of coherent laser doppler wind sensor for active wind turbine pitch control** [8789-32]
L. Shinohara, T. Beuth, H. Umesh Babu, Karlsruher Institut für Technologie (Germany); N. Heussner, FZI Forschungszentrum Informatik (Germany); S. Bogatscher, S. Danilova, T. A. Pham Tran, W. Stork, Karlsruher Institut für Technologie (Germany)

SESSION 8 INTERFEROMETRY AND PHASE II

8789 0W **Modelling laser interferometers for the measurement of the Avogadro constant** [8789-33]
B. Andreas, Physikalisch-Technische Bundesanstalt (Germany); G. Mana, E. Massa, Istituto Nazionale di Ricerca Metrologica (Italy); C. Palmisano, Univ. di Torino (Italy)

- 8789 0X **Fundamental performance determining factors of the ultrahigh-precision space-borne optical metrology system for the LISA Pathfinder mission** [8789-34]
G. Hechenblaikner, R. Flatscher, EADS Astrium (Germany)
- 8789 0Y **EFPI signal processing method providing picometer-level resolution in cavity length measurement** [8789-35]
N. Ushakov, L. Liokumovich, A. Medvedev, St. Petersburg State Polytechnical Univ. (Russian Federation)

POSTER SESSION

- 8789 0Z **Comparative analysis of absolute methods to test rotationally asymmetric surface deviation** [8789-37]
W. Song, Institute of Optics and Electronics (China) and Univ. of Chinese Academy of Sciences (China); X. Hou, F. Wu, W. Zhao, Institute of Optics and Electronics (China)
- 8789 10 **A new method for adjusting the lateral transfer hollow retroreflector** [8789-38]
A. G. Ershov, S.I. Vavilov State Optical Institute (Russian Federation)
- 8789 11 **Absolute testing of flats with all terms by using even and odd functions** [8789-39]
X. Jia, F. Xu, T. Xing, Z. Liu, Institute of Optics and Electronics (China)
- 8789 12 **Modeling of Risley prisms devices for exact scan patterns** [8789-40]
A. Schitea, M. Tuef, V.-F. Duma, Aurel Vlaicu Univ. of Arad (Romania)
- 8789 13 **Efficient and stable numerical method for evaluation of Zernike polynomials and their Cartesian derivatives** [8789-41]
P. Novák, J. Novák, Czech Technical Univ. in Prague (Czech Republic)
- 8789 15 **Mathematical model of a galvanometer-based scanner: simulations and experiments** [8789-43]
C. Mnerie, Aurel Vlaicu Univ. of Arad (Romania); S. Preitl, Polytechnics Univ. of Timisoara (Romania); V.-F. Duma, Aurel Vlaicu Univ. of Arad (Romania)
- 8789 16 **Design of soft x-ray gratings for free electron lasers: from specification to characterization** [8789-44]
M. Vannoni, D. La Civita, European XFEL GmbH (Germany); R. Follath, Paul Scherrer Institute (Germany); L. Samoylova, European XFEL GmbH (Germany); F. Siewert, Helmholtz Zentrum Berlin (Germany); H. Sinn, European XFEL GmbH (Germany)
- 8789 18 **Super-resolution imaging based on liquid crystal on silicon displays technology** [8789-47]
A. Hussain, M. Sohail, Pakistan Institute of Engineering and Applied Sciences (Pakistan); J. L. Martínez, Univ. Miguel Hernández (Spain) and Univ. Autònoma de Barcelona (Spain); A. Lizana, Univ. Autònoma de Barcelona (Spain); A. Márquez, Univ. de Alicante (Spain); J. Campos, Univ. Autònoma de Barcelona (Spain)
- 8789 19 **S-Genius, a universal software platform with versatile inverse problem resolution for scatterometry** [8789-48]
D. Fuard, N. Troscompt, I. El Kalyoubi, S. Soulan, M. Besacier, LTM-CNRS, UJF, INPG (France) and CEA-LETI Minattec (France)

- 8789 1B **Phase recovery from interferograms under severe vibrations** [8789-50]
J. Muñoz-Maciel, F. J. Casillas-Rodriguez, M. Mora González, F. G. Peña Lecona,
V. M. Durán Ramírez, Univ. de Guadalajara (Mexico)

Author Index

Conference Committee

Symposium Chairs

Wolfgang Osten, Universität Stuttgart (Germany)
Karsten Buse, Fraunhofer-Institut für Physikalische
Messtechnik IPM (Germany)
Andrew J. Moore, Heriot-Watt University (United Kingdom)

Conference Chair

Bernd Bodermann, Physikalisch-Technische Bundesanstalt (Germany)

Conference CoChairs

Karsten Frenner, Universität Stuttgart (Germany)
Richard M. Silver, National Institute of Standards and Technology
(United States)

Conference Programme Committee

Markus Bär, Physikalisch-Technische Bundesanstalt (Germany)
Jörg Bischoff, Osires Optical Engineering (Germany)
Harald Bosse, Physikalisch-Technische Bundesanstalt (Germany)
Sven Burger, Konrad-Zuse-Zentrum für Informationstechnik Berlin
(Germany)
Andreas Erdmann, Fraunhofer-Institut für Integrierte System und
Bauelementetechnologie (Germany)
Christian Hafner, ETH Zürich (Switzerland)
Wolfgang Holzapfel, DR. JOHANNES HEIDENHAIN GmbH (Germany)
Bernd H. Kleemann, Carl Zeiss AG (Germany)
Wolfgang Osten, Universität Stuttgart (Germany)
Andreas Rathsfeld, Weierstrass-Institut für Angewandte Analysis und
Stochastik (Germany)
Thomas Scherübl, Carl Zeiss SMS GmbH (Germany)
Patrick Schiavone, Aselta Nanographics (France)
Irwan Setija, ASML Netherlands B.V. (Netherlands)
Michael Totzeck, Carl Zeiss SMT GmbH (Germany)
Jari Turunen, University of Eastern Finland (Finland)
Frank Wyrowski, Friedrich-Schiller-Universität Jena (Germany)

Introduction

The conference *Modelling Aspects in Optical Metrology 2013* is organised for the fourth time as part of the SPIE Optical Metrology Symposium, which is co-located with *LASER World of Photonics 2013* in Munich, Germany. This conference is dedicated to establish a forum to present and discuss in particular basic methods, techniques, and algorithms which are necessary for a proper modelling and simulation of applied optical metrology techniques. Special emphasis is placed on the description and modelling of new methods, algorithms, components or complete measurement systems.

Optical metrology methods are in general fast, non-destructive, reliable, flexible and can nevertheless reach a high level of sensitivity. Therefore their use in industrial applications like e. g. process development or production control is continuously increasing. Concurrently the metrological requirements are soaring rapidly, leading to a strong demand both on methodical extensions and improved metrology methods.

To exploit the full potential of optical metrology it is of utmost importance to be able to fully understand the optical measurement process, which requires the ability of quantitatively predicting the dependence of the output of an optical sensor or measurement system on certain variations of the measurement object, the sensor itself, or the measurement environment. Only if these influences on the measurement result are well understood and appropriately taken into account in a suitable model of the measurement process, the measurement result and its associated measurement uncertainty can be used for example for reliable control of production processes. This in-depth understanding usually requires -or is at least strongly supported by- a reliable modelling or simulation of the optical measurement process. In this sense modelling is a prerequisite for traceable and comparable measurements.

Important topics are for example the development and verification of methods to describe the interaction of light with matter for quantitative characterization of micro- and nanostructures or the high accuracy description of light propagation in optical systems. Relevant applications range i. a. from optical metrology and inspection of nanostructures on masks and wafers in semiconductor industry, display production, the investigation of grating structures and grating-based devices, the metrology of surfaces and layers to characterisation of complex optical systems. In many applications nanometer or sub-nanometer measurement uncertainties are required. A new and very interesting field of application will arise in the physical and dimensional characterisation and the theoretical description of new and effective optical materials like photonic crystals or metamaterials, which will in future also enable a variety of novel optical components, systems and metrology systems.

I would like to thank all contributors, participants, the SPIE staff, the members of the program committee as well as the co-chairs for their support and for turning this conference into a success.

Bernd Bodermann