PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 8880

, "Front Matter: Volume 8880," Proc. SPIE 8880, Photomask Technology 2013, 888001 (9 October 2013); doi: 10.1117/12.2035650

Event: SPIE Photomask Technology, 2013, Monterey, California, United States

Photomask Technology 2013

**Thomas B. Faure
Paul W. Ackmann**
Editors

**10–12 September 2013
Monterey, California, United States**

Sponsored by

The international technical group of SPIE dedicated
to the advancement of photomask technology

Published by
SPIE

Volume 8880

Proceedings of SPIE, 0277-786X, v. 8880

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Photomask Technology 2013, edited by Thomas B. Faure, Paul W. Ackmann, Proc. of SPIE
Vol. 8880, 888001 · © 2013 SPIE · CCC code: 0277-786X/13/\$18 · doi: 10.1117/12.2035650

Proc. of SPIE Vol. 8880 888001-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Photomask Technology 2013*, edited by Thomas B. Faure, Paul W. Ackmann, Proceedings of SPIE Vol. 8880 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X
ISBN: 9780819495457

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445
SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

xiii	Conference Committee
xvii	Introduction

MATERIALS AND PROCESS I

8880 04	Line width roughness and its control on photomask [8880-3] B. Wu, A. Kumar, Applied Materials, Inc. (United States)
8880 05	Ultra-low roughness magneto-rheological finishing for EUV mask substrates [8880-4] P. Dumas, R. Jenkins, C. McFee, QED Technologies (United States); A. J. Kadaksham, D. K. Balachandran, R. Teki, SEMATECH North (United States)

SIMULATION, OPC, AND MASK DATA PREPARATION I

8880 08	Entering mask process correction era for EUV mask manufacturing (Invited Paper) [8880-7] C. Bürgel, Advanced Mask Technology Ctr. GmbH Co. KG (Germany); K. Standiford, GLOBALFOUNDRIES Inc. (United States); G. S. Chua, GLOBALFOUNDRIES Inc. (Singapore)
8880 0A	Automated Defect Classification (ADC) and Progression Monitoring (DPM) in wafer fab reticle requalification [8880-9] T. H. Yen, R. Lai, L. C. Tuo, Taiwan Semiconductor Manufacturing Co., Ltd. (Taiwan); V. Tolani, D. Chen, P. Hu, J. Yu, G. Hwa, Y. Zheng, S. Lakkapragada, K. Wang, D. Peng, Luminescent Technologies, Inc. (United States); B. Wang, K. Chiang, Luminescent Technologies, Inc. (Taiwan)

MASK INSPECTION I

8880 0B	Performance of an automatic algorithm for quantifying critical dimensions in actinic aerial images [8880-10] D. Uzzel, M. Ma, S. E. Hedges, Photronics Inc. (United States); S. Munir, Reticle Labs, LLC (United States)
8880 0C	Improve mask inspection capacity with Automatic Defect Classification (ADC) [8880-11] C. Wang, S. Ho, E. Guo, Semiconductor Manufacturing International Corp. (China); K. Wang, S. Lakkapragada, J. Yu, P. Hu, V. Tolani, L. Pang, Luminescent Technologies, Inc. (United States)
8880 0D	Increasing reticle inspection efficiency and reducing wafer print-checks using automated defect classification and simulation [8880-12] S. J. Ryu, S. T. Lim, SAMSUNG Electronics Co., Ltd. (Korea, Republic of); A. Vacca, P. Fiekowsky, D. Fiekowsky, AVI Photomask (United States)

- 8880 OE **Your worst nightmare: inspection of aggressive OPC on 14nm masks with emphasis on defect sensitivity and wafer defect print predictability** [8880-13]
K. D. Badger, M. Hibbs, J. Rankin, IBM Systems and Technology Group (United States); K. Seki, Toppan Photomasks, Inc. (United States); I. Stobert, D. J. Dechene, B. Bleiman, IBM Systems and Technology Group (United States); M. Ghosal, IBM Systems and Technology Group (India); W. Broadbent, V. Redding, KLA-Tencor Corp. (United States)

SIMULATION, OPC, AND MASK DATA PREPARATION II

- 8880 OF **The impact of 14nm photomask variability and uncertainty on computational lithography solutions (Invited Paper)** [8880-14]
J. Sturtevant, E. Tejnil, P. Buck, S. Schulze, Mentor Graphics Corp. (United States); F. Kalk, K. Nakagawa, Toppan Photomasks, Inc. (United States); G. Ning, P. Ackmann, GLOBALFOUNDRIES Inc. (United States); F. Gans, C. Buerger, Advanced Mask Technology Ctr. GmbH Co. KG (Germany)
- 8880 OG **An accurate ILT-enabling full-chip mask 3D model for all-angle patterns** [8880-15]
H. Zhang, Q. Yan, E. Croffie, L. Zhang, Y. Fan, Synopsys, Inc. (United States)
- 8880 OH **Simulation study of CD variation caused by field edge effects and out-of-band radiation in EUVL** [8880-16]
W. Gao, Synopsys, Inc. (Belgium) and IMEC (Belgium); A. Niroomand, Micron Technology, Inc. (United States) and IMEC (Belgium); G. F. Lorusso, IMEC (Belgium); R. Boone, K. Lucas, Synopsys, Inc. (United States); W. Demmerle, Synopsys GmbH (Germany)

PATTERNING AND DOUBLE-PATTERNING TECHNOLOGY

- 8880 OI **Color balancing for triple patterning lithography with complex designs** [8880-17]
H. Tian, Univ. of Illinois at Urbana-Champaign (United States); H. Zhang, Synopsys, Inc. (United States); M. D. F. Wong, Univ. of Illinois at Urbana-Champaign (United States)
- 8880 OJ **450mm wafer patterning with jet and flash imprint lithography** [8880-19]
E. Thompson, P. Hellebrekers, P. Hofemann, D. L. LaBrake, D. J. Resnick, S. V. Sreenivasan, Molecular Imprints, Inc. (United States)

MASK INDUSTRY SURVEY

- 8880 OK **2013 mask industry survey (Invited Paper)** [8880-100]
M. Malloy, SEMATECH Inc. (United States)

MASK CONTAMINATION, CLEANING, AND LONG-TERM DURABILITY I

- 8880 OL **Computational mask defect review for contamination and haze inspections** [8880-20]
P. Morgan, D. Rost, D. Price, MP Mask Technology Ctr., LLC (United States); N. Corcoran, M. Satake, P. Hu, D. Peng, D. Yonenaga, V. Tolani, Luminescent Technologies, Inc. (United States); Y. Wolf, P. Shah, Applied Materials, Inc. (Israel)

- 8880 OM **Evaluation of dry technology for removal of pellicle adhesive residue on advanced optical reticles** [8880-21]
S. Paracha, S. Bekka, B. G. Eynon, SAMSUNG Austin Semiconductor, LLC (United States); J. Choi, SAMSUNG Electronics Co. Ltd. (Korea, Republic of); M. Balooch, I. Varghese, T. Hopkins, Eco-Snow Systems (United States)
- 8880 ON **Inline detection of Chrome degradation on binary 193nm photomasks** [8880-22]
F. Dufaye, STMicroelectronics (France); A. Sippel, M. Wylie, E. García-Berrios, C. Crawford, C. Hess, KLA-Tencor Corp. (United States); L. Sartelli, C. Pogliani, H. Miyashita, DNP Photomask Europe S.p.A. (Italy); S. Gough, F. Sundermann, C. Brochard, STMicroelectronics (France)

MASK METROLOGY I

- 8880 OO **Comparison of CD measurements of an EUV photomask by EUV scatterometry and CD-AFM** [8880-23]
F. Scholze, V. Soltwisch, G. Dai, M.-A. Henn, H. Gross, Physikalisch-Technische Bundesanstalt (Germany)
- 8880 OP **Two-dimensional mask effects at the 14 nm logic node** [8880-24]
A. E. Zweber, A. McGuire, M. Hibbs, S. Nash, K. Ballman, T. Faure, J. Rankin, IBM Corp. (United States); T. Isogawa, T. Senna, Y. Negishi, Toppan Photomasks, Inc. (United States); M. Miller, S. Barai, D. J. Dechene, IBM Corp. (United States)
- 8880 OQ **Measurement of EUV absorber and resist CD using spectroscopic ellipsometer** [8880-25]
K. M. Lee, M. Tavassoli, P. Yan, G. Zhang, Intel Corp. (United States)

MASK INSPECTION II

- 8880 OS **Reflecting on inspectability and wafer printability of multiple EUV mask absorbers** [8880-27]
K. Seki, Toppan Photomasks, Inc. (United States); K. Badger, E. Gallagher, G. McIntyre, IBM Microelectronics (United States); T. Konishi, Toppan Photomasks, Inc. (United States); Y. Kodera, S. Takahashi, Toppan Printing Co., Ltd (Japan); V. Redding, KLA-Tencor Corp. (United States)
- 8880 OT **The SEMATECH high-NA actinic reticle review project (SHARP) EUV mask-imaging microscope** [8880-28]
K. A. Goldberg, I. Mochi, M. P. Benk, Lawrence Berkeley National Lab. (United States); C. Lin, SEMATECH Inc. (United States); A. Allezy, M. Dickinson, C. W. Cork, J. B. Macdougall, E. H. Anderson, W. Chao, F. Salmassi, E. M. Gullikson, D. Zehm, V. Vytla, W. Cork, J. DePonte, G. Picchi, A. Pekedis, T. Katayanagi, M. S. Jones, E. Martin, P. P. Naulleau, S. B. Rekawa, Lawrence Berkeley National Lab. (United States)
- 8880 OU **EUV patterned mask inspection system using a projection electron microscope technique** [8880-30]
H. Watanabe, R. Hirano, S. Iida, T. Amano, T. Terasawa, EUVL Infrastructure Development Ctr., Inc. (Japan); M. Hatakeyama, T. Murakami, S. Yoshikawa, K. Terao, EBARA Corp. (Japan)

MASK MATERIALS AND PROCESS II

- 8880 0V **Defects on high-resolution negative-tone resist: "The revenge of the blobs" (Invited Paper)** [8880-31]
M. I. Sanchez, L. K. Sundberg, L. D. Bozano, R. Sooriyakumaran, D. P. Sanders, IBM Almaden Research Ctr. (United States); T. Senna, Toppan Photomasks, Inc. (United States); M. Tanabe, T. Komizo, I. Yoshida, Toppan Printing Co., Ltd. (Japan); A. E. Zweber, IBM Corp. (United States)
- 8880 0W **Controlling the sidewall angle of advanced attenuated phase-shift photomasks for 14nm and 10nm lithography** [8880-32]
R. Wistrom, IBM Systems and Technology Group (United States); Y. Sakamoto, Toppan Photomasks, Inc. (United States); J. Panton, T. Faure, IBM Systems and Technology Group (United States); T. Isogawa, Toppan Photomasks, Inc. (United States); A. McGuire, IBM Systems and Technology Group (United States)
- 8880 0X **Model-based etch profile simulation of PSM films** [8880-33]
M. Grimmergen, M. Chandrachood, J. Tran, B. Leung, K. Yu, A. Sabharwal, A. Kumar, Applied Materials, Inc. (United States)
- 8880 0Y **Implementable and systematic mitigation of native defects in EUV masks** [8880-34]
W.-C. Hsueh, L.-C. Yeh, M.-J. Yao, Y.-Y. Lin, J.-J. Chen, S.-C. Lee, A. Yen, Taiwan Semiconductor Manufacturing Co., Ltd. (Taiwan)

MASK CONTAMINATION, CLEANING, AND LONG-TERM DURABILITY II

- 8880 0Z **Studying the effects of modified surface chemistry on chrome migration in binary photomasks** [8880-35]
C. Kossow, P. Kirlin, M. Green, Photronics, Inc. (United States)
- 8880 10 **Investigation of EUVL reticle capping layer peeling under wet cleaning** [8880-36]
S. Singh, SUSS MicroTec Inc. (United States); D. Dattilo, SUSS MicroTec Photomask Equipment GmbH & Co. KG (Germany); U. Dietze, A. J. Kadaksham, I.-Y. Jang, F. Goodwin, SEMATECH EUV Lithography Ctr. (United States)

DIRECT-WRITE

- 8880 12 **1D design style implications for mask making and CEBL** [8880-38]
M. C. Smayling, Tela Innovations, Inc. (United States)
- 8880 13 **Charting CEBL's role in mainstream semiconductor lithography** [8880-39]
D. K. Lam, Multibeam Corp. (United States)
- 8880 14 **Impact of proximity model inaccuracy on patterning in electron beam lithography** [8880-40]
C.-H. Chen, T.-C. Chien, P. Y. Liu, W. C. Wang, J. J. Shin, S. J. Lin, B. J. Lin, Taiwan Semiconductor Manufacturing Co., Ltd. (Taiwan)

2013 JPM PANEL OVERVIEW

- 8880 15 **2013 Photomask Japan panel discussion summary: Future mask patterning technologies in the next decade: searching for the best mix solution (Invited Paper)** [8880-41]
N. Nakayamada, NuFlare Technology, Inc. (Japan); I. Kagami, Sony Semiconductor Co. (Japan)

MASK MANUFACTURING, AND YIELD AND MASK BUSINESS

- 8880 16 **Mask automation: need a revolution in mask makers and equipment industry** [8880-42]
S. Moon, S. Yu, Y. Noh, K. Son, H.-J. Lee, H.-K. Cho, SAMSUNG Electronics Co., Ltd. (Korea, Republic of)
- 8880 17 **DSA template mask determination and cut redistribution for advanced 1D gridded design** [8880-44]
Z. Xiao, Y. Du, M. D. F. Wong, Univ. of Illinois at Urbana-Champaign (United States);
H. Zhang, Synopsys, Inc. (United States)
- 8880 18 **Finishing of EUV photomask substrates by CNC precessed bonnet polisher** [8880-45]
A. T. H. Beaucamp, Y. Namba, Chubu Univ. (Japan); P. Charlton, R. R. Freeman, Zeeko Ltd. (United Kingdom)
- 8880 19 **Simulation and correction of resist charging due to fogging in electron-beam lithography** [8880-99]
S. Babin, S. Borisov, V. Militsin, E. Patyukova, abeam Technologies, Inc. (United States)

MASK METROLOGY II

- 8880 1A **A novel design-based global CDU metrology for 1X nm node logic devices** [8880-46]
Y.-K. Yoon, D. H. Chung, M.-H. Kim, J.-U. Seo, B.-G. Kim, C.-U. Jeon, SAMSUNG Electronics Co., Ltd. (Korea, Republic of); J. U. Hur, KLA-Tencor Korea (Korea, Republic of); W. Cho, T. Yamamoto, KLA-Tencor Corp. (United States)
- 8880 1B **EUV scatterometry-based measurement method for the determination of phase roughness** [8880-47]
R. Chao, Lawrence Berkeley National Lab. (United States) and Univ. of California, Berkeley (United States); E. Gullikson, Lawrence Berkeley National Lab. (United States); M. Goldstein, F. Goodwin, R. Teki, SEMATECH Inc. (United States); A. Neureuther, Univ. of California, Berkeley (United States); P. Naulleau, Lawrence Berkeley National Lab. (United States)
- 8880 1C **SEM image quality enhancement technology for bright field mask** [8880-48]
N. Fukuda, Y. Chihara, S. Shida, K. Ito, Advantest Corp. (Japan)
- 8880 1D **Direct phase-shift measurement of an EUV mask with gradient absorber thickness** [8880-49]
H. Tanabe, T. Murachi, Intel K.K. (Japan); S.-J. Park, Intel Corp. (United States);
E. M. Gullikson, Lawrence Berkeley National Lab. (United States); T. Abe, N. Hayashi, Dai Nippon Printing Co., Ltd. (Japan)

MASK PATTERN GENERATORS

- 8880 1E **Performance of the proof-of-concept multi-beam mask writer (MBMW POC) (Invited Paper)** [8880-50]
C. Klein, H. Loeschner, E. Platzgummer, IMS Nanofabrication AG (Austria)
- 8880 1F **Shot count reduction for non-Manhattan geometries: concurrent optimization of data fracture and mask writer design** [8880-51]
R. Cinque, JEOL USA (United States); T. Komagata, T. Kiuchi, JEOL Ltd. (Japan);
C. Browning, P. Schiavone, P. Petroni, L. Martin, T. Quaglio, Aselta Nanographics (France)
- 8880 1G **Turret-type electron gun for EBM-8000** [8880-52]
N. Miyamoto, NuFlare Technology, Inc. (Japan); R. Kendall, NuFlare Technology, Inc. (United States); K. Saito, NuFlare Technology, Inc. (Japan)

SIMULATION, OPC, AND MASK DATA PREPARATION III

- 8880 1H **EUV multilayer defect compensation (MDC): latest progress on model and compensation methods** [8880-53]
L. Pang, M. Satake, Y. Li, P. Hu, D. Peng, D. Chen, V. Tolani, Luminescent Technologies, Inc. (United States)
- 8880 1I **Using segmented models for initial mask perturbation and OPC speedup** [8880-55]
A. Hamouda, GLOBALFOUNDRIES Inc. (United States) and Univ. of Waterloo (Canada);
M. Anis, American Univ. in Cairo (Egypt); K. S. Karim, Univ. of Waterloo (Canada)
- 8880 1J **Full chip implant correction with wafer topography OPC modeling in 2x nm bulk technologies** [8880-80]
J.-C. Michel, J.-C. Le Denmat, E. Sungauer, F. Robert, E. Yesilada, STMicroelectronics (France); A.-M. Armeanu, J. Entradas, Mentor Graphics (France); J. L. Sturtevant, T. Do, Y. Granik, Mentor Graphics Corp. (United States)

POSTER SESSION

- 8880 1K **High-fidelity dummy fill printing with repair OPC** [8880-56]
L. Lin, W.-L. Wang, S. McGowan, GLOBALFOUNDRIES Inc. (United States)
- 8880 1L **Phase preservation study on ArF mask for haze-free mask resist strip and cleaning** [8880-57]
I. Shi, E. Guo, E. Tian, T. Gu, F. Jiang, S. Qian, Semiconductor Manufacturing International Corp. (China); D. Matsushima, J. Pang, Shibaura Mechatronics Corp. (Japan)
- 8880 1M **A new mask linearity specification for EUV masks based on time dependent dielectric breakdown requirements** [8880-58]
K. Standiford, GLOBALFOUNDRIES Inc. (United States); C. Bürgel, Advanced Mask Technology Ctr. GmbH Co. KG (Germany)
- 8880 1N **A study on the ESD damage of a silicon oxy-nitride hard mask on the chromium surface of PSM blank** [8880-59]
S. Moon, H. Kim, I. Shin, C. Jeon, SAMSUNG Electronics Co., Ltd. (Korea, Republic of)

- 8880 1O **In-die mask registration measurement on 28nm-node and beyond** [8880-60]
S. H. Chen, Y. F. Cheng, M. J. Chen, United Microelectronic Corp. (Taiwan)
- 8880 1P **Alternative material to mitigate chrome degradation on high volume ArF layers** [8880-61]
G. Ning, GLOBALFOUNDRIES Inc. (United States) and GLOBALFOUNDRIES Inc. (Germany); S. Gopalakrishnan, T. Thamm, N. Oleynik, GLOBALFOUNDRIES Inc. (Germany); P. Ackmann, GLOBALFOUNDRIES Inc. (United States); R. Riviere, S. Maelzer, GLOBALFOUNDRIES Inc. (Germany); Y. M. Foong, GLOBALFOUNDRIES Inc. (Singapore)
- 8880 1Q **OPC modeling using AFM CD measurement** [8880-62]
K. Koo, G. Kim, S. Kim, S. Yang, S. Lee, Y. Kim, J. Choi, H. Kang, SAMSUNG Electronics Co., Ltd. (Korea, Republic of)
- 8880 1R **Increased depth of field through wave-front coding: using an off-axis zone plate lens with cubic phase modulation in an EUV microscope** [8880-63]
M. P. Benk, K. A. Goldberg, I. Mochi, W. Chao, E. H. Anderson, Lawrence Berkeley National Lab. (United States)
- 8880 1S **A study of the defect detection technology using the optic simulation for the semiconductor device** [8880-64]
Y. Yang, Y. Jeong, SAMSUNG Electronics Co., Ltd. (Korea, Republic of); M. Numata, Samsung Yokohama Research Institute Co., Ltd. (Japan); M. Park, M. Seo, S. Lee, C. Jun, K. Lee, I. Cho, SAMSUNG Electronics Co., Ltd. (Korea, Republic of)
- 8880 1T **Mask contamination study in electron and ion beam repair system** [8880-67]
H.-J. Ahn, J.-M. Kim, D.-S. Lee, G.-Y. Lee, D.-H. Lee, S.-S. Choi, PKL Co., Ltd. (Korea, Republic of)
- 8880 1U **Model-driven target optimization to resolve design hotspots through image quality enhancement** [8880-68]
S.-W. Lee, Synopsys, Inc. (Korea, Republic of); T. Cecil, G. Xiao, M. Lee, Synopsys, Inc. (United States); J.-H. Choi, S.-H. Baek, Synopsys, Inc. (Korea, Republic of); J.-H. Jeon, C. H. Park, SK Hynix Inc. (Korea, Republic of); D. Kim, K. Lucas, Synopsys, Inc. (United States)
- 8880 1V **Sensitivity analysis for OMOG and EUV photomasks characterized by UV-NIR spectroscopic ellipsometry** [8880-70]
A. Heinrich, I. Dirnstorfer, NaMLab gGmbH (Germany); J. Bischoff, Osires (Germany); K. Meiner, U. Richter, Sentech Instruments GmbH (Germany); T. Mikolajick, NaMLab gGmbH (Germany) and Technische Univ. Dresden (Germany)
- 8880 1W **Fleet matching performance for multiple registration measurement tools** [8880-71]
D. Beyer, C. Bläsing, K. Boehm, S. Heisig, D. Seidel, Carl Zeiss SMS GmbH (Germany)
- 8880 1X **The recovering method of etch chamber condition by using the optical emission spectroscopy monitoring system** [8880-72]
C. H. Ryu, J. Y. Jun, H. Y. Jung, S. P. Kim, D. G. Yim, SK Hynix, Inc. (Korea, Republic of)
- 8880 1Y **Analysis of EUV mask durability under various absorber etch conditions** [8880-73]
D. W. Lee, S. J. Jo, S. H. Oh, T. J. Ha, S. P. Kim, D. G. Yim, SK Hynix, Inc. (Korea, Republic of)

- 8880 20 **Metrology variability and its impact in process modeling** [8880-75]
T. Figueiro, Aselta Nanographics (France) and Univ. Joseph Fourier - Grenoble, CNRS (France); M. Saib, Aselta Nanographics (France); K.-H. Choi, C. Hohle, Fraunhofer Institute for Photonic Microsystems (Germany); M. J. Thornton, Aselta Nanographics (France) and CEA-LETI (France); C. Vannufel, CEA-LETI (France); J.-H. Tortai, Univ. Joseph Fourier - Grenoble, CNRS (France); P. Schiavone, Aselta Nanographics (France)
- 8880 22 **Pupil shaping and coherence control in an EUV mask-imaging microscope** [8880-77]
I. Mochi, K. A. Goldberg, M. P. Benk, P. P. Naulleau, Lawrence Berkeley National Lab. (United States)
- 8880 23 **Efficient full-chip mask 3D model for off-axis illumination** [8880-78]
H. Zhang, Q. Yan, L. Zhang, E. Croffie, P. Brooker, Q. Ren, Y. Fan, Synopsys, Inc. (United States)
- 8880 24 **In-die mask registration for multi-patterning** [8880-79]
F. Laske, KLA-Tencor GmbH (Germany); S. Kunitani, T. Kamibayashi, M. Yamana, A. Fuse, Toppan Printing Co., Ltd. (Japan); M. Wagner, KLA Tencor Ltd. (Israel); K. D. Roeth, M. Ferber, KLA-Tencor GmbH (Germany); M. Daneshpanah, KLA Tencor Inc. (United States); S. Czerkas, KLA-Tencor GmbH (Germany); H. Sakaguchi, KLA-Tencor Japan Ltd. (Japan)
- 8880 25 **Improving wafer level CD uniformity for logic applications utilizing mask level metrology and process** [8880-81]
A. Cohen, Carl Zeiss SMS Ltd (Israel); T. Trautzsch, U. Buttgerit, Carl Zeiss SMS GmbH (Germany); E. Graitzer, O. Hanuka, Carl Zeiss SMS Ltd. (Israel)
- 8880 26 **A fast convolution method using basis expansion for highly efficient intensity calculation in mask optimization** [8880-82]
Y. Sun, Y. Zuo, J. Zhang, Y. Wang, Z. Yu, Tsinghua Univ. (China)
- 8880 27 **Impact of an etched EUV mask black border on imaging: part II** [8880-83]
N. Davydova, R. de Kruif, ASML Netherlands B.V. (Netherlands); H. Morimoto, Y. Sakata, J. Kotani, N. Fukugami, S. Kondo, T. Imoto, Toppan Printing Co., Ltd. (Japan); B. Connolly, Toppan Photomasks, Inc. (Germany); D. van Gestel, D. Oorschot, ASML Netherlands B.V. (Netherlands); D. Rio, ASML US Inc. (United States); J. Zimmerman, N. Harned, ASML Wilton (United States)
- 8880 28 **Development of inspection system for EUV mask with novel projection electron microscopy (PEM)** [8880-84]
M. Hatakeyama, T. Murakami, K. Terao, K. Watanabe, S. Yoshikawa, EBARA Corp. (Japan); T. Amano, R. Hirano, S. Iida, T. Terasawa, H. Watanabe, EUVL Infrastructure Development Ctr., Inc. (Japan)
- 8880 29 **A novel method for utilizing AIMS to evaluate mask repair and quantify over-repair or under-repair condition** [8880-85]
D. Uzzel, Photonics, Inc. (United States); A. Garetto, K. Magnusson, G. Tabbone, Carl Zeiss SMS GmbH (Germany)

- 8880 2A **Analysis of edge effects in attenuating phase-shift masks using quantitative phase imaging** [8880-86]
A. Shanker, Univ. of California, Berkeley (United States); M. Sczyrba, Advanced Mask Technology Ctr. GmbH Co. KG (Germany); B. Connolly, Toppan Photomasks Dresden (Germany); A. Neureuther, L. Waller, Univ. of California, Berkeley (United States)
- 8880 2B **Recovering effective amplitude and phase roughness of EUV masks** [8880-87]
R. A. Claus, Univ. of California, Berkeley (United States); I. Mochi, M. P. Benk, K. A. Goldberg, Lawrence Berkeley National Lab. (United States); A. R. Neureuther, Univ. of California, Berkeley (United States); P. P. Naulleau, Lawrence Berkeley National Lab. (United States)
- 8880 2D **AF printability check with a full-chip 3D resist profile model** [8880-89]
C.-E. R. Wu, J. Chang, Synopsys Taiwan Co., Ltd. (Taiwan); H. Song, J. Shiely, Synopsys, Inc. (United States)
- 8880 2E **HSQ process development for a superior resolution and a reasonable sensitivity for an EB master-mold for nanoimprint lithography** [8880-90]
H. Kobayashi, H. Iyama, T. Kagatsume, T. Sato, S. Kishimoto, T. Watanabe, HOYA Corp. (Japan)
- 8880 2G **Advancement of fast EUV lithography modeling/simulations and applications on evaluating different repair options for EUV mask multilayer defect** [8880-97]
Y. Li, M. Satake, D. Peng, P. Hu, L. Pang, Luminescent Technologies, Inc. (United States)
- 8880 2H **E-beam GIDC resolution enhancement technology in practical applications** [8880-96]
S. Martens, J. Butschke, Institut für Mikroelektronik Stuttgart (Germany); R. Galler, M. Krüger, EQUIcon Software GmbH Jena (Germany); H. Sailer, Institut für Mikroelektronik Stuttgart (Germany); M. Sülzle, EQUIcon Software GmbH Jena (Germany)
- 8880 2I **Extreme ultraviolet mask defect observation using an extreme ultraviolet microscope** [8880-95]
T. Amano, T. Terasawa, H. Watanabe, EUVL Infrastructure Development Ctr., Inc. (Japan); M. Toyoda, Tohoku Univ. (Japan); T. Harada, T. Watanabe, H. Kinoshita, Univ. of Hyogo (Japan)
- 8880 2J **Novel fracturing algorithm to reduce shot count for curvy shape** [8880-94]
T. Tao, N. Takahashi, M. Hamaji, Nippon Control System Corp. (Japan)
- 8880 2L **Under-layer effects for block levels: are they under control?** [8880-92]
D. Shao, B. Zhang, S. Banerjee, H. Kry, A. De Silva, R. Kwong, K. Chung, Y.-S. Lin, A. Leslie, IBM Corp. (United States)
- 8880 2M **Patterning of EUVL binary etched multilayer mask** [8880-102]
K. Takai, T. Motokawa, K. Murano, T. Kamo, Toshiba Corp. (Japan); N. Hayashi, Dai Nippon Printing Co., Ltd. (Japan)
- 8880 2N **Potential of mask production process for finer pattern fabrication** [8880-101]
K. Yagawa, K. Ugajin, M. Suenaga, Y. Kobayashi, T. Motokawa, K. Hagihara, M. Saito, M. Itoh, Toshiba Corp. (Japan)

Author Index

Conference Committee

Conference Chair

Thomas B. Faure, IBM Corporation (United States)

Conference CoChair

Paul W. Ackmann, GLOBALFOUNDRIES Inc. (United States)

Conference Program Committee

Frank E. Abboud, Intel Corporation (United States)
Ron R. Bozak, RAVE LLC (United States)
Lucien Bouchard, Photronics, Inc. (United States)
William H. Broadbent Jr., KLA-Tencor Corporation (United States)
Peter D. Buck, Mentor Graphics Corporation (United States)
Russell B. Cinque, JEOL USA Inc. (United States)
Glenn R. Dickey, Shin-Etsu MicroSi, Inc. (United States)
Uwe Dietze, SUSS MicroTec Inc. (United States)
Aki Fujimura, D2S, Inc. (United States)
Emily E. Gallagher, IBM Corporation (United States)
Brian J. Grenon, RAVE LLC (United States)
Naoya Hayashi, Dai Nippon Printing Co., Ltd. (Japan)
Mark T. Jee, HOYA Corporation USA (United States)
Rik Jonckheere, IMEC (Belgium)
Bryan S. Kasprovicz, Photronics, Inc. (United States)
Byung-Gook Kim, SAMSUNG Electronics Co., Ltd. (Korea, Republic of)
Shy-Jay Lin, Taiwan Semiconductor Manufacturing Co. Ltd. (Taiwan)
Pawitter J. Mangat, GLOBALFOUNDRIES Inc. (United States)
Wilhelm Maurer, Infineon Technologies AG (Germany)
M. Warren Montgomery, College of Nanoscale Science and Engineering (United States)
Thomas H. Newman, Micronic Laser Systems Inc. (United States)
Leo Pang, Luminescent Technologies (United States)
Emmanuel Rausa, Plasma-Therm LLC (United States)
Douglas J. Resnick, Molecular Imprints, Inc. (United States)
Kenichi Saito, NuFlare Technology, Inc. (Japan)
Thomas Scherübl, Carl Zeiss SMS GmbH (Germany)
Steffen F. Schulze, Mentor Graphics Corporation (United States)
Robert J. Socha, ASML US, Inc. (United States)
Wolfgang Staud, Consultant (United States)
Anna Tchikoulaeva, Lasertec U.S.A., Inc. (United States)
Jacek K. Tyminski, Nikon Research Corporation of America (United States)
Banqiu Wu, Applied Materials, Inc. (United States)

Stefan Wurm, SEMATECH North (United States)

Session Chairs

- 1 Keynote Session
Thomas B. Faure, IBM Corporation (United States)
Paul W. Ackmann, GLOBALFOUNDRIES Inc. (United States)
- 2 Materials and Process I
Mark T. Jee, HOYA Corporation USA (United States)
Uwe Dietze, SUSS MicroTec Inc. (United States)
- 3 Best Paper JPM13
Wilhelm Maurer, Infineon Technologies AG (Germany)
Linyong Pang, Luminescent Technologies (United States)
- 4 Simulation, OPC, and Mask Data Preparation I
Wilhelm Maurer, Infineon Technologies AG (Germany)
Linyong Pang, Luminescent Technologies (United States)
- 5 Mask Inspection I
William H. Broadbent Jr., KLA-Tencor Corporation (United States)
Anna Tchikoulaeva, Lasertec U.S.A., Inc. Zweigniederlassung Deutschland (Germany)
- 6 Simulation, OPC, and Mask Data Preparation II
Peter D. Buck, Mentor Graphics Corporation (United States)
Aki Fujimura, D2S, Inc. (United States)
- 7 Patterning and Double-Patterning Technology
Douglas J. Resnick, Molecular Imprints, Inc. (United States)
Matt Malloy, SEMATECH Inc. (United States)
- 8 Mask Contamination, Cleaning, and Long-Term Durability I
Brian J. Grenon, RAVE LLC (United States)
Lucien Bouchard, Photronics, Inc. (United States)
- 9 Mask Metrology I
Jacek K. Tyminski, Nikon Research Corporation of America (United States)
Thomas Scherübl, Carl Zeiss SMS GmbH (Germany)
- 10 Best Paper EMCL 2013
Robert J. Socha, ASML US, Inc. (United States)
Pawitter J. Mangat, GLOBALFOUNDRIES Inc. (United States)
- 11 Mask Inspection II
Robert J. Socha, ASML US, Inc. (United States)
Pawitter J. Mangat, GLOBALFOUNDRIES Inc. (United States)

- 12 Mask Materials and Process II
Ron R. Bozak, RAVE LLC (United States)
Glenn R. Dickey, Shin-Etsu MicroSi, Inc. (United States)
- 13 Mask Contamination, Cleaning, and Long-Term Durability II
Inkyun Shin, SAMSUNG Electronics Co., Ltd. (Korea, Republic of)
Banqiu Wu, Applied Materials, Inc. (United States)
- 14 Direct-Write
Frank E. Abboud, Intel Corporation (United States)
Thomas H. Newman, Micronic Laser Systems Inc. (United States)
- 15 2013 JPM Panel Overview
Paul W. Ackmann, GLOBALFOUNDRIES Inc. (United States)
- 16 Mask Manufacturing, and Yield and Mask Business
Bryan S. Kasprowicz, Photronics, Inc. (United States)
Wolfgang Staud, Consultant (United States)
- 17 Mask Metrology II
Naoya Hayashi, Dai Nippon Printing Co., Ltd. (Japan)
Emmanuel Rausa, Plasma-Therm LLC (United States)
- 18 Mask Pattern Generators
Kenichi Saito, NuFlare Technology, Inc. (Japan)
Russell B. Cinque, JEOL USA Inc. (United States)
- 19 Simulation, OPC, and Mask Data Preparation III
Steffen F. Schulze, Mentor Graphics Corporation (United States)
Shy-Jay Lin, Taiwan Semiconductor Manufacturing Co. Ltd. (Taiwan)

Introduction

This proceedings volume contains accepted papers from the SPIE conference on Photomask Technology 2013. The conference was arranged through the Bay Area Chrome Users Society (BACUS) and held as part of the 33rd International Symposium on Photomask Technology 10-12 September 2013 in Monterey, California, United States of America.

This year's conference included four invited papers in addition to the annual invited Mask Industry Assessment presentation by SEMATECH, the best paper by the European Mask and Lithography Conference (EMLC) 2013, the best paper by Photo Mask Japan (PMJ) 2013 and a summary of the PMJ 2013 Panel Discussion.

The conference presentations this year were organized in a single track format, allowing every participant the time to get a comprehensive overview of all of the subjects in the field of Photomask technology. The best oral papers were selected by voting of the program committee members, and a subset of the program committee members selected the best poster papers. In addition, two sessions on Mask Materials and Processes were held this year which reflects an increase in paper submissions in this important area.

One of the true highlights of the conference was the keynote presentation by Michael Mayberry from Intel titled "Delivering Complexity at the Frontier of Electronics." Dr. Mayberry stated that there are 1 trillion features on critical level masks at the advanced nodes due to the need for complexity, and that the key for the industry is to deliver complexity at the right price point. He also pointed out that the huge increase in complexity is one of the reasons the merchant mask maker market share is decreasing and captive mask maker market share is increasing at the advanced nodes. Finally, he stressed the importance for mask makers to measure and reduce variability on the more advanced 2d/complex structures on the mask. A question about why the value of mask making is not well understood by the industry. Dr. Mayberry pointed to the fact that the masks are far down the food chain for the end customer. They are clearly enabling but in the end critical only when they are not delivered in time to meet customer expectations.

The technical focus of this year's conference was an extension of optical lithography down to the 10 nm logic node while simultaneously continuing work to develop EUV technology for the 7 nm logic node and beyond. Both of these patterning solutions rely on the mask industry to execute and deliver mask technology on time and at the right quality and price. The technical papers in the conference showed that good progress continues to be made to address the challenges of advanced optical photomasks and EUV masks. However, this year's Sematech mask industry survey indicated that mask makers remain concerned about critical tool readiness for advanced technologies and the need for continued improvement in defect mitigation as well as the challenge of better addressing and managing ebeam write time.

This year's panel discussion titled "Big Glass: Will It Return?" covered the very hot industry topic of the potential need to switch to larger size glass for both EUV and advanced optical masks. The session was chaired by Paul Ackmann. A group of our industry's top experts were assembled for the discussion:

- Donis G. Flagello, Nikon Research Corp. of America
- Janice M. Golda, Intel Corp.
- Brian J. Grenon, RAVE LLC
- Franklin D. Kalk, Toppan Photomasks Inc.
- Pawitter J. Mangat, GLOBALFOUNDRIES Inc.
- Daniel C. Wack, KLA-Tencor Corp.

The animated discussion covered all aspects of the big glass issue including the pros and cons from each of the panelists' unique perspectives. Wolf Staud and Bob Naber rounded out the panel discussions by looking back to past industry recommendations and trying to assess where the panel had taken the discussion. Ultimately, the timing of when or if there is a change in glass size has a critical relationship to return on investment (ROI). There is a belief that only if there is a compelling ROI justification linked to implementation timing then the change to large glass will happen. For now, it appears that 6 inch material will be the choice for high volume optical and EUV manufacturing.

We thank all of the conference participants and especially the authors for providing excellent technical papers. We also thank all of the members of the program committee for their hard work to help make this year's conference a success. Their efforts included soliciting abstracts, reviewing abstracts, chairing sessions, voting for best paper, and insuring final manuscripts were submitted. Our sponsors also deserve special thanks for their continued support of Photomask Technology. The SPIE organization has our gratitude for their tireless efforts in organizing the conference and ensuring that things ran smoothly as well as their efforts to provide a timely publication of these proceedings.

We hope you find the papers contained in this volume of proceedings to be informative and helpful in your professional endeavors.

Thomas B. Faure
IBM Corp
Symposium Chair

Paul W. Ackmann
GLOBALFOUNDRIES Inc.
Symposium Co-Chair