PROCEEDINGS OF SPIE

[SPIDigitalLibrary.org/conference-proceedings-of-spie](https://spiedigitallibrary.org/conference-proceedings-of-spie)

Front Matter: Volume 8975

, "Front Matter: Volume 8975," Proc. SPIE 8975, Reliability, Packaging, Testing, and Characterization of MOEMS/MEMS, Nanodevices, and Nanomaterials XIII, 897501 (24 March 2014); doi: 10.1117/12.2062762

SPIE.

Event: SPIE MOEMS-MEMS, 2014, San Francisco, California, United States

PROCEEDINGS OF SPIE

Reliability, Packaging, Testing, and Characterization of MOEMS/MEMS, Nanodevices, and Nanomaterials XIII

**Herbert R. Shea
Rajeshuni Ramesham**
Editors

**3–4 February 2014
San Francisco, California, United States**

Sponsored by
SPIE

Cosponsored by
Samsung Advanced Institute of Technology (Korea, Republic of)

Published by
SPIE

Volume 8975

Proceedings of SPIE 0277-786-786X, V.8975

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Reliability, Packaging, Testing, and Characterization of MOEMS/MEMS, Nanodevices, and Nanomaterials XIII,
edited by Herbert R. Shea, Rajeshuni Ramesham, Proc. of SPIE Vol. 8975, 897501
© 2014 SPIE · CCC code: 0277-786X/14/\$18 · doi: 10.1117/12.2062762

Proc. of SPIE Vol. 8975 897501-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Reliability, Packaging, Testing, and Characterization of MOEMS/MEMS, Nanodevices, and Nanomaterials XIII*, edited by Herbert R. Shea, Rajeshuni Ramesham, Proceedings of SPIE Vol. 8975 (SPIE, Bellingham, WA, 2014) Article CID Number.

ISSN: 0277-786X

ISBN: 9780819498885

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2014, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/14/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

vii	Conference Committee
ix	Introduction

SESSION 1

- 8975 03 **Implementation of wireless battery-free microgyrosensor by utilizing one-port SAW delay line and an antenna with double resonant frequencies (Invited Paper)** [8975-1]
C. Fu, Ajou Univ. (Korea, Republic of); O. Elmarzia, Univ. Nancy (France); K. Lee, Ajou Univ. (Korea, Republic of)
- 8975 04 **Design and fabrication of net flux radiometers for Mars exploration** [8975-2]
C. Proulx, INO (Canada); L. Ngo Phong, Canadian Space Agency (Canada);
F. Châteauneuf, INO (Canada)
- 8975 05 **Low spring index, large displacement Shape Memory Alloy (SMA) coil actuators for use in macro- and micro-systems (Invited Paper)** [8975-3]
B. Holschuh, D. Newman, Massachusetts Institute of Technology (United States)
- 8975 06 **MEMS tactile display: from fabrication to characterization (Invited Paper)** [8975-4]
N. Miki, Keio Univ. (Japan) and JST PRESTO (Japan); Y. Kosemura, J. Watanabe, H. Ishikawa, Keio Univ. (Japan)

SESSION 2

- 8975 07 **Characterization of gallium nitride microsystems within radiation and high-temperature environments** [8975-6]
H. C. Chiamori, M. Hou, C. A. Chapin, A. Shankar, D. G. Senesky, Stanford Univ. (United States)
- 8975 09 **Improved test setup for MEMS mechanical strength investigations and fabrication process qualification** [8975-8]
T. Bandi, Ctr. Suisse d'Electronique et de Microtechnique SA (Switzerland) and Ecole Polytechnique Fédérale de Lausanne (Switzerland); X. Maeder, Ctr. Suisse d'Electronique et de Microtechnique SA (Switzerland); A. Dommann, EMPA (Switzerland); H. Shea, Ecole Polytechnique Fédérale de Lausanne (Switzerland); A. Neels, Ctr. Suisse d'Electronique et de Microtechnique SA (Switzerland)
- 8975 0A **Investigation of a novel approach for the cross-linking characterization of SU-8 photoresist materials by means of optical dispersion measurements** [8975-9]
Ch. Taudt, Westsächsische Hochschule Zwickau (Germany) and Technische Univ. Dresden (Germany); T. Baselt, Westsächsische Hochschule Zwickau (Germany); E. Koch, Technische Univ. Dresden (Germany); P. Hartmann, Westsächsische Hochschule Zwickau (Germany)

- 8975 0B **Measuring Young's modulus using a self-mixing laser diode** [8975-10]
K. Lin, Y. Yu, J. Xi, Y. Fan, H. Li, Univ. of Wollongong (Australia)
- 8975 0C **Wafer-level radiometric performance testing of uncooled microbolometer arrays** [8975-11]
D. G. Dufour, P. Topart, B. Tremblay, C. Julien, L. Martin, C. Vachon, INO (Canada)
- 8975 0D **Measurements of thermal conductivity of $\text{La}_{0.95}\text{Sr}_{0.05}\text{CoO}_3$ nanofibers using MEMS devices** [8975-25]
W. Xu, Brookhaven National Lab. (United States) and Stevens Institute of Technology (United States); H. Hadim, Stevens Institute of Technology (United States); Y. S. Chu, Brookhaven National Lab. (United States); Y. Shi, Stevens Institute of Technology (United States); E. Nazaretski, Brookhaven National Lab. (United States)

SESSION 3

- 8975 0E **Heterogeneous MEMS device assembly and integration** [8975-13]
P. Topart, F. Picard, S. Ilias, C. Alain, C. Chevalier, B. Fissette, J. E. Paultre, F. Génereux, M. Legros, INO (Canada); J.-F. Lepage, C. Laverdière, Defence Research and Development Canada (Canada); L. Ngo Phong, Canadian Space Agency (Canada); J.-S. Caron, Y. Desroches, INO (Canada)
- 8975 0F **Contact resistance evolution of highly cycled, lightly loaded micro-contacts** [8975-14]
C. Stilson, R. Coutu Jr., Air Force Institute of Technology (United States)
- 8975 0H **Studies on the dynamics of vacuum encapsulated 2D MEMS scanners by laser Doppler vibrometry** [8975-16]
J. Janes, U. Hofmann, Fraunhofer-Institut für Siliziumtechnologie (Germany)
- 8975 0I **Evaluation of silicon tuning-fork resonators under space-relevant radiation conditions** [8975-17]
T. Bandi, Ctr. Suisse d'Electronique et de Microtechnique SA (Switzerland) and Ecole Polytechnique Fédérale de Lausanne (Switzerland); J. Baborowski, Ctr. Suisse d'Electronique et de Microtechnique SA (Switzerland); A. Dommann, EMPA (Switzerland); H. Shea, Ecole Polytechnique Fédérale de Lausanne (Switzerland); F. Cardot, A. Neels, Ctr. Suisse d'Electronique et de Microtechnique SA (Switzerland)
- 8975 0J **HALT to qualify electronic packages: a proof of concept** [8975-18]
R. Ramesham, Jet Propulsion Lab. (United States)

SESSION 4

- 8975 0K **The mechanical properties and stabilities of pristine, hydrogenated, and fluorinated silicene under tension** [8975-19]
C. Yang, Z.-Y. Yu, P.-F. Lu, Y. Liu, S. Manzoor, M. Li, S. Zhou, Beijing Univ. of Posts and Telecommunications (China)
- 8975 0L **Effective data processing in the frequency-domain based self-mixing approach for measuring alpha factor** [8975-20]
Y. Gao, Y. Yu, K. Lin, J. Xi, Univ. of Wollongong (Australia)

- 8975 0M **Optical properties of plasmonic nanoantenna arrays based on H-shaped nanoparticles with extended arms** [8975-21]
M. Turkmen, E. Aslan, Erciyes Univ. (Turkey)
- 8975 0O **Acoustic and optoelectronic nature and interfacial durability of modified CNT and GnP-PVDF composites with nanostructural control** [8975-23]
J.-M. Park, Gyeongsang National Univ. (Korea, Republic of) and The Univ. of Utah (United States); D.-J. Kwon, Z.-J. Wang, Gyeongsang National Univ. (Korea, Republic of); L. DeVries, The Univ. of Utah (United States)
- 8975 0P **Electrothermally tunable MEMS filters** [8975-5]
A. V. S. S. Prasad, V. K. P., N. Bhat, R. Pratap, Indian Institute of Science (India)

POSTER SESSION

- 8975 0Q **Quantitative thermal characterization of microelectronic devices by using CCD-based thermorefectance microscopy** [8975-12]
D. U. Kim, S. Y. Ryu, J. K. Kim, K. S. Chang, Korea Basic Science Institute (Korea, Republic of)

Author Index

Conference Committee

Symposium Chair

David L. Dickensheets, Montana State University (United States)

Symposium Co-chair

Holger Becker, microfluidic ChipShop GmbH (Germany)

Conference Chairs

Herbert R. Shea, Ecole Polytechnique Fédérale de Lausanne
(Switzerland)

Rajeshuni Ramesham, Jet Propulsion Laboratory (United States)

Conference Program Committee

Cheryl G. Asbury, Jet Propulsion Laboratory (United States)

Paul A. Bieren, Boston Micromachines Corporation (United States)

Sonia M. García-Blanco, Universiteit Twente (Netherlands)

Christopher K. Harrison, Schlumberger-Doll Research Center
(United States)

Allyson Hartzell, Qualcomm Inc. (United States) and Pixtronix, Inc.
(United States)

Albert K. Henning, Aquarian Microsystems (United States)

Maurice S. Karpman, Draper Laboratory (United States)

Richard C. Kullberg, Vacuum Energy, Inc. (United States)

Kee-Keun Lee, Ajou University (Korea, Republic of)

Jose M. Pozo, TNO (Netherlands)

Tolga Tekin, Technische Universität Berlin (Germany)

Joyce H. Wu, Qualcomm Inc. (United States) and Pixtronix, Inc.
(United States)

Yanzhu Zhao, Medtronic, Inc. (United States)

Session Chairs

- 1 **Joyce H. Wu**, Qualcomm Inc. (United States) and Pixtronix, Inc.
(United States)
- 2 **Rajeshuni Ramesham**, Jet Propulsion Laboratory (United States)
- 3 **Herbert R. Shea**, Ecole Polytechnique Fédérale de Lausanne
(Switzerland)
- 4 **Cheryl G. Asbury**, Jet Propulsion Laboratory (United States)

Introduction

A successful MOEMS-MEMS device is built on more than the physical sensor or actuator and the associated electronics. Packaging plays a key role in device performance, lifetime, and cost. Given the strong interaction between the environment and MOEMS-MEMS sensors, and given the multiphysics nature of all MOEMS-MEMS devices, novel testing and characterization methods are required to understand MOEMS-MEMS failure modes. Novel assembly, integration, and packaging approaches are being developed, all posing qualification challenges.

This MOEMS-MEMS symposium brought together experts in a broad range of fields to discuss the latest advances in the fields of MOEMS-MEMS testing, packaging, reliability, and characterization.

The widespread use of MOEMS and MEMS in consumer electronics, the medical field, communications, optical communications, and even spacecraft, and the associated increased maturity of many microfabrication and packaging technologies and processes, has resulted in a marked increase in the performance of commercially available tools for characterizing MOEMS-MEMS. The increased maturity of MOEMS-MEMS has created a need for improved, higher throughput, more sensitive testing techniques for materials properties and device performance. Several exciting new approaches were presented at this symposium as well as the Reliability conference.

The use of MOEMS-MEMS in ever-harsher environments (high temperature, high radiation, high shocks, and vibration, etc.) is enabled by the use of new materials, such as GaN, which in turn require novel processing techniques, new testing techniques, and test equipment. One accelerated testing approach adapted from the standard microelectronics field is HALT (Highly Accelerated Lifetime Testing) that was shown to be applicable to assess the reliability electronic packaging.

This symposium also included novel integration technologies, and the use of non-conventional materials for new applications. Examples of complete MOEMS and MEMS systems were also presented, with the associated reliability challenges.

We invite you to explore these proceedings and we look forward to seeing you next year for another lively symposium.

Herbert R. Shea
Rajeshuni Ramesham