PROCEEDINGS OF SPIE

[SPIDigitalLibrary.org/conference-proceedings-of-spie](https://spiedigitallibrary.org/conference-proceedings-of-spie)

Front Matter: Volume 8985

, "Front Matter: Volume 8985," Proc. SPIE 8985, Terahertz, RF, Millimeter, and Submillimeter-Wave Technology and Applications VII, 898501 (2 April 2014); doi: 10.1117/12.2063596

SPIE.

Event: SPIE OPTO, 2014, San Francisco, California, United States

PROCEEDINGS OF SPIE

Terahertz, RF, Millimeter, and Submillimeter-Wave Technology and Applications VII

**Laurence P. Sadwick
Créidhe M. O'Sullivan**
Editors

**4–6 February 2014
San Francisco, California, United States**

Sponsored by
SPIE

Cosponsored by
Hübner GmbH & Co. KG (Germany)

Published by
SPIE

Volume 8985

Proceedings of SPIE 0277-786X, V. 8985

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Terahertz, RF, Millimeter, and Submillimeter-Wave Technology and Applications VII,
edited by Laurence P. Sadwick, Créidhe M. O'Sullivan, Proc. of SPIE Vol. 8985, 898501
2014 SPIE · CCC code: 0277-786X/14/\$18 · doi: 10.1117/12.2063596

Proc. of SPIE Vol. 8985 898501-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Terahertz, RF, Millimeter, and Submillimeter-Wave Technology and Applications VII*, edited by Laurence P. Sadwick, Crdhe M. O'Sullivan, Proceedings of SPIE Vol. 8985 (SPIE, Bellingham, WA, 2014) Article CID Number.

ISSN: 0277-786X

ISBN: 9780819498984

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright 2014, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/14/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

ix	Conference Committee
xi	Introduction

SESSION 1	TERAHERTZ SOURCES I
8985 02	ErAs:GaAs extrinsic photoconductivity: a new alternative for 1550-nm-driven THz sources (Invited Paper) [8985-1] M. Martin, J. Middendorf, E. R. Brown, Wright State Univ. (United States)
8985 04	Narrowband continuous-wave terahertz generation and imaging [8985-3] B. Dolasinski, P. Powers, Univ. of Dayton (United States)
8985 05	Nonlinear optical resonators for tunable THz emission [8985-4] R. Sinha, M. Karabiyik, C. Al-Amin, P. K. Vabbina, N. Pala, Florida International Univ. (United States)
SESSION 2	TERAHERTZ SOURCES II
8985 06	Photonic devices for tunable continuous-wave terahertz generation and detection (Invited Paper) [8985-5] K. H. Park, N. Kim, K. Moon, H. Ko, J.-W. Park, E. S. Lee, I.-M. Lee, S.-P. Han, Electronics and Telecommunications Research Institute (Korea, Republic of)
SESSION 3	TERAHERTZ SOURCES III
8985 0B	Non-contact probes for THz integrated devices based on fiber-coupled photomixers [8985-10] M. Martin, P. K. Daram, E. R. Brown, Wright State Univ. (United States)
8985 0C	Terahertz emission in organic crystals pumped by conventional laser wavelength [8985-11] C. Vicario, B. Monoszlai, Paul Scherrer Institute (Switzerland); B. Ruiz, M. Jazbinsek, C. C. Medrano, Rainbow Photonics AG (Switzerland); C. P. Hauri, Paul Scherrer Institute (Switzerland) and Ecole Polytechnique Fédérale de Lausanne (France)
8985 0F	Confinement loss scaling law analysis in tube lattice fibers for terahertz applications [8985-14] M. Masruri, Univ. degli Studi di Parma (Italy); L. Vincetti, Univ degli Studi di Modena e Reggio Emilia (Italy); C. Molardi, E. Coscelli, A. Cucinotta, S. Selleri, Univ. degli Studi di Parma (Italy)

SESSION 4 NEW DEVELOPMENTS IN THZ, RF, MILLIMETER-WAVES, AND SUB-MILLIMETER WAVES I

- 8985 OH **Optical design for translation of THz medical imaging technology (Invited Paper)** [8985-16]
Z. D. Taylor, Univ. of California, Los Angeles (United States) and Technische Univ. Delft (Germany); S. Sung, Technische Univ. Delft (Germany); J. Garritano, N. Bajwa, B. Nowroozi, Univ. of California, Los Angeles (United States); N. Llombart, Technische Univ. Delft (Netherlands); P. Tewari, W. S. Grundfest, Univ. of California, Los Angeles (United States)
- 8985 OK **Terahertz polarization imaging for colon cancer detection** [8985-19]
P. Doradla, Univ. of Massachusetts Lowell (United States); K. Alavi, Univ. of Massachusetts Medical School (United States); C. S. Joseph, R. H. Giles, Univ. of Massachusetts Lowell (United States)

SESSION 5 SPECTROSCOPY I

- 8985 OL **Terahertz plasmonic waveguide sensing based on metal rod array structures** [8985-20]
B. You, National Cheng-Kung Univ. (Taiwan) and National Taiwan Univ. (Taiwan); C.-C. Peng, J.-Y. Lu, National Cheng Kung Univ. (Taiwan); H.-H. Chen, J.-S. Jhang, C.-P. Yu, National Sun Yat-Sen Univ. (Taiwan); T.-A. Liu, J.-L. Peng, Industrial Technology Research Institute (Taiwan); C.-K. Sun, National Taiwan Univ. (Taiwan) and Academia Sinica (Taiwan)
- 8985 OM **Doping profile recognition in silicon using terahertz time-domain spectroscopy (Best Student Paper Award)** [8985-21]
C.-Y. Jen, C. Richter, Rochester Institute of Technology (United States)

SESSION 6 SPECTROSCOPY II

- 8985 OP **Design and engineering of organic molecules for customizable Terahertz tags** [8985-24]
S. Ray, CSIR-Madras Complex (India); J. Dash, CSIR-Madras Complex (India) and CSIR - Structural Engineering Research Ctr. (India); K. Nallappan, CSIR-Madras Complex (India); V. Kaware, N. Basutkar, A. Ambade, K. Joshi, CSIR - National Chemical Lab. (India); B. Pesala, CSIR-Madras Complex (India) and CSIR - Structural Engineering Research Ctr. (India)
- 8985 OQ **Terahertz spectroscopy of concrete for evaluating the critical hydration level** [8985-25]
J. Dash, CSIR-Madras Complex (India) and CSIR - Structural Engineering Research Ctr. (India); S. Ray, CSIR-Madras Complex (India); K. Nallappan, CSIR-Madras Complex (India) and CSIR - Structural Engineering Research Ctr. (India); S. Sasmal, CSIR - Structural Engineering Research Ctr. (India); B. Pesala, CSIR-Madras Complex (India) and CSIR - Structural Engineering Research Ctr. (India)
- 8985 OR **Compact and reconfigurable fiber-based terahertz spectrometer at 1550 nm** [8985-26]
A. Zandieh, D. M. Hailu, D. Biesty, A. Eshaghi, E. Fathi, D. Saeedkia, TeTechS Inc. (Canada)

SESSION 7 DETECTORS

- 8985 OT **Broadband monopole optical nano-antennas** [8985-29]
R. Zhou, J. Ding, B. Arigong, Y. Lin, H. Zhang, Univ. of North Texas (United States)

- 8985 0U **Ultrabroadband phased-array radio frequency (RF) receivers based on optical techniques** [8985-30]
B. M. Overmiller, C. A. Schuetz, G. Schneider, J. Murakowski, D. W. Prather, Univ. of Delaware (United States)
- 8985 0V **Nb₅N₃ microbolometer array for a compact THz imaging system** [8985-31]
X. C. Tu, Q. K. Mao, C. Wan, L. Xu, L. Kang, J. Chen, P. H. Wu, Nanjing Univ. (China)
- 8985 0W **High-performance room-temperature THz nanodetectors with a narrowband antenna** [8985-32]
L. Viti, NEST, CNR, Scuola Normale Superiore (Italy); D. Coquillat, TERALAB-GIS, CNRS, Univ. Montpellier 2 (France); D. Ercolani, NEST, CNR, Scuola Normale Superiore (Italy); W. Knap, TERALAB-GIS, CNRS, Univ. Montpellier 2 (France); L. Sorba, M. S. Vitiello, NEST, CNR, Scuola Normale Superiore (Italy)

SESSION 8 NEW DEVELOPMENTS IN THZ, RF, MILLIMETER-WAVES, AND SUB-MILLIMETER WAVES II

- 8985 0Z **Active metasurfaces** [8985-35]
A.-S. Popescu, T. Ali, The City College of New York (United States); I. Bendoy, Phoebus Optoelectronics, LLC (United States); S. Bikorimana, R. Dorsinville, The City College of New York (United States); L. Marchese, A. Bergeron, M. Terroux, INO (Canada); A. B. Golovin, D. T. Crouse, The City College of New York (United States)
- 8985 11 **RF-photonic wideband measurements of energetic pulses on NIF enhanced by compressive sensing algorithms** [8985-37]
J. Chou, Lawrence Livermore National Lab. (United States); G. C. Valley, The Aerospace Corp. (United States); V. J. Hernandez, C. V. Bennett, L. Pelz, J. Heebner, J. M. Di Nicola, M. Rever, M. Bowers, Lawrence Livermore National Lab. (United States)
- 8985 12 **Terahertz applications: trends and challenges** [8985-38]
T. Robin, C. Bouyé, J. Cochard, TEMATYS (France)
- 8985 13 **RF-wave generation using external cavity laser diodes frequency-stabilized to single optical cavity by using orthogonal polarized modes** [8985-39]
T. Uehara, K. Hagiwara, H. Tanigaki, K. Tsuji, N. Onodera, National Defense Academy of Japan (Japan)
- 8985 14 **Vertical transitions between transmission lines and waveguides in multilayer liquid crystal polymer (LCP) substrates** [8985-40]
Y. Zhang, S. Shi, R. D. Martin, D. W. Prather, Univ. of Delaware (United States)

SESSION 9 TERAHERTZ, RF, MILLIMETER-WAVE, AND SUB-MILLIMETER-WAVE PASSIVE COMPONENTS

- 8985 15 **Comparison analysis of microwave photonic filter using SOI microring and microdisk resonators** [8985-41]
L. Liu, J. Dong, T. Yang, X. Zhang, D. Gao, Huazhong Univ. of Science and Technology (China)

- 8985 16 **Techniques for the modelling of QUBIC: a next-generation quasi-optical bolometric interferometer for cosmology** [8985-42]
S. Scully, D. Gayer, D. Bennet, C. O'Sullivan, M. L. Gradziel, National Univ. of Ireland, Maynooth (Ireland)
- 8985 18 **Dual-frequency characterization of bending loss in hollow flexible terahertz waveguides** [8985-44]
P. Doradla, R. H. Giles, Univ. of Massachusetts Lowell (United States)

SESSION 10 RF, SUB-MILLIMETER-WAVE, AND MILLIMETER-WAVE SOURCES

- 8985 19 **A widely tunable narrow linewidth RF source utilizing an integrated heterogeneous photonic module** [8985-45]
D. W. Grund Jr., G. J. Schneider, J. Murakowski, D. W. Prather, Univ. of Delaware (United States)
- 8985 1A **A wide bandwidth analog front-end circuit for 60-GHz wireless communication receiver** [8985-46]
M. Furuta, H. Okuni, M. Hosoya, A. Sai, J. Matsuno, S. Saigusa, T. Itakura, Toshiba Corp. (Japan)
- 8985 1D **On the metrological performances of optoelectronic oscillators based on whispering gallery mode resonators** [8985-49]
K. Saleh, A. Coillet, R. Henriët, P. Salzenstein, L. Larger, Y. K. Chembo, FEMTO-ST, CNRS (France)

SESSION 11 NEW DEVELOPMENTS IN THZ, RF, MILLIMETER-WAVES, AND SUB-MILLIMETER WAVES III

- 8985 1E **Graphene-based optical modulator realized in metamaterial split-ring resonators operating in the THz frequency range** [8985-50]
R. Degl'Innocenti, D. S. Jessop, Y. D. Shah, J. Sibik, A. Zeittler, P. R. Kidambi, S. Hofmann, H. E. Beere, D. A. Ritchie, Univ. of Cambridge (United Kingdom)
- 8985 1F **Polymeric waveguide components for THz quantum cascade laser outcoupling** [8985-51]
F. Castellano, NEST, CNR, Scuola Normale Superiore (Italy); H. Beere, D. Ritchie, Univ. of Cambridge (United Kingdom); M. S. Vitiello, NEST, CNR, Scuola Normale Superiore (Italy)
- 8985 1G **Enhanced transmission and beam confinement using bullseye plasmonic lenses at THz frequencies** [8985-52]
T. J. Heggie, D. A. Naylor, B. G. Gom, Univ. of Lethbridge (Canada); E. V. Bordatchev, National Research Council Canada (Canada)
- 8985 1H **An optically controlled microwave phase stabilizer based on polarization interference technique using semiconductor optical amplifier** [8985-53]
H. Chen, M. Sun, X. Sun, Southeast Univ. (China)

POSTER SESSION

- 8985 1L **Dispersion flattened terahertz photonic crystal fiber with high birefringence and low confinement loss** [8985-57]
S. Kim, Y. S. Lee, C. Kee, Gwangju Institute of Science and Technology (Korea, Republic of);
C. G. Lee, Chosun Univ. (Korea, Republic of)
- 8985 1M **Subharmonic mixing at 0.6 THz in an AlGaAs/InGaAs/AlGaAs field effect transistor**
[8985-58]
V. Giliberti, Istituto di Fotonica e Nanotecnologie, CNR (Italy) and Univ. degli Studi di Roma
La Sapienza (Italy); A. Di Gaspare, E. Giovine, Istituto di Fotonica e Nanotecnologie, CNR
(Italy); S. Boppel, A. Lisauskas, H. G. Roskos, Johann Wolfgang Goethe-Univ. Frankfurt am
Main (Germany); M. Ortolani, Istituto di Fotonica e Nanotecnologie, CNR (Italy) and Univ.
degli Studi di Roma La Sapienza (Italy)
- 8985 1N **Coded and compressive THz imaging with metamaterials** [8985-59]
C. M. Watts, D. Shrekenhamer, Boston College (United States); J. Montoya, The Univ. of
New Mexico (United States); G. Lipworth, J. Hunt, Duke Univ. (United States); T. Sleasman,
Boston College (United States); S. Krishna, The Univ. of New Mexico (United States);
D. R. Smith, Duke Univ. (United States); W. J. Padilla, Boston College (United States)

Author Index

Conference Committee

Symposium Chairs

David L. Andrews, University of East Anglia Norwich (United Kingdom)
Alexei L. Glebov, OptiGrate Corporation (United States)

Symposium Co-chairs

Jean Emmanuel Broquin, IMEP-LAHC (France)
Shibin Jiang, AdValue Photonics, Inc. (United States)

Program Track Chair

James G. Grote, Air Force Research Laboratory (United States)

Conference Chairs

Laurence P. Sadwick, InnoSys, Inc. (United States)
Créidhe M. O'Sullivan, National University of Ireland, Maynooth (Ireland)

Conference Program Committee

Robert H. Giles, University of Massachusetts Lowell (United States)
R. Jennifer Hwu, InnoSys, Inc. (United States)
J. Anthony Murphy, National University of Ireland, Maynooth (Ireland)
Zachary D. Taylor, University of California, Los Angeles (United States)
Michael C. Wanke, Sandia National Laboratories (United States)
Tianxin Yang, Tianjin University (China)
Jiangfeng Zhou, University of Southern Florida (United States)

Session Chairs

- 1 Terahertz Sources I
Laurence P. Sadwick, InnoSys, Inc. (United States)
Tianxin Yang, Tianjin University (China)
- 2 Terahertz Sources II
Tianxin Yang, Tianjin University (China)
Laurence P. Sadwick, InnoSys, Inc. (United States)

- 3 Terahertz Sources III
Laurence P. Sadwick, InnoSys, Inc. (United States)
Robert H. Giles, University of Massachusetts Lowell (United States)

- 4 New Developments in THz, RF, Millimeter-Waves, and Sub-Millimeter Waves I
Laurence P. Sadwick, InnoSys, Inc. (United States)
R. Jennifer Hwu, InnoSys, Inc. (United States)

- 5 Spectroscopy I
Zachary D. Taylor, University of California, Los Angeles (United States)
Laurence P. Sadwick, InnoSys, Inc. (United States)

- 6 Spectroscopy II
Stephen P. Scully, National University of Ireland, Maynooth (Ireland)
Zachary D. Taylor, University of California, Los Angeles (United States)

- 7 Detectors
Robert H. Giles, University of Massachusetts Lowell (United States)
Jiangfeng Zhou, University of South Florida (United States)

- 8 New Developments in THz, RF, Millimeter-Waves, and Sub-Millimeter Waves II
Robert H. Giles, University of Massachusetts Lowell (United States)
Laurence P. Sadwick, InnoSys, Inc. (United States)

- 9 Terahertz, RF, Millimeter-Wave, and Sub-Millimeter-Wave Passive Components
Stephen P. Scully, National University of Ireland, Maynooth (Ireland)
Laurence P. Sadwick, InnoSys, Inc. (United States)

- 10 RF, Sub-Millimeter-Wave, and Millimeter-Wave Sources
Laurence P. Sadwick, InnoSys, Inc. (United States)

- 11 New Developments in THz, RF, Millimeter-Waves, and Sub-Millimeter Waves III
R. Jennifer Hwu, InnoSys, Inc. (United States)
Stephen P. Scully, National University of Ireland, Maynooth (Ireland)

Introduction

The 2014 Terahertz, RF, Millimeter, and Submillimeter-Wave Technology and Applications VI Conference was divided into eleven sessions reflecting specific categories as follows: Session 1 Terahertz Sources I, Session 2 Terahertz Sources II, Session 3 Terahertz Sources III, Session 4 New Developments in THz, RF, Millimeter-Waves, and Sub-Millimeter Waves I, Session 5 Spectroscopy I, Session 6 Spectroscopy II, Session 7 Detectors, Session 8 New Developments in THz, RF, Millimeter-Waves, and Sub-Millimeter Waves II, Session 9 Terahertz, RF, Millimeter-Wave, and Sub-Millimeter-Wave Passive Components, Session 10 RF, Sub-Millimeter-Wave, and Millimeter-Wave Sources, and Session 11 New Developments in THz, RF, Millimeter-Waves, and Sub-Millimeter Waves III and a poster session.

Session 1 began with an invited talk presented by Dr. Matthieu Martin from Professor Elliott Brown's research group on ErAs:GaAs extrinsic photoconductivity: a new alternative for 1550-nm-driven THz sources followed by a talk on Plasmonic photoconductive terahertz optoelectronics presented by Professor Mona Jarrahi, with additional talks on Narrowband continuous-wave terahertz generation and imaging, and Nonlinear optical resonators for tunable THz emission.

Session 2 began with an invited talk by Dr. Kyung Hyun Park on Photonic devices for tunable continuous-wave terahertz generation and detection followed by a talk on Silicon gradient index lens for THz pulse extraction with additional talks on A cost-effective terahertz continuous-wave system based on a compact dual-mode laser diode, Non-contact thickness, with the final talk of the session on conductivity measurement using a continuous-wave terahertz spectrometer based on a 1.3 μm dual-mode laser.

Session 3 began with a talk on Non-contact probes for THz-integrated devices based on fiber-coupled photomixers, followed by talks that included Terahertz emission in organic crystals pumped by conventional laser wavelength, Generation of broadband THz pulses (1-14 THz) with organic crystal DSTMS pumped by compact fs fiber lasers and Direct observation of terahertz photoluminescence from multi-layer epitaxial graphene on SiC under excitation by a mid-IR quantum cascade laser concluding with a talk on Confinement loss scaling law analysis in tube lattice fibers for terahertz applications.

Session 4 began with an invited talk on Optical design for translation of THz medical imaging technology by Dr. Zachary Taylor followed by talks on High-speed and broadband RF spectrum analyzer based on spectral hole burning in rare-earth-ion doped crystal, 10,000-fold field-enhancement for millimeter-wave transmission through one-nanometer gaps, and ending the session with a talk on Terahertz polarization imaging for colon cancer detection.

Session 5 began with a talk on Terahertz plasmonic waveguide sensing based on metal rod array structures followed by talks on Doping profile recognition in silicon using terahertz time-domain spectroscopy, Widening the span of GHz spacing optical frequency comb by increasing the pulse-shortening rate in RML fiber lasers and concluding with a talk on Innovative evaluation methods for terahertz-spectra by combining different chemometric tools

Session 6 began with a talk on the Design and engineering of organic molecules for customizable Terahertz tags, Terahertz spectroscopy of concrete for evaluating the critical hydration level, Compact and reconfigurable fiber-based terahertz spectrometer at 1550 nm, and concluding with Terahertz selective and reversible volatile vapor detection using micro-porous polymer structure.

Session 7 began with a talk on Broadband monopole optical nano-antennas followed by talks that included Ultrabroadband phased-array radio frequency (RF) receivers based on optical techniques, Nb₃N₆ microbolometer array for a compact THz imaging system, and concluded with a talk on High-performance room-temperature THz nanodetectors with a narrowband antenna.

Session 8 began with a talk on Active metasurfaces, followed by talks on Nonreciprocity and gyromagnetically-induced transparency of metasurfaces, RF-photonics wideband measurements of energetic pulses on NIF enhanced by compressive sensing algorithms, Terahertz applications: trends and challenges, RF-wave generation using external cavity laser diodes frequency-stabilized to single optical cavity by using orthogonal polarized modes, and concluded with a talk on Vertical transitions between transmission lines and waveguides in multilayer liquid crystal polymer (LCP) substrates.

Session 9 began with a talk on Comparison analysis of microwave photonic filter using SOI microring and microdisk resonators, followed by talks on Techniques for the modelling of QUBIC: a next-generation quasi-optical bolometric interferometer for cosmology, Dual-frequency laser harmonic

phase locking: Ultra-narrow line width of an optically carried signal at 300 GHz and concluded with a talk on Dual-frequency characterization of bending loss in hollow flexible terahertz waveguides.

Session 10 began with a talk on A widely tunable narrow linewidth RF source utilizing an integrated heterogeneous photonic module, followed by talks on A wide bandwidth analog front-end circuit for 60-GHz wireless communication receiver, Photonic generation of continuously-tunable microwave signals exploiting two tunable external-cavity lasers based on a polymer Bragg grating, Continuously-tunable microwave photonic filter based on a multiwavelength fiber laser incorporating polarization-differential time delay and nonlinear polarization rotation and concluded with a talk on On the metrological performances of optoelectronic oscillators based on whispering gallery mode resonators.

Session 11 began with a talk on Graphene-based optical modulator realized in metamaterial split-ring resonators operating in the THz frequency range, and continued with a talk on Polymeric waveguide components for THz quantum cascade laser outcoupling, Enhanced transmission and beam confinement using bullseye plasmonic lenses at THz frequencies, and concluded with a talk on An optically-controlled microwave phase stabilizer based on polarization interference technique using semiconductor optical amplifier.

There were also a number of excellent poster presentations at this conference.

As in prior Terahertz Technology and Applications Conferences, these papers represent a cross section of much of the research work that is being pursued in the technically challenging terahertz spectral region.

In the prior seven years of the Proceedings of this conference (Conferences 6472, 6893 7215, 7601, 7938, and 8621, 8624, respectively), we (including Dr. Kurt Linden) presented a list of recent technical articles describing significant advances in the terahertz technology. This year, for the interested reader, we also include a list that points to a rather extensive and growing database on the terahertz absorption characteristics of a large number of chemicals given on the website www.thzdb.org. That website, in turn, provides links to related terahertz technology database websites as shown in Table 1.

Table 1. List of terahertz technology database websites as found at www.thzdb.org

THz-BRIDGE Spectral Database http://www.frascati.enea.it/THz-BRIDGE/
NIST THz Spectral Database http://webbook.nist.gov/chemistry/thz-ir/
RIKEN THz Spectral Database http://www.riken.jp/THzdatabase/
THz Links from Rice University http://www-ece.rice.edu/~daniel/groups.html
Terahertz Technology Forum http://www.terahertzjapan.com/lang_english/index.html
Terahertz Science & Technology Network http://www.thznetwork.org/wordpress/
RIKEN Tera-Photonics Laboratory http://www.riken.go.jp/lab-www/tera/TP_HP/index_en.html
Quantum Semiconductor Electronics Laboratory, University of Tokyo http://thz.iis.u-tokyo.ac.jp/top-e.html
Terahertz Photonics Laboratory, Osaka University http://www.ile.osaka-u.ac.jp/research/THP/indexeng.html
Solid State Spectroscopy Group, Kyoto University http://www.hikari.scphys.kyoto-u.ac.jp/e_home.html
Kawase Laboratory "Tera health", Nagoya University http://www.nuee.nagoya-u.ac.jp/labs/optlab/kawase/index.html
NICT Terahertz Project http://act.nict.go.jp/thz/en/main_e.html
Laboratory of Terahertz Bioengineering, Tohoku University http://www.agri.tohoku.ac.jp/thz/jp/index_e.htm
Infrared and Raman Users Group http://www.irug.org/

In the last five years' introduction to SPIE Proceedings, Volumes 6472, 6893, 7215, 7601, 7938, respectively, two tables were included, one summarizing the more common terahertz radiation sources, and the other summarizing the more common terahertz detector types. For the interest of the general reader we again include these tables without updates other than to note that recent advancements in vacuum electronics BWOs coupled with solid state multipliers have now produced usable power above 2 THz and that devices such as quantum cascade lasers continue to make improvements that encroach upon established high power sources such as carbon dioxide lasers. Due to such advancements, any values listed in Tables 2 and 3 are likely to be bested by new records in a very short time period; however the sources and detectors listed in Tables 2 and 3 still comprise the majority of those used in the THz regime. Readers

of this volume may send additions and enhancements to these tables so that future volumes can continue to provide readers with relevant information on the availability of terahertz sources and detectors. Such suggestions can be sent to sadwick@innosystech.com.

Table 2. Summary of common terahertz sources

THz source type	Details	Characteristics
Synchrotron	* Coherent synchrotron produces very high photon flux, including THz region	E-beam, very broadband source, limited instrument availability, very large size, 20 W pulsed
Free electron laser	* Benchtop design at Univ. Essex, UK Elec beam moves over alternate H-field regions	Tunable over entire THz region, under development 0.1 - 4.8 THz, 0.5 - 5 kW, 1 - 20 us pulses at 1 Hz
Smith-Purcell emitters	* E-beam travels over metal grating surface,	Requires vacuum, has low efficiency
Backward-wave oscillators	* Vacuum tube, requires homog H-field~10 kG "Carcinotron", room temperature, to 1.2 THz	Tunable output possible. Under development and commercially available, 10 mW power level, <1 THz
Mercury lamp	* Water cooled housing, low press. 1E-3 Torr 75-150 W lamp, broad emission	Sciencetech SPS-200,300, low power density Low-cost, used in THz spectroscopy
Optically pumped gas cell laser	* Grating-tuned CO ₂ laser and far-IR gas cell such as methane. Most mature laser.	> 100 mW, 0.3-10 THz, discrete lines, CW/pulsed Commercially avail - Coherent (\$400K - \$1M)
Opt pump GaAs, p-InAs, Si, ZnTe, InGaAs (fiber laser pump), Ge photoconducting (PC) switch	* Mode locked Nd:YAG or Ti:sapphire laser creates short across biased spiral antenna gap * Also As-doped Si, CO ₂ laser pump	Imaging apparatus produced, 0.1 to 3 THz Commercially available, CW uW range, \$50K-500K 6 THz stim emission from As, Liq He temp.
Laser-induced air plasma	* Ti-saph laser induces air plasma	Remote THz generation possible, very low power Possibility of power increase in multiple plasmas
Photomixing of near-IR lasers	* Mixing tunable Ti-sapphire laser and diode laser in LT-grown GaAs photomixer. * GaSe crystal, Nd:YAG/OPO difference freq * Single 835 nm diode laser, external cavity * Diff-freq generation with 2 monolith QCLs	Tens of nW, tunable. Requires antenna pattern Not commercial. GaP gave 480 mW @ 1.3 THz Tunable 58-3540um (5-0.1THz), 209 W pulse 1.5THz 2-freq mix& 4-wave mixing, RT, sub-nW, 0.3-4.2THz 7.6 u & 8.7 u -> 5 THz, 60 nW pulsed output
Electrically pumped Ge in H-field	* Electric field injects electrons, magnetic field splits hole levels for low-E transitions	Requires electric and magnetic fields Output up to hundres of mW, cryogenic cooling, 1.5 ~ 4 THz
Electrically pumped Si:B or As	* Transitions between impurity levels 100 x 200 um rectangle mesas, biased	31 uW output at 8.1 THz, slightly polarized Cryogenic cooling needed
Electrically pulsed InGaAs RTD	* Harmonically generated by electrical pulses RTD integrated into slot antenna	0.6 uW, 1.02 THz harmonic from InGaAs/AIAs RTD pulsed at 300 Hz
Direct multiplied mm waves	* Multiplied to low-THz region up-multiplied from mm-wave	Low power (uW level), available (VA Diodes) Coherent, heterodyne local oscillators in astronomy
Parametric generators	* Q-switched Nd:YAG pumps MgO:LiNbO ₃ non-linear crystal, Phase matched GaAs, GaP	200 W pulsed power, room temp., 0.1-5 THz tunable some commercially available ~ \$30K
Quantum cascade (QC) laser	* First announced in 2002, semiconductor, AlGaAs/GaAs-based, MBE grown, 1.6 to 4 THz	Operated at mW power, and up to 164K pulsed THz not commercially available, require cryo-cooling
Josephson junction cascades	Research stage	0.4-0.85 THz, microwatts
Transistor	* InGaAs channel PHEMT with 35 nm gate * InGaAs with 12.5 nm gate, 0.845 THz	1.2 THz, development at Northrop Grumman Univ. Ill (Dec 2006)
Grating-bicoupled plasmon-FET	* GaAs based double interdigitated grating	with 1.5um laser illum., Tohoku/Hokkaido Univ.

Table 3. Summary of common terahertz radiation detectors

THz detector type	Details	Characteristics
Si bolometer	* Most sensitive (10 pW Hz ^{1/2}) THz detector at liquid He temp., slow response time	Responsivity 2E9V/W, NEP=1E-17 W/Hz ^{1/2} , 100 mK Requires liquid He dewar, commercially avail.
Superconducting hot elec bolom	* Highest sensitivity Fast (1 us) response time	Requires cooling to 0.3 K, NEP=1E-17 W/Hz ^{1/2} Commercially available, expensive, bulky
Pyroelectric detectors	* Slow response t, 220 nW sensitiv at 24 Hz Requires pulsed signals or mechanical chopper	Room temp operation, commercially available, Low cost, imagers available ~ \$10K
Schottky diodes	* ~ 1 THz cutoff frequency Fast response, but low THz sensitivity	Commercially available ((VA Diodes) with corner ref. Room temp operation, good for mixers
PC dipole antennas	* signal gen across biased spiral antenna gap Short pulsed detection only	Analogous to optically pumped THz PC switch but in detection mode. Commercially available
Antenna coupled inter-subband	* 4-terminal phototransistor, 1.6 THz	Under development UCSB
III-V HEMT & Si FET to 300K	* HEMT with 250 nm gate plasma wave-based detection	20 K, 50 mV/W at 420 GHz, still in development Univ research, Si NEP to 1E-10 W/Hz ^{1/2} at 300 K
Quantum dot photon detector	* Demo-photon counting terahertz microscopy imaging, requires 0.3 K temp, research only	Under development, 1E-19 W = 100 photons/sec, Tokyo Univ.

**Laurence P. Sadwick
Cridhe M. O'Sullivan**