PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 8986

, "Front Matter: Volume 8986," Proc. SPIE 8986, Gallium Nitride Materials and Devices IX, 898601 (3 April 2014); doi: 10.1117/12.2063889

SPIE.

Event: SPIE OPTO, 2014, San Francisco, California, United States

PROCEEDINGS OF SPIE

Gallium Nitride Materials and Devices IX

Jen-Inn Chyi
Yasushi Nanishi
Hadis Morkoç
Joachim Piprek
Euijoon Yoon
Hiroshi Fujioka
Editors

**3–6 February 2014
San Francisco, California, United States**

Sponsored and Published by
SPIE

Volume 8986

Proceedings of SPIE 0277-786X, V. 8986

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Gallium Nitride Materials and Devices IX, edited by Jen-Inn Chyi, Yasushi Nanishi, Hadis Morkoç,
Joachim Piprek, Euijoon Yoon, Hiroshi Fujioka, Proc. of SPIE Vol. 8986, 898601 · © 2014 SPIE
CCC code: 0277-786X/14/\$18 · doi: 10.1117/12.2063889

Proc. of SPIE Vol. 8986 898601-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Gallium Nitride Materials and Devices IX*, edited by Jen-Inn Chyi, Yasushi Nanishi, Hadis Morkoç, Joachim Piprek, Euijoon Yoon, Hiroshi Fujioka, Proceedings of SPIE Vol. 8986 (SPIE, Bellingham, WA, 2014) Article CID Number.

ISSN: 0277-786X

ISBN: 9780819498991

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2014, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/14/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

ix	Conference Committee
xiii	Introduction

SESSION 1 GROWTH I

- 8986 02 **Large-area bow-free n+ GaN templates by HVPE for LEDs (Invited Paper)** [8986-1]
J. H. Leach, Y. Shishkin, K. Uduary, E. A. Preble, K. R. Evans, Kyma Technologies, Inc. (United States)
- 8986 03 **Growth of bulk GaN crystal by Na flux method (Invited Paper)** [8986-2]
Y. Mori, M. Imade, M. Maruyama, M. Yoshimura, Osaka Univ. (Japan)
- 8986 07 **Homoepitaxial growth of AlN layers using by metalorganic vapor phase epitaxy on freestanding AlN substrate** [8986-6]
T. Morishita, Asahi Kasei Corp. (Japan) and Meijo Univ. (Japan); M. Iwaya, T. Takeuchi, S. Kamiyama, Meijo Univ. (Japan); I. Akasaki, Meijo Univ. (Japan) and Nagoya Univ. (Japan)

SESSION 2 GROWTH II

- 8986 0A **Crystal quality improvement of semipolar (20-21) GaN on patterned sapphire substrates by in-situ deposited SiN mask** [8986-9]
T. Meisch, M. Alimoradi-Jazi, B. Neuschl, M. Klein, I. Tischer, K. Thonke, F. Scholz, Univ. Ulm (Germany)

SESSION 3 GROWTH III

- 8986 0C **New directions in GaN material research: thinner and smaller (Invited Paper)** [8986-11]
G. Yuan, S. H. Park, B. Leung, J. Han, Yale Univ. (United States)
- 8986 0F **The growth of hexagonal GaN-on-Si(100) using pulsed laser deposition** [8986-14]
K.-C. Shen, M.-C. Jiang, H.-H. Hsueh, Y.-C. Kao, R.-H. Horng, National Chung Hsing Univ. (Taiwan); D.-S. Wu, National Chung Hsing Univ. (Taiwan) and Da-Yeh Univ. (Taiwan)

SESSION 4 MATERIAL CHARACTERIZATION I

- 8986 0L **Polarized time-resolved photoluminescence measurements of m-plane AlGaIn/GaN MQWs** [8986-20]
D. Rosales, B. Gil, T. Bretagnon, Lab. Charles Coulomb, CNRS (France) and Univ. Montpellier 2 (France); F. Zhang, S. Okur, M. Monavarian, N. Izioumskaia, V. Avrutin, Ü. Özgür, H. Morkoç, Virginia Commonwealth Univ. (United States); J. H. Leach, Kyma Technologies, Inc. (United States)

SESSION 5 MATERIAL CHARACTERIZATION II

- 8986 0P **Gain saturation in InGaN superluminescent diodes** [8986-23]
A. Kafar, S. Stanczyk, Institute of High Pressure Physics (Poland); G. Targowski, TopGaN Ltd. (Poland); T. Suski, Institute of High Pressure Physics (Poland); P. Perlin, Institute of High Pressure Physics (Poland) and TopGaN Ltd. (Poland)
- 8986 0T **Point defect management in GaN by Fermi-level control during growth** [8986-27]
M. P. Hoffmann, J. Tweedie, R. Kirste, Z. Bryan, I. Bryan, North Carolina State Univ. (United States); M. Gerhold, U.S. Army Research Office (United States); Z. Sitar, R. Collazo, North Carolina State Univ. (United States)

SESSION 6 MATERIAL CHARACTERIZATION III

- 8986 0V **Radiative and nonradiative decay of excitons in GaN nanowires (Invited Paper)** [8986-29]
C. Hauswald, T. Flissikowski, H. T. Grahn, L. Geelhaar, H. Riechert, O. Brandt, Paul-Drude-Institut für Festkörperelektronik (Germany)

SESSION 7 NANOSTRUCTURES AND DEVICES I

- 8986 0Z **Growth of GaN nanostructures with polar and semipolar orientations for the fabrication of UV LEDs (Invited Paper)** [8986-33]
J. Brault, B. Damilano, A. Courville, M. Leroux, Ctr. de Recherche sur l'Hétéro-Epitaxie et ses Applications, CNRS (France); A. Kahouli, Ctr. de Recherche sur l'Hétéro-Epitaxie et ses Applications, CNRS (France) and Univ. de Nice Sophia Antipolis (France); M. Korytov, P. Vennéguès, G. Randazzo, S. Chenot, Ctr. de Recherche sur l'Hétéro-Epitaxie et ses Applications, CNRS (France); B. Vinter, Ctr. de Recherche sur l'Hétéro-Epitaxie et ses Applications, CNRS (France) and Univ. de Nice Sophia Antipolis (France); P. De Mierry, J. Massies, D. Rosales, T. Bretagnon, B. Gil, Lab. Charles Coulomb, CNRS, Univ. Montpellier 2 (France)
- 8986 13 **The formation of hexagonal-shaped InGaN-nanodisk on GaN-nanowire observed in plasma source molecular beam epitaxy** [8986-37]
T. K. Ng, A. Gasim, D. Cha, B. Janjua, Y. Yang, King Abdullah Univ. of Science and Technology (Saudi Arabia); S. Jahangir, Univ. of Michigan (United States); C. Zhao, King Abdullah Univ. of Science and Technology (Saudi Arabia); P. Bhattacharya, Univ. of Michigan (United States); B. S. Ooi, King Abdullah Univ. of Science and Technology (Saudi Arabia)

SESSION 8 NANOSTRUCTURES AND DEVICES II

- 8986 17 **p-Type InN nanowires: towards ultrahigh speed nanoelectronics and nanophotonics** [8986-41]
S. Zhao, Z. Mi, B. H. Le, McGill Univ. (Canada)

- 8986 1B **Proposal for realizing high-efficiency III-nitride semiconductor tandem solar cells with InN/GaN superstructure magic alloys fabricated at raised temperature (SMART)** [8986-45]
K. Kusakabe, Chiba Univ. (Japan); A. Yoshikawa, Chiba Univ. (Japan) and Kogakuin Univ. (Japan)

SESSION 9 ELECTRICAL PROPERTIES AND DEVICES

- 8986 1C **Defects in GaN based transistors (Invited Paper)** [8986-47]
A. Sasikumar, A. R. Arehart, The Ohio State Univ. (United States); S. W. Kaun, Univ. of California, Santa Barbara (United States); J. Chen, E. X. Zhang, D. M. Fleetwood, R. D. Schrimpf, Vanderbilt Univ. (United States); J. S. Speck, Univ. of California, Santa Barbara (United States); S. A. Ringel, The Ohio State Univ. (United States)
- 8986 1D **Effect of electron density on cutoff frequency of III-N HFETs (Invited Paper)** [8986-48]
A. Matulionis, Ctr. for Physical Sciences and Technology (Lithuania); H. Morkoç, Virginia Commonwealth Univ. (United States)
- 8986 1E **Electrical characteristics of AlGaIn-GaN high electron mobility transistors and AlGaIn Schottky diodes irradiated with protons** [8986-49]
Y. Sin, N. Presser, B. Foran, S. LaLumondiere, W. Lotshaw, S. C. Moss, The Aerospace Corp. (United States)

SESSION 10 LED I

- 8986 1F **III-nitride tunnel junctions for efficient solid state lighting (Invited Paper)** [8986-46]
S. Krishnamoorthy, F. Akyol, S. Rajan, The Ohio State Univ. (United States)
- 8986 1G **Monolithic white light emitting diodes using a (Ga,In)N-based light converter (Invited Paper)** [8986-50]
B. Damilano, K. Lekhal, H. Kim-Chauveau, Ctr. de Recherche sur l'Hétéro-Epitaxie et ses Applications, CNRS (France); S. Hussain, Ctr. de Recherche sur l'Hétéro-Epitaxie et ses Applications, CNRS (France) and Univ. de Nice Sophia Antipolis (France); E. Frayssinet, J. Brault, S. Chenot, P. Vennéguès, P. De Mierry, J. Massies, Ctr. de Recherche sur l'Hétéro-Epitaxie et ses Applications, CNRS (France)
- 8986 1H **Optical properties of InGaIn/GaN MQW LEDs grown on Si (111) substrates with low threading dislocation densities** [8986-51]
S. Kimura, J. Tajima, H. Nago, T. Hikosaka, H. Yoshida, K. Uesugi, S. Nunoue, Toshiba Corp. (Japan)
- 8986 1I **Influence of nanoscale indium fluctuation in the InGaIn quantum-well LED to the efficiency droop with a fully 3D simulation model** [8986-52]
T.-J. Yang, National Taiwan Univ. (Taiwan); J. S. Speck, Univ. of California, Santa Barbara (United States); Y.-R. Wu, National Taiwan Univ. (Taiwan)

SESSION 11 LASERS

- 8986 1K **Design and lasing characteristics of GaN vertical elongated cavity surface emitting lasers (Invited Paper)** [8986-54]
M. Kawaguchi, O. Imafuji, K. Nagamatsu, K. Yamanaka, S. Takigawa, T. Katayama, Panasonic Corp. (Japan)
- 8986 1L **Recent advances in c-plane GaN visible lasers (Invited Paper)** [8986-55]
U. Strauß, T. Hager, G. Brüderl, T. Wurm, A. Somers, C. Eichler, C. Vierheilig, A. Löffler, J. Ristic, A. Avramescu, OSRAM Opto Semiconductor GmbH (Germany)
- 8986 1O **Advances in AlGaInN laser diode technology** [8986-58]
S. P. Najda, TopGaN Ltd. (Poland); P. Perlin, TopGaN Ltd. (Poland) and Institute of High Pressure Physics (Poland); T. Suski, L. Marona, Institute of High Pressure Physics (Poland); M. Boćkowski, M. Leszczyński, P. Wisniewski, R. Czernecki, TopGaN Ltd. (Poland) and Institute of High Pressure Physics (Poland); R. Kucharski, Ammono Sp. z o.o. (Poland); G. Targowski, TopGaN Ltd. (Poland); S. Watson, A. E. Kelly, Univ. of Glasgow (United Kingdom)
- 8986 1P **Microscopic-scale investigation of the degradation of InGaN-based laser diodes submitted to electrical stress** [8986-59]
M. Meneghini, S. Carraro, G. Meneghesso, N. Trivellin, Univ. degli Studi di Padova (Italy); G. Mura, Univ. of Cagliari (Italy); F. Rossi, G. Salvati, Istituto dei Materiali per l'Elettronica ed il Magnetismo, CNR (Italy); K. Holc, T. Weig, L. Schade, M. A. Karunakaran, J. Wagner, Fraunhofer-Institut für Angewandte Festkörperphysik (Germany); U. T. Schwarz, Fraunhofer-Institut für Angewandte Festkörperphysik (Germany) and Freiburg Univ. (Germany); E. Zanoni, Univ. degli Studi di Padova (Italy)

SESSION 12 LED EFFICIENCY DROOP I: JOINT SESSION WITH CONFERENCES 8986 AND 9003

- 8986 1R **Auger recombination and leakage in InGaN/GaN quantum well LEDs (Invited Paper)** [8986-61]
F. Römer, M. Deppner, C. Range, B. Witzigmann, Univ. Kassel (Germany)

SESSION 13 LED EFFICIENCY DROOP II: JOINT SESSION WITH CONFERENCES 8986 AND 9003

- 8986 1S **Low temperature studies of the efficiency droop in InGaN-based light-emitting diodes (Invited Paper)** [8986-62]
J.-I. Shim, H. Kim, D.-P. Han, D.-S. Shin, Hanyang Univ. (Korea, Republic of); K. S. Kim, Sangji Univ. (Korea, Republic of)

SESSION 14 LED II

- 8986 1V **High-power pseudomorphic mid-ultraviolet light-emitting diodes with improved efficiency and lifetime** [8986-65]
C. G. Moe, J. R. Grandusky, J. Chen, K. Kitamura, M. C. Mendrick, M. Jamil, M. Toita, S. R. Gibb, L. J. Schowalter, Crystal IS, Inc. (United States)

- 8986 1W **Boost in deep-UV electroluminescence from tunnel-injection GaN/AlN quantum dot LEDs by polarization-induced doping** [8986-66]
J. K. Verma, V. V. Protasenko, S. M. Islam, H. Xing, D. Jena, Univ. of Notre Dame (United States)

SESSION 15 LED III

- 8986 20 **Highly efficient InGaN MQW LEDs grown on 200 mm Si substrates (Invited Paper)** [8986-70]
M. Onomura, Toshiba America Electronic Components, Inc. (Japan)

POSTER SESSION

- 8986 27 **Multi-wavelength light emission from three-dimensional AlGaIn quantum wells fabricated on facet structures** [8986-76]
K. Kataoka, Kyoto Univ. (Japan) and Ushio Inc. (Japan); M. Yamaguchi, K. Fukushima, Ushio Inc. (Japan); M. Funato, Y. Kawakami, Kyoto Univ. (Japan)
- 8986 28 **Optical properties of *m*-plane GaN grown on patterned Si(112) substrates by MOCVD using a two-step approach** [8986-77]
N. Izyumskaya, S. Okur, F. Zhang, M. Monavarian, V. Avrutin, Ü. Özgür, Virginia Commonwealth Univ. (United States); S. Metzner, C. Karbaum, F. Bertram, J. Christen, Otto-von-Guericke-Univ. Magdeburg (Germany); H. Morkoç, Virginia Commonwealth Univ. (United States)
- 8986 29 **Characterization of 380nm UV-LEDs grown on free-standing GaN by atmospheric-pressure metal-organic chemical vapor deposition** [8986-78]
C. Y. Shieh, National Central Univ. (Taiwan); Z. Y. Li, H. C. Kuo, National Chiao Tung Univ. (Taiwan); J. Y. Chang, National Central Univ. (Taiwan); G. C. Chi, National Central Univ. (Taiwan) and National Chiao Tung Univ. (Taiwan)
- 8986 2A **Internal quantum efficiency and tunable colour temperature in monolithic white InGaIn/GaN LED** [8986-79]
I. E. Titkov, A. Yadav, V. L. Zerova, M. Zulonas, Univ. of Dundee (United Kingdom); A. F. Tsatsulnikov, W. V. Lundin, A. V. Sakharov, Ioffe Physico-Technical Institute (Russian Federation); E. U. Rafailov, Univ. of Dundee (United Kingdom) and Aston Univ. (United Kingdom)
- 8986 2B **Impact of extended defects on optical properties of (1- $\bar{1}01$)GaIn grown on patterned Si** [8986-81]
S. Okur, N. Izyumskaya, F. Zhang, V. Avrutin, Virginia Commonwealth Univ. (United States); S. Metzner, C. Karbaum, F. Bertram, Otto-von-Guericke Univ. Magdeburg (Germany); J. Christen, Otto-von-Guericke-Univ. Magdeburg (Germany); H. Morkoç, Ü. Özgür, Virginia Commonwealth Univ. (United States)

- 8986 2C **Determination of carrier diffusion length in p- and n-type GaN** [8986-82]
S. Hafiz, Virginia Commonwealth Univ. (United States); S. Metzner, Otto-von-Guericke-Univ. Magdeburg (Germany); F. Zhang, M. Monavarian, V. Avrutin, H. Morkoç, Virginia Commonwealth Univ. (United States); C. Karbaum, F. Bertram, J. Christen, Otto-von-Guericke-Univ. Magdeburg (Germany); B. Gil, Univ. Montpellier 2 (France); Ü. Özgür, Virginia Commonwealth Univ. (United States)

Author Index

Conference Committee

Symposium Chairs

David L. Andrews, University of East Anglia Norwich (United Kingdom)
Alexei L. Glebov, OptiGrate Corporation (United States)

Symposium Cochairs

Jean Emmanuel Broquin, IMEP-LAHC (France)
Shibin Jiang, AdValue Photonics, Inc. (United States)

Program Track Chair

James G. Grote, Air Force Research Laboratory (United States)

Conference Chairs

Jen-Inn Chyi, National Central University (Taiwan)
Yasushi Nanishi, Ritsumeikan University (Japan)
Hadis Morkoç, Virginia Commonwealth University (United States)

Conference CoChairs

Joachim Piprek, NUSOD Institute LLC (United States)
Euijoon Yoon, Seoul National University (Korea, Republic of)
Hiroshi Fujioka, The University of Tokyo (Japan)

Conference Program Committee

Hiroshi Amano, Nagoya University (Japan)
Jong Hyeob Baek, Korea Photonics Technology Institute (Korea, Republic of)
Shigefusa F. Chichibu, Tohoku University (Japan)
Bernard Gil, Université Montpellier 2 (France)
Nicolas Grandjean, Ecole Polytechnique Fédérale de Lausanne (Switzerland)
Hideki Hirayama, RIKEN (Japan)
Stacia Keller, University of California, Santa Barbara (United States)
Michael Kneissl, Technische Universität Berlin (Germany)
Hao-Chung Kuo, National Chiao Tung University (Taiwan)
Narihiko Maeda, NTT Photonics Laboratories (Japan)
Koh Matsumoto, Taiyo Nippon Sanso EMC Ltd. (Japan)
Hideito Miyake, Mie University (Japan)

Yong-Tae Moon, LG Electronics Inc. (Korea, Republic of)
Ki-Bum Nam, Seoul Semiconductor (Korea, Republic of)
Ümit Özgür, Virginia Commonwealth University (United States)
Ulrich T. Schwarz, Fraunhofer-Institut für Angewandte Festkörperphysik
 (Germany)
Tae-Yeon Seong, Korea University (Korea, Republic of)
Jong-In Shim, Hanyang University (Korea, Republic of)
Chih-Chung Yang, National Taiwan University (Taiwan)

Session Chairs

- 1 Growth I
Hadis Morkoç, Virginia Commonwealth University (United States)
- 2 Growth II
Hiroshi Fujioka, The University of Tokyo (Japan)
- 3 Growth III
Michał Bockowski, Institute of High Pressure Physics (Poland)
- 4 Material Characterization I
Yasushi Nanishi, Ritsumeikan University (Japan)
- 5 Material Characterization II
Jürgen Christen, Otto-von-Guericke-Universität Magdeburg
 (Germany)
- 6 Material Characterization III
Jung Han, Yale University (United States)
- 7 Nanostructures and Devices I
Eva Monroy, CEA Grenoble (France)
- 8 Nanostructures and Devices II
Julien Brault, Center de Recherche sur l'Hétéro-Epitaxie et ses
 Applications (France)
- 9 Electrical Properties and Devices
Jen-Inn Chyi, National Central University (Taiwan)
- 10 LED I
Uwe Strauss, OSRAM Opto Semiconductors GmbH (Germany)
- 11 Lasers
Joachim Piprek, NUSOD Institute LLC (United States)

- 12 LED Efficiency Droop I: Joint Session with Conferences 8986 and 9003
Joachim Piprek, NUSOD Institute LLC (United States)
- 13 LED Efficiency Droop II: Joint Session with Conferences 8986 and 9003
Klaus P. Streubel, OSRAM AG (Germany)
- 14 LED II
Jong-In Shim, Hanyang University (Korea, Republic of)
- 15 LED III
Hadis Morkoç, Virginia Commonwealth University (United States)

Introduction

GaN based electronic and optoelectronic devices, particularly light emitting diodes and exploration of semi-polar orientations now that the truly bulk GaN substrates are available, albeit to a small group of researchers, continue to develop rapidly as reflected by the advances reported at the conference. Having penetrated the automobiles, traffic lights, moving signs, outdoor displays and lighting, handheld electronics, and background lighting in many consumer electronics gadgets including flat panel televisions, the GaN based LEDs are at the cusp of becoming the dominant technology in general lighting. The most challenging of all, the indoor lighting with LEDs, is on its way as high efficiency warm-white LED light sources are also being made available by an increasing number of vendors, including an attractive approach of integrating GaN based white LEDs, operating near the maximum efficiency at low current, with conventional red LEDs in the high voltage configuration.

Particulars of the efficiency retention issue (rather the loss of it) at high injection levels continued to receive a good deal of attention again due to its impact on efficiency of indoor lighting by LEDs. This time around direct observation of Auger process generated hot electron flyover reported in a vacuum electron emission spectroscopy experiment along with theories of efficiency loss based on this mechanism together with other contributions provided intense discussions. As if oblivious to it all, the LED industry has been moving along with a two-prong approach. In one, dubbed the "high voltage LED", a series of LEDs (most likely configured in the form of a full-wave bridge rectifier) operating at low currents where the efficiency is at its maximum are used with the added benefit of much reduced power supply complexity and weight. The other is the continual improvement of layer quality and optimum active layer design, taking technological parameters into consideration, which would lead one to ponder whether there is a killer inherent efficiency limiting process. Luminous and wall plug efficiencies are now about 260 lm/W and over 60%, respectively, at high currents, which is astonishing.

To reduce the cost of LEDs, 200 mm Si substrates are being implemented with the added advantage of using abandoned Si fabrication lines for LED production. The attendees heard that GaN based LEDs on 200 mm Si substrates exhibit 63% wall-plug efficiency at an injection current of 350 mA, which translates to approximately 75% efficiency once the voltage (~90%), and phosphor conversion (~90) efficiencies are accounted for. Assuming the same extraction and external quantum efficiencies, one gets about 86% for each. It would not be an exaggeration to conclude that mid 90% internal quantum efficiency is probably in play here, which means that the purported inherent problems dominating the discussion seemed to have been reduced to an academic exercise as predicted by some already. Eventually, the real limiting factors are the extent of hole supply

(can be mitigated by increased hole concentration) and thermal wall (can be mitigated by increased efficiency and efficient heat removal).

Both HVPE and ammono-thermally-grown GaN are being positioned for niche markets. Bow free templates produced by HVPE are successfully used by certain segments of the industry to produce LEDs with high yield. Availability of high quality true GaN substrates is making it possible to delve deeper into GaN based lasers and also RF power devices. Ammono-thermally grown GaN substrates with novel semi-polar orientations is allowing a glimpse of some interesting properties along with potential benefits and challenges in terms of growth and also device performance. With the advent of truly bulk GaN substrates, researchers are now able to delve deeper into the lasers unearthing their unique properties which forked into vertical cavity lasers as well as photonic crystals with attractive fabrication processes.

The SPIE conference on GaN Materials and Devices is annually organized to disseminate the latest developments and provide an opportunity for researchers from around the world to engage in far reaching and probing discussions. Many world-renowned invited speakers from Asia, Europe and United States set the stage with wide ranging formal discussions. Not to be underestimated is the fact that the meeting served the purpose of getting experts and newcomers together for friendship and informal discussions of issues relevant to GaN and related materials and devices, and also to develop collaborations. Such exchanges will undoubtedly play an invaluable role in propelling the field forward in general and in particular addressing pivotal issues such as determination and improvement of internal and external quantum efficiencies of LEDs as well as realizing the full potential of GaN power devices for energy efficiency products.

**Jen-Inn Chyi
Yasushi Nanishi
Hadis Morkoç
Joachim Piprek
Euijoon Yoon
Hiroshi Fujioka**