PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 9086

, "Front Matter: Volume 9086," Proc. SPIE 9086, Display Technologies and Applications for Defense, Security, and Avionics VIII; and Head- and Helmet-Mounted Displays XIX, 908601 (3 July 2014); doi: 10.1117/12.2074316

SPIE.

Event: SPIE Defense + Security, 2014, Baltimore, MD, United States

PROCEEDINGS OF SPIE

Display Technologies and Applications for Defense, Security, and Avionics VIII; and Head- and Helmet-Mounted Displays XIX

Daniel D. Desjardins
Kalluri R. Sarma
Peter L. Marasco
Paul R. Havig
Michael P. Browne
James E. Melzer
Editors

7–8 May 2014
Baltimore, Maryland, United States

Sponsored and Published by
SPIE

Volume 9086

Proceedings of SPIE 0277-786X, V. 9086

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Display Technologies and Applications for Defense, Security, and Avionics VIII; and Head- and Helmet-Mounted Displays XIX, edited by D. D. Desjardins, K. R. Sarma, P. L. Marasco, P. R. Havig, M. P. Browne, J. E. Melzer, Proc. of SPIE Vol. 9086, 908601 · © 2014 SPIE · CCC code: 0277-786X/14/\$18 · doi: 10.1117/12.2074316

Proc. of SPIE Vol. 9086 908601-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Display Technologies and Applications for Defense, Security, and Avionics VIII; and Head- and Helmet-Mounted Displays XIX*, edited by D. D. Desjardins, K. R. Sarma, P. L. Marasco, P. R. Havig, M. P. Browne, J. E. Melzer, Proceedings of SPIE Vol. 9086 (SPIE, Bellingham, WA, 2014) Article CID Number.

ISSN: 0277-786X

ISBN: 9781628410235

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2014, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/14/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE
Digital Library

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

vii	Conference Committees
ix	Introduction to Part A: Display Technologies and Applications for Defense, Security, and Avionics VIII

Part A Display Technologies and Applications for Defense, Security, and Avionics VIII

SIMULATION VISUAL SYSTEMS

- 9086 02 **Night vision goggle stimulation using LCoS and DLP projection technology, which is better?** [9086-1]
M. H. Ali, P. Lyon, P. De Meerleer, Barco, Inc. (United States)
- 9086 04 **Focusing the research agenda for simulation training visual system requirements** [9086-3]
C. J. Lloyd, Visual Performance, LLC (United States)

3D, STEREOSCOPIC AND HOLOGRAPHIC DISPLAYS

- 9086 05 **Subjective evaluations of multiple three-dimensional displays by a stereo-deficient viewer: an interesting case study (Invited Paper)** [9086-4]
J. P. McIntire, S. A. Ellis, Air Force Research Lab. (United States); L. K. Harrington, Ball Aerospace (United States); P. R. Havig, Air Force Research Lab. (United States)
- 9086 06 **Recent developments in stereoscopic and holographic 3D display technologies** [9086-5]
K. Sarma, Honeywell International, Inc. (United States)

ERGONOMICS AND THE HUMAN SENSORY SYSTEM

- 9086 08 **ARINC 818 specification revisions enable new avionics architectures (Invited Paper)** [9086-7]
P. Grunwald, Great River Technology, Inc. (United States)
- 9086 09 **Visual acuity and its implications for display systems: a review of previous, relevant research** [9086-8]
D. D. Desjardins, Consultant (United States)

MICRO-DISPLAYS

- 9086 0B **Augmenting reality in Direct View Optical (DVO) overlay applications** [9086-10]
T. Hogan, T. Edwards, Kopin Corp. (United States)

- 9086 0C **High-brightness displays in integrated weapon sight systems** [9086-11]
T. Edwards, T. Hogan, Kopin Corp. (United States)

HEAD-UP DISPLAYS

- 9086 0E **Advances and trends of head-up and head-down display systems in automobiles** [9086-12]
J. A. Betancur, G. Osorio- Gomez, J. D. Agudelo, Univ. EAFIT (Colombia)
- 9086 0F **Approaches to the design of low-cost HUD systems** [9086-13]
P. L. Wisely, HOLOEYE Systems Inc. (United Kingdom); W. P. Bleha, HOLOEYE Systems Inc. (United States)

CORNUCOPIA

- 9086 0H **Current state of OLED technology relative to military avionics requirements (Best Paper Award)** [9086-15]
J. L. Tchou, T. J. Barnidge, B. D. Hufnagel, B. Bahadur, Rockwell Collins, Inc. (United States)

Part B **Head- and Helmet-Mounted Displays XIX: Design and Applications**

APPLICATIONS AND OPERATIONS

- 9086 0N **Performance comparison between a head-worn display system and a head-up display for low visibility commercial operations** [9086-21]
J. J. Arthur III, L. J. Prinzel III, NASA Langley Research Ctr. (United States); J. R. Barnes, Booz Allen Hamilton Engineering Services (United States); S. P. Williams, D. R. Jones, NASA Langley Research Ctr. (United States); S. J. Harrison, Old Dominion Univ. (United States); R. E. Bailey, NASA Langley Research Ctr. (United States)
- 9086 0P **Evaluation of helmet-mounted display targeting symbology based on eye tracking technology** [9086-24]
L. Wang, F. Wen, C. Ma, S. Zhao, X. Liu, Beihang Univ. (China)

SYSTEMS

- 9086 0R **Virtual reality 3D headset based on DMD light modulators** [9086-26]
B. E. Bernacki, Pacific Northwest National Lab. (United States); A. Evans, E. Tang, Avegant Corp. (United States)
- 9086 0S **Head-up and head-down displays integration in automobiles** [9086-27]
J. A. Betancur, G. Osorio- Gómez, J. D. Agudelo, Univ. EAFIT (Colombia)

COMPONENT TECHNOLOGIES

- 9086 OT **Smart filters: operational HMD even at bright sunlight conditions** [9086-28]
A. Donval, N. Gross, E. Partouche, I. Dotan, O. Lipman, M. Oron, KiloLambda Technologies, Ltd. (Israel)
- 9086 OU **Scorpion Hybrid Optical-based Inertial Tracker (HObIT) test results** [9086-29]
R. Atac, S. Spink, T. Calloway, E. Foxlin, Thales Visionix, Inc. (United States)
- 9086 OV **Gradient index eyepiece technology for head-mounted display applications** [9086-30]
P. L. Marasco, Air Force Research Lab. (United States)
- 9086 OW **A versatile photogrammetric camera automatic calibration suite for multispectral fusion and optical helmet tracking** [9086-32]
J. de Villiers, Council for Scientific and Industrial Research (South Africa) and Univ. of Cape Town (South Africa); R. Jermy, Council for Scientific and Industrial Research (South Africa); F. Nicolls, Univ. of Cape Town (South Africa)

Author Index

Conference Committees

Symposium Chair

David A. Whelan, Boeing Defense, Space, and Security
(United States)

Symposium Co-chair

Nils R. Sandell Jr., Strategic Technology Office, DARPA (United States)

Part A   Display Technologies and Applications for Defense, Security, and Avionics VIII

Conference Chairs

Daniel D. Desjardins, Consultant (United States)
Kalluri R. Sarma, Honeywell Technology, Inc. (United States)

Conference Program Committee

Masoud Ali, Barco, Inc. (United States)
Alexander A. Cameron, BAE Systems (United Kingdom)
Jerome Conway, L-3 Display Systems (United States)
Timothy J. Edwards, Kopin Corporation (United States)
Amalkumar Ghosh, eMagin Corporation (United States)
Paul R. Havig, Air Force Research Laboratory (United States)
Gary W. Jones, NanoQuantum Sciences, Inc. (United States)
Charles J. Lloyd, Visual Performance, LLC (United States)
Gail M. Nicholson, Naval Surface Warfare Center Crane Division
(United States)
James Niemczyk, American Panel Corporation (United States)
Joe Tchon, Rockwell Collins, Inc. (United States)
Michael W. Weisser, SCHOTT North America, Inc. (United States)
Paul L. Wisely, HOLOEYE Systems (United States)

Session Chairs

Simulation Visual Systems
Kalluri R. Sarma, Honeywell Technology, Inc. (United States)

3D, Stereoscopic and Holographic Displays
Daniel D. Desjardins, Consultant (United States)

Ergonomics and the Human Sensory System
Joe Tchon, Rockwell Collins, Inc. (United States)

Micro-Displays
Gary W. Jones, NanoQuantum Sciences, Inc. (United States)

Head-Up Displays
Charles J. Lloyd, Visual Performance, LLC (United States)

Cornucopia
Paul L. Wisely, HOLOEYE Systems Inc. (United Kingdom)

Part B   Head- and Helmet-Mounted Displays XIX: Design and Applications

Conference Chairs

Peter L. Marasco, Air Force Research Laboratory (United States)
Paul R. Havig, Air Force Research Laboratory (United States)
Michael P. Browne, SA Photonics (United States)
James E. Melzer, Rockwell Collins Optronics (United States)

Conference Program Committee

Randall E. Bailey, NASA Langley Research Center (United States)
Sion Jennings, National Research Council Canada (Canada)

Session Chairs

Human Factors Applications
Peter L. Marasco, Air Force Research Laboratory (United States)

Applications and Operations
James E. Melzer, Rockwell Collins Optronics (United States)

Systems
Michael P. Browne, SA Photonics (United States)

Component Technologies
Michael P. Browne, SA Photonics (United States)

Introduction

Conference on Display Technologies and Applications for Defense, Security, and Avionics VIII

The Display Technologies and Applications conference addresses displays of all kinds, to include supporting technologies, with applications to defense, security, avionics (also vetronics and shipboard electronics) and space. We reach out to invite and welcome papers not only regarding visual displays, but also those regarding auditory and haptic systems used to implement the human-to-system interfaces. Associated display applications encompass the full range of military (land, sea, air, and space) platforms, man-portable and training functions, and include civilian aircraft, as well as land transport and security functions. User groups include warfighters, special operations personnel, command/control/surveillance, and unmanned vehicle controllers. The emphasis is both on systems delivered to the field and emerging science and technology associated with displays, including optics, materials science, and human factors design.

As per past years, this year's Defense, Security and Avionics Displays VIII conference was a forum for display related papers regarding a wide range of civil, Department of Defense, and Homeland Security systems. Proceedings Volume, 9086A, includes 11 papers presented in six sessions, to include: Simulation Visual Systems; 3D, Stereoscopic and Holographic Displays; Ergonomics and the Human Sensory System; Micro-Displays; Head-Up Displays; and, for individual papers on disparate subject areas, "Cornucopia."

Visual Systems for Simulation was a subject area long missing from recent past conferences. Barco USA addressed the pros/cons of LCOS vs. DLP projection technology used for high-fidelity night vision training, e.g., realistic night vision goggle stimulation, pointing up that while LCOS has higher contrast, DLP allows the addition of infrared LEDs providing effects that can compensate for the lack of inherent contrast. Rounding out the session, Visual Performance gave two papers, an invited one on proposed luminance requirements meeting user expectations, and another describing a process by which projection display requirements associated with need vs. cost challenges are identified, described, and rated. The luminance requirements paper pointed up that while LCD and DLP technology deliver significantly higher arc-lamp luminance (than the previous CRT technology), the higher luminance is typically short-lived. The paper outlined a comprehensive and defensible system luminance requirement that overtly accounts for the fall-off in arc-lamp luminance versus age. The second paper identified that while requirements documents typically call out some 40–50 design parameters, this number could be reduced to an approximate dozen parameters based on the use of six criteria identifying parameters most worthy of research attention.

Although 3D, stereoscopic and holographic displays have received much attention at past conferences, this year saw only two papers focused on this area. One from Air Force Research Lab (invited this year due to sequester cancellation in 2013) high-lighted a case study of the effects of stereo-deficiency on subjective evaluations of 3D displays—an important consideration in view of that service's planned use of a first-ever 3D display for the KC-46 boom operator station. A second paper by Honeywell Technology reviewed the attributes of, and significant progress by, stereoscopic and 3D display technologies for varied applications, including medical, industrial, and entertainment.

NanoQuantum Sciences lead off the session in Ergonomics and the Human Sensory System by reviewing attributes of the human visual system and the relevance of common standards for determining light source suitability. The main presentation; however, summarized a study of reflected and emitted light, presenting spectral data experimentally obtained from broad spectrum and special purpose light source illumination of a variety of terrestrial objects. The objective was to assess optimal lighting spectra for detection and identification. Great River Technology discussed several new architectures and capabilities associated with the 2013 release of ARINC 818-2, to include switching, stereo and 3D provisions, color sequential implementations, bi-directional communication, higher link rates, data-only transmissions, synchronization signals, and optical interface details. The paper discussed each of the new capabilities and the impact on avionics and display architectures. Yet a third paper by independent consultant Dan Desjardins presented a review of earlier papers by government, industry, and university authors on performance of the human eye-brain system with regard to resolution. A summary of clinical findings regarding visual resolution performance was reported, with consequent implications as to maximizing display system design.

Micro-Displays enjoyed three papers by two prominent private industry contributors long active in the field. Kopin gave two papers, both in regard to fire control systems. The first of these spoke to the development of a new, general purpose low power graphics controller with dual-path display driver electronics. Features of the graphics controller included a capability for multiple graphics layers, user configurable fonts and icons, and parameterized vector rendering. The second paper reviewed various approaches for integrating high brightness overlay displays (demonstrating luminance levels > 6,000 fL to the eye) with existing direct-view rifle sights and augmenting their precision aiming and targeting capability. In a last paper for this session, eMachine described the design and construction of a fully automated life test system that allows continuous monitoring and measuring of several display characteristics, including luminance vs. time, and simultaneous spectrum and color coordinates for multiple microdisplays that vary per resolution and driving schemes. Life test data for eMachine AMOLED microdisplays of various resolutions were presented.

The return of a previous paper from the Physical Engineering Department at the Universidad EAFIT (Columbia) regarding head-up displays for automotive

applications revealed advances made in deciding an appropriate manner of display integration, where additional advantages and risks are identified and analyzed. This invited paper in the Head-Up Displays session was followed by one from HOLOEYE Systems regarding approaches for design of a low-cost head-up display system. The steady increase in cost vs. increased performance for HUDs has apparently dictated a restricted market for civil applications, i.e., only some of the larger passenger and high-end business jets. This paper discussed techniques and approaches to reduce the physical volume and associated costs of HUDs, thereby making the operational and safety benefits available to a broader range of civil aircraft applications.

The final Cornucopia session was an unexpected case of the best saved for last, with a singular paper by Rockwell Collins on the current state of OLED technology for military avionics. Their 2012 paper on adapting a COTS 15 in. AMOLED display for rugged aerospace applications is here followed by one that summarizes life study results regarding OLED display optical and environmental performance. Performance gaps relative to required performance thresholds is critical to understanding where future research and development needs to be focused for this promising technology.

Best Paper: We would like to extend our sincere congratulations to Joe Tchon, T.J. Barnidge, Bruce Hufnagel, and Birendra Bahadur of Rockwell Collins, as winners of this year's Best Paper award: "Current state of OLED technology relative to military avionics requirements" (paper 9086-15). Please join us in congratulating Joe, T.J., Bruce, and Birendra on this fine achievement!

As a final note, we wish to express our sincere delight in seeing all who attended this year's conference. We have taken note of your views and opinions expressed for improving next year's conference, e.g., soliciting greater military attendance, recruiting papers from university authors, pursuing paper topics corresponding to the DSS13 Attendee Survey, and will take action on those recommendations. Please look for the Call which shall be issued in late June and be sure to alert your colleagues and co-workers. Thank you—and we look forward to seeing you again in 2015!

**Daniel D. Desjardins
Kalluri R. Sarma**