PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 9430

, "Front Matter: Volume 9430," Proc. SPIE 9430, Electroactive Polymer Actuators and Devices (EAPAD) 2015, 943001 (4 May 2015); doi: 10.1117/12.2184300

SPIE.

Event: SPIE Smart Structures and Materials + Nondestructive Evaluation and Health Monitoring, 2015, San Diego, California, United States

PROCEEDINGS OF SPIE

Electroactive Polymer Actuators and Devices (EAPAD) 2015

Yoseph Bar-Cohen

Editor

9–12 March 2015

San Diego, California, United States

Sponsored by
SPIE

Cosponsored by
American Society of Mechanical Engineers (United States)

Cooperating Organizations
Intelligent Materials Forum (Japan)
Jet Propulsion Laboratory (United States)
National Science Foundation (United States)

Published by
SPIE

Volume 9430

Proceedings of SPIE 0277-786X, V. 9430

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Electroactive Polymer Actuators and Devices (EAPAD) 2015, edited by Yoseph Bar-Cohen, Proc. of SPIE
Vol. 9430, 943001 · © 2015 SPIE · CCC code: 0277-786X/15/\$18 · doi: 10.1117/12.2184300

Proc. of SPIE Vol. 9430 943001-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Electroactive Polymer Actuators and Devices (EAPAD) 2015*, edited by Yoseph Bar-Cohen, Proceedings of SPIE Vol. 9430 (SPIE, Bellingham, WA, 2015) Article CID Number.

ISSN: 0277-786X

ISBN: 9781628415339

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2015, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/15/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print. Papers are published as they are submitted and meet publication criteria. A unique citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages.

Contents

ix	<i>Authors</i>
xiii	<i>Conference Committee</i>
xvii	<i>EAP-in-Action Demonstration Session</i>
xxix	<i>Introduction</i>

SESSION 1 EAP AS EMERGING ACTUATORS

9430 04	Reducing laser speckle with electroactive polymer actuators (Invited Paper) [9430-3]
---------	---

SESSION 2 POWER GENERATION AND ENERGY HARVESTING

9430 06	Analyses and comparison of an energy harvesting system for dielectric elastomer generators using a passive harvesting concept: the voltage-clamped multi-phase system [9430-5]
9430 07	Comparison of bidirectional power electronics with unidirectional topologies using active discharging circuits for feeding DEAP transducer [9430-6]
9430 08	Electronics drivers for high voltage dielectric electro active polymer (DEAP) applications [9430-7]

SESSION 3 DIELECTRIC EAP MATERIALS AND ACTUATORS I

9430 09	Towards fast, reliable, and manufacturable DEAs: miniaturized motor and Rupert the rolling robot (Invited Paper) [9430-8]
9430 0A	Dielectric materials, design, and realization (Invited Paper) [9430-9]
9430 0B	Strain-dependent characterization of electrode and polymer network of electrically activated polymer actuators [9430-10]
9430 0C	Performance prediction of circular dielectric electro-active polymers membrane actuators with various geometries [9430-11]
9430 0D	Characterization of the dielectric breakdown field strength of PDMS thin films: thickness dependence and electrode shape [9430-12]

SESSION 4	IONIC EAP I
9430 OE	Thermal behavior of ionic electroactive polymer actuators [9430-13]
9430 OF	Modeling of the time-dependent strain response of electroactive NCC-PEO and PVDF composites [9430-14]
9430 OG	A physics-based model for actuation and sensing of ionic polymer metal composites [9430-15]
9430 OH	Development and characterization of an IPMC hair-like transducer [9430-16]
SESSION 5	DIELECTRIC EAP MATERIALS AND ACTUATORS II
9430 OK	Electromechanical characterization of a new synthetic rubber membrane for dielectric elastomer transducers [9430-19]
9430 OL	Silicone films with high stiffness and increasing permittivity through dipole-grafting [9430-20]
9430 OM	Large-strain, high-stress tubular dielectric elastomer actuator with high pre-stretch and oil encapsulation [9430-21]
9430 ON	The characterization of silicone type dielectric elastomer filled with nano sized BaTiO₃ particles [9430-22]
SESSION 6A	IONIC EAP II
9430 OO	High speed electromechanical response of ionic microactuators (Invited Paper) [9430-23]
9430 OP	Measuring blocking force to interpret ionic mechanisms within bucky-gel actuators [9430-24]
9430 OQ	A power-autonomous self-rolling wheel using ionic and capacitive actuators [9430-25]
9430 OR	Long-term behavior of ionic electroactive polymer actuators in variable humidity conditions [9430-26]
9430 OS	Long-term degradation of the ionic electroactive polymer actuators [9430-27]
9430 OT	High energy density interpenetrating networks from ionic networks and silicone [9430-28]
SESSION 6B	NANO-TECH AND CNT EAP
9430 OU	Cross-linked carbon nanotubes buckygel actuators: an in-depth study [9430-30]
9430 OV	Parylene coated carbon nanotube actuators for tactile stimulation [9430-31]

9430 0Z **Thin-film dielectric elastomer sensors to measure the contraction force of smooth muscle cells** [9430-85]

9430 10 **Development of compact slip detection sensor using dielectric elastomer** [9430-87]

SESSION 7A DIELECTRIC EAP MATERIALS AND ACTUATORS III

9430 11 **Interfacing dielectric elastomer actuators with liquids** [9430-35]

9430 12 **Silicone elastomers with high dielectric permittivity and high dielectric breakdown strength based on tunable functionalized copolymers** [9430-36]

9430 13 **Elastomer modulus and dielectric strength scaling with sample thickness** [9430-37]

9430 14 **Dielectric elastomer actuators as self-sensing devices: a new method of superimposing actuating and sensing signals** [9430-38]

9430 15 **Leakage current and stability of acrylic elastomer subjected to high DC voltage** [9430-39]

SESSION 7B CONDUCTING EAP MATERIALS

9430 16 **Soft linear electroactive polymer actuators based on polypyrrole** [9430-40]

9430 18 **Sequential growth for lifetime extension in biomimetic polypyrrole actuator systems** [9430-42]

9430 19 **Fabrication of ion-conducting carbon-polymer composite electrodes by spin-coating** [9430-43]

9430 1A **Stacking trilayers to increase force generation** [9430-44]

SESSION 8A NEW EAP MATERIALS, PROCESSES, AND FABRICATION TECHNIQUES

9430 1C **Solvent and electrolyte effects in PPyDBS free standing films** [9430-46]

9430 1D **Super soft silicone elastomers with high dielectric permittivity** [9430-47]

9430 1E **Simple casting based fabrication of PEDOT:PSS-PVDF-ionic liquid soft actuators** [9430-48]

9430 1F **Three dimensional responsive structure of tough hydrogels** [9430-49]

9430 1G **Improved actuation strain of PDMS-based DEA materials chemically modified with softening agents** [9430-50]

SESSION 8B ANALYTICAL MODELING AND SIMULATIONS OF EAP MECHANISMS

9430 1I **Modeling and simulation of transport phenomena in ionic gels** [9430-52]

- 9430 1J **Maximizing strain in miniaturized dielectric elastomer actuators** [9430-53]
- 9430 1K **Micro-mechanics of ionic electroactive polymer actuators** [9430-54]
- 9430 1L **Finite element analysis of multilayer DEAP stack-actuators** [9430-55]
- 9430 1M **Numerical study on 3D composite morphing actuators** [9430-56]

SESSION 9A APPLICATIONS OF EAP MATERIALS I

- 9430 1P **Use of aligned fibers to enhance the performance of dielectric elastomer inchworm robots**
[9430-59]
- 9430 1Q **A passive autofocus system by using standard deviation of the image on a liquid lens**
[9430-60]
- 9430 1R **Soft, flexible micromanipulators comprising polypyrrole trilayer microactuators** [9430-61]
- 9430 1S **DEA for soft robotics: 1-gram actuator picks up a 60-gram egg** [9430-62]
- 9430 1T **Electroactive 3D materials for cardiac tissue engineering** [9430-63]

SESSION 9C NEW EAP ACTUATORS AND APPLICATIONS OF EAP MATERIALS

- 9430 1W **Fiber-reinforced dielectric elastomer laminates with integrated function of actuating and sensing (Invited Paper)** [9430-66]
- 9430 1X **Nylon coil actuator operating temperature range and stiffness** [9430-68]
- 9430 1Z **Variable stiffness and recruitment using nylon actuators arranged in a pennate configuration** [9430-107]

SESSION 10A APPLICATIONS OF EAP MATERIALS II

- 9430 20 **Modeling of a corrugated dielectric elastomer actuator for artificial muscle applications**
[9430-70]
- 9430 21 **Novel dielectric elastomer structure of soft robot** [9430-71]
- 9430 23 **Kinematics and control of redundant robotic arm based on dielectric elastomer actuators**
[9430-73]
- 9430 24 **Bio-inspired artificial muscle structure for integrated sensing and actuation** [9430-74]

SESSION 10B HAPTIC, TACTILE, AND OTHER SENSORS I

- 9430 25 **Localised strain sensing of dielectric elastomers in a stretchable soft-touch musical keyboard** [9430-75]
- 9430 26 **Transparent and conformal 'piezoionic' touch sensor** [9430-76]
- 9430 27 **Follicular DEAs for two-way tactile communication** [9430-77]
- 9430 29 **Influence of design and material properties on the performance of dielectric elastomer compression sensors** [9430-79]

SESSION 11A APPLICATIONS OF EAP MATERIALS III

- 9430 2A **Gel chemical transistor** [9430-80]
- 9430 2C **A dielectric elastomer actuator coupled with water: snap-through instability and giant deformation** [9430-82]
- 9430 2D **Effect of mass loading on ionic polymer metal composite actuators and sensors** [9430-83]

SESSION 11B HAPTIC, TACTILE, AND OTHER SENSORS II

- 9430 2E **Transmission line circuit model of a PPy based trilayer mechanical sensor** [9430-84]
- 9430 2F **Humidity micro switch based on humidity-sensitive polymers** [9430-86]

POSTER SESSION

- 9430 2J **Comprehensive modeling of ionic polymer-metal composite actuators based upon variable surface resistance and underlying physics of the polymer membrane** [9430-91]
- 9430 2O **Adhesion promoters for large scale fabrication of dielectric elastomer stack transducers (DESTs) made of pre-fabricated dielectric films** [9430-96]
- 9430 2Q **Facile hydrophobicity/hydrophilicity modification of SMP surface based on metal constrained cracking** [9430-98]
- 9430 2T **Design and fabrication of stretchable proximity-tactile sensor using carbon micro coils** [9430-101]
- 9430 2U **Poleable nanoparticles as fillers towards non-linear optically active actuators** [9430-102]
- 9430 2V **Natural melanin composites by layer-by-layer assembly** [9430-103]
- 9430 2Z **A multi-segment soft actuator for biomedical applications based on IPMCs** [9430-108]
- 9430 30 **Novel composite piezoelectric material for energy harvesting applications** [9430-109]

- 9430 31 **Electrical properties of nanoscale metallic thin films on dielectric elastomer at various strain rates** [9430-110]
- 9430 32 **Electrospun carbon nanofibers for improved electrical conductivity of fiber reinforced composites** [9430-111]

Authors

Numbers in the index correspond to the last two digits of the six-digit citation identifier (CID) article numbering system used in Proceedings of SPIE. The first four digits reflect the volume number. Base 36 numbering is employed for the last two digits and indicates the order of articles within the volume. Numbers start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B...0Z, followed by 10-1Z, 20-2Z, etc.

Aabloo, Alvo, 0E, 0Q, 0R, 0S, 19, 1C, 1K, 1Q	Dobashi, Yuta, 26
Akle, Barbar J., 0H	Dünki, Simon, 0A
Alarifi, Ibrahim M., 32	Ebrahimi Takallo, Saeede, 1A
Alexandru, Mihaela, 0A	Eom, Taesik, 2V
Alharbi, Abdulaziz, 32	Faisal, Md. Shahnewaz Sabit, 24, 31
Alici, Gursel, 1R	Fannir, Adelyne, 1A
Anandan, Nishita, 1M	Farajollahi, Meisam, 1A, 26
Anbarjafari, Gholamreza, 1Q	Favre, M., 0Z
Andersen, Michael A. E., 08	Floreano, Dario, 1S
Anderson, Iain A., 25	Förster-Zügel, Florentine, 0D, 2O
Ansaldi, Alberto, 0U, 0V	Fontana, M., 0K
Antonello, Andrea, 23	Foo, Choon Chiang, 2C
Arai, Masanori, 2A	Francesconi, Alessandro, 23
Araromi, Oluwaseun, 0Z, 1J	Frank, T., 2F
Asaka, Kinji, 0P	Franke, Jörg, 14
Aschwanden, Manuel, 04	Furukawa, Hidemitsu, 2A
Asmatulu, Ramazan, 24, 31, 32	Fuß, Eric, 29
Assaf, Tareq, 27	Gallot-Lavallée, O., 15
Bahi, Addie, 1X	Ganguli, Ranjan, 2D
Baltrusaitis, Valentinas, 30	Gelmi, Amy, 1T
Baranova, Inna, 0Q	Gendron, David, 0U, 0V
Bass, Patrick S., 0F	Gerlach, G., 2F
Bauer, Pavol, 06	Giazzon, M., 0Z
Bellmann, C., 2F	Godaba, Hareesh, 2C
Bergaud, Christian, 1E	Gong, Jin, 2A
Berlinger, Alexander R., 1Z	Graetzel, Chauncey, 04
Bertoldi, Katia, 1P	Grotepaß, Tanja, 0D, 2O
Biedermann, Miriam, 1G	Guobiene, Asta, 30
Blue, Lauchlin, 0F	Haebler, Karl J., 1Z
Blümke, Martin, 0L, 1G	Hammami, S., 15
Bo, Tao, 0N	Han, Yu, 2Q
Böse, Holger, 29	Harjo, Madis, 1C
Branz, Francesco, 23	Hau, Steffen, 0C
Brayda, Luca, 0V	Haus, Henry, 1Q
Bubak, Grzegorz, 0U, 0V	Hoffstadt, Thorben, 07, 1L
Carli, Ruggero, 23	Huang, Xiaoqiang, 1F, 1W, 21
Carron, Andrea, 23	Hvilsted, Søren, 0T, 12, 1D
Cattan, Eric, 0O	Hwang, Do-Yeon, 10
Ceseracciu, Luca, 0U, 0V	J., Sakthi Swarrup, 2D
Cha, Youngsu, 0G	Jager, Edwin W. H., 16, 1R, 1T
Challita, Elio, 0H	Janusas, Giedrius, 30
Chen, Hualing, 2Z	Jean-Mistral, C., 15
Chen, Zheng, 24, 31	Jin, Peng, 2Q
Cheng, Z.-Y., 0F	Jin, Yongbin, 1F, 1W, 21
Choi, Hyouk Ryeol, 10, 2T	Johanson, Urmas, 0E, 0Q
Choi, Jae-young, 10	Jomni, F., 15
Cieslar-Pobuda, Artur, 1T	Kaasik, Friedrich, 0S, 1C, 1K
Clarke, David R., 1P	Kaasik, Toomas, 0Q
Daugaard, Anders Egede, 12	Kabir, M. Hasnat, 2A

Kadooka, Kevin, 1M, 20
 Kesküla, Arko, 19, 1C, 1Q
 Khairalah, Nady, 0H
 Khaldi, Alexandre, 16, 1R
 Khalili, Nazanin, 2E
 Khan, Waseem S., 32
 Khoo, Boo Cheong, 2C
 Kianzad, Soheil, 1X, 1Z
 Kiefer, Rudolf, 1C, 1Q
 Kim, Baek-chul, 10
 Kim, Kwang J., 2J
 Kim, Uikyum, 2T
 Knoop, Lars Espen, 27
 Ko, Frank, 1X
 Ko, Yee Song, 0A, 2U
 Koo, Ja Choon, 10, 2T
 Krüger, Hartmut, 0L, 1G
 Kruusamäe, Karl, 0P
 Kuhring, Stefan, 1L
 Kwon, Roy H., 2E
 La, Thanh-Giang, 0M
 Landgraf, Maximilian, 14
 Larson, Kent, 13
 Lau, Gih-Keong, 0M
 Lee, Dong-Hyuk, 2T
 Leichsenring, Peter, 1I
 Leng, Jinsong, 2Q
 Leung, Vanessa, 0B
 Lewis, Johnathan D., 1Z
 Li, Chi, 1F, 1W, 2I
 Li, Dichen, 2Z
 Li, Jinrong, 0N
 Li, Mi, 0F
 Li, Peng, 2Q
 Li, Tiefeng, 1F, 1W, 2I
 Liley, M., 0Z
 Liu, Jiayu, 2Z
 Liu, Junjie, 1F, 1W, 2I
 Liu, Liwu, 0N
 Ljunngren, Monika K., 1T
 Los, Marek Jan, 1T
 Luo, Meng, 2Z
 Lux, Philipp, 29
 Lv, Xiongfei, 0N
 Ma, Chunxin, 1F
 Maas, Jürgen, 07, 1L
 Madden, John D. W., 1A, 1X, 1Z, 26
 Madsen, Frederikke Bahrt, 0T, 12, 1D
 Maffli, Luc, 1I
 Makino, Masato, 2A
 Mändmaa, Sven-Erik, 19
 Martinez, Jose Gabriel, 1C
 Martin-Olmos, C., 0Z
 Mascaro, Stephen A., 18
 Mathieu, Fabrice, 1E
 Maziz, Ali, 0O, 16, 1R
 Mintchev, Stefano, 1S
 Mirabbasi, Shahriar, 26
 Mößinger, H., 2O
 Moon, Hyungpil, 10, 2T
 Müller, Bert, 0B
 Must, Indrek, 0E, 0Q, 0S
 Naficy, Sina, 26
 Naguib, Hani E., 2E
 Naito, Keishi, 20
 Nam, Jaedo, 2T
 Nguyen, Canh Toan, 2T
 Nguyen, Tien Dat, 2T
 Nüesch, Frank A., 0A, 2U
 Oishi, Kazuma, 1M
 Opris, Dorina M., 0A, 2U
 Osmani, Bekim, 0B
 Otero, Toribio F., 1C
 Palevicius, Arvydas, 30
 Palmre, Viljar, 2J
 Pandit, Milind, 1X, 1Z
 Park, Junwoo, 2T
 Peikolainen, Anna-Liisa, 19, 1C
 Persson, Nils-Krister, 16
 Phung, Hoa, 2T
 Plesse, Cédric, 0O, 1A
 Pöldsalu, Inga, 0S, 19, 1K
 Ponelyte, Sigita, 30
 Porfiri, Maurizio, 0G
 Poulin, Alexandre, 0Z, 1I
 Prosycevas, Igoris, 30
 Punning, Andres, 0E, 0Q, 0R, 0S, 1K
 Quinsaat, Jose Enrico Q., 0A
 Racles, Carmen, 0A
 Rafat, Mehrdad, 1T
 Rafie Ravandi, Ali, 1X
 Rain, P., 15
 Rasti, Pejman, 1Q
 Reitelshöfer, Sebastian, 14
 Ricci, Davide, 0U, 0V
 Rosset, Samuel, 09, 0Z, 1I, 1J, 1S
 Rossiter, Jonathan, 27
 Saito, Makoto, 1M, 20
 Sakalys, Rokas, 30
 Sarrazin, J. C., 18
 Sassani, Farrokh, 1A
 Scabeni Glitz, Ettore F., 26
 Schlaak, Helmut F., 0D, 1Q, 2O
 Schubert, Bryan, 1S
 Seelecke, Stefan, 0C
 Shea, Herbert, 09, 0Z, 1I, 1J, 1S
 Shen, Qi, 2J
 Shian, Samuel, 1P
 Shim, Bong Sub, 2V
 Shintake, Jun, 1S
 Simaite, Aiva, 1E
 Skov, Anne Ladegaard, 0T, 12, 1D
 Souéres, Philippe, 1E
 Soyer, Caroline, 0O
 Spinks, Geoffrey M., 1R, 1X, 26
 Stalbaum, Tyler, 2J
 Steinke, A., 2F
 Sugino, Takushi, 0P
 Suter, Marcel, 04
 Sylvestre, A., 15

Tairych, Andreas, 25
 Tan, Desmond Di-Teng, 0M
 Taya, Minoru, 1M, 20
 Temmer, Rauno, 0S
 Tondy, Bertrand, 1E
 Töpper, Tino, 0B
 Tu, Maobing, 0F
 Uhlenbusch, Dominik, 1L
 us Sarwar, Mirza Saquib, 26
 Vaddepally, Vishwaja, 1C
 Valner, Robert, 1C
 van Kessel, Rick, 06
 Vertechy, R., 0K
 Vidal, Frédéric, 0O, 1A
 Vunder, Veiko, 0R, 0S, 1K
 Wallmersperger, Thomas, 1I
 Wang, Wenxin, 2Q
 Wang, Yanjie, 2Z
 Wattez, Ambroise, 06
 Wegener, Michael, 0L, 1G
 Weiss, Florian M., 0B
 Wetzel, Thomas, 14
 Winterhalter, Carla, 0B
 Woehling, Vincent, 1A
 Wohlfender, Fabian, 0B
 Xie, Yuhua, 1F, 1W, 21
 Xu, Daniel, 25
 Yang, Xuxu, 1F, 1W
 Yangui, B., 15
 Ye, Zhihang, 24, 31
 Yoo, In Seong, 14
 York, Alexander, 0C
 Yu, Liyun, 0T, 12, 1D
 Zhang, Jiabin, 1T
 Zhang, Lin, 0F
 Zhang, Wei, 0N
 Zhang, Zhe, 08
 Zhang, Zhen, 0N
 Zhang, Zhi Qian, 2C
 Zhao, Dongxu, 2Z
 Zhao, Liangyu, 2Q
 Zhao, Wei, 0N
 Zhu, Jian, 2C
 Zhu, Ziqi, 1F
 Zorell, Ulrich, 14

Conference Committee

Symposium Chairs

Victor Giurgiutiu, University of South Carolina (United States)
Christopher S. Lynch, University of California, Los Angeles
(United States)

Symposium Co-chairs

Jayanth N. Kudva, NextGen Aeronautics, Inc. (United States)
Theodoros E. Matikas, University of Ioannina (Greece)

Conference Chair

Yoseph Bar-Cohen, Jet Propulsion Laboratory (United States)

Conference Co-chair

Gal deBotton, Ben-Gurion University of the Negev (Israel)

Conference Program Committee

Barbar J. Akle, Lebanese American University (Lebanon)
Iain A. Anderson, The University of Auckland (New Zealand)
Kinji Asaka, National Institute of Advanced Industrial Science and
Technology (Japan)
Siegfried G. Bauer, Johannes Kepler Universität Linz (Austria)
Ray H. Baughman, The University of Texas at Dallas (United States)
Václav Bouda, Czech Technical University in Prague
(Czech Republic)
Federico Carpi, Queen Mary, University of London (United Kingdom)
Suresh Chandra, Institute of Technology, Banaras Hindu University
(India)
Hyoun Ryeol Choi, Sungkyunkwan University (Korea, Republic of)
Yahya A. Ismail, A'Shargiyah University (Oman)
Edwin W. H. Jager, Linköping University (Sweden)
Jaehwan Kim, Inha University (Korea, Republic of)
Kwang Jin Kim, University of Nevada, Las Vegas (United States)
Roy D. Kornbluh, SRI International (United States)
Gabor M. Kovacs, EMPA (Switzerland)
Maarja Kruusmaa, University of Tartu (Estonia)
Jinsong Leng, Harbin Institute of Technology (China)
Wen-Liang Liu, Industrial Technology Research Institute (Taiwan)
John D. W. Madden, The University of British Columbia (Canada)

Siavouche Nemat-Nasser, University of California, San Diego
(United States)
Toribio Fernández Otero, Universidad Politécnica de Cartagena
(Spain)
Qibing Pei, University of California, Los Angeles (United States)
Valentin Radu, Omicron Plus S.R.L. (Romania)
Mehdi Razzaghi-Kashani, Tarbiat Modares University
(Iran, Islamic Republic of)
Jonathan M. Rossiter, University of Bristol (United Kingdom)
Anuvat Sirivat, Chulalongkorn University (Thailand)
Anne Ladegaard Skov, Technical University of Denmark (Denmark)
Elisabeth Smela, University of Maryland, College Park (United States)
Ji Su, NASA Langley Research Center (United States)
Minoru Taya, University of Washington (United States)
Gordon G. Wallace, University of Wollongong (Australia)
Thomas Wallmersperger, Technische Universität Dresden (Germany)
Qiming M. Zhang, The Pennsylvania State University (United States)
Pawel Zylka, Wroclaw University of Technology (Poland)

Session Chairs

- 1 EAP as Emerging Actuators
Yoseph Bar-Cohen, Jet Propulsion Laboratory (United States)
Gal deBotton, Ben-Gurion University of the Negev (Israel)
- 2 Power Generation and Energy Harvesting
Brett A. Kennedy, Jet Propulsion Laboratory (United States)
Iain A. Anderson, The University of Auckland (New Zealand)
- 3 Dielectric EAP Materials and Actuators I
Qibing Pei, University of California, Los Angeles (United States)
Xiaoshi Qian, The Pennsylvania State University (United States)
- 4 Ionic EAP I
John D. W. Madden, The University of British Columbia (Canada)
Samuel Rosset, Ecole Polytechnique Fédérale de Lausanne
(Switzerland)
- 5 Dielectric EAP Materials and Actuators II
Iain A. Anderson, The University of Auckland (New Zealand)
Hyoun Ryeol Choi, Sungkyunkwan University (Korea, Republic of)
- 6A Ionic EAP II
Rick C. L. van Kessel, SBM Offshore (Monaco)
- 6B Nano-Tech and CNT EAP
Rocco Vertechy, Univ. degli Studi di Bologna (Italy)
Gabor M. Kovacs, EMPA (Switzerland)

- 7A Dielectric EAP Materials and Actuators III
Siegfried G. Bauer, Johannes Kepler Universität Linz (Austria)
Tiefeng Li, Zhejiang University (China)

- 7B Conducting EAP Materials
Lars E. Knoop, University of Bristol (United Kingdom)
Daniel Xu, The University of Auckland (New Zealand)

- 8A New EAP Materials, Processes, and Fabrication Techniques
Cédric Plesse, Université de Cergy-Pontoise (France)
Yoseph Bar-Cohen, Jet Propulsion Laboratory (United States)

- 8B Analytical Modeling and Simulations of EAP Mechanisms
Ji Su, NASA Langley Research Center (United States)
Edwin W.H. Jager, Linköping University (Sweden)

- 9A Applications of EAP Materials I
Gabor M. Kovacs, EMPA (Switzerland)
Manuel Cruz, Immersion Corporation (Canada)

- 9B SMP and Other EAP Materials
Seyed Mohammad Mirvakili, Massachusetts Institute of Technology (United States)
Thomas Wallmersperger, Technische Universität Dresden (Germany)

- 9C New EAP Actuators and Applications of EAP Materials
Rocco Vertechy, Univ. degli Studi di Bologna (Italy)
Marco Fontana, Scuola Superiore Sant'Anna (Italy)

- 10A Applications of EAP Materials II
Barbar J. Akle, Lebanese American University (Lebanon)
Thomas Wallmersperger, Technische Universität Dresden (Germany)

- 10B Haptic, Tactile, and Other Sensors I
Holger Böse, Fraunhofer-Institut für Silicatforschung (Germany)
Samuel Shian, Harvard University (United States)

- 11A Applications of EAP Materials III
Martin Bluemke, Fraunhofer-Institut für Angewandte Polymerforschung (Germany)
Karl Kruusamäe, National Institute of Advanced Industrial Science and Technology (Japan)

- 11B Haptic, Tactile, and Other Sensors II
Holger Böse, Fraunhofer-Institut für Silicatforschung (Germany)
Samuel Shian, Harvard University (United States)

EAP-in-Action Demonstration Session

Moderator: **Yoseph Bar-Cohen**, Jet Propulsion Laboratory

This 2015 EAP-in-Action Session highlighted some of the latest capabilities and applications of Electroactive Polymers (EAP) materials where the attendees are shown demonstrations of these materials in action (Figure 1). Also, the attendees interact directly with technology developers and given “hands-on” experience with this emerging technology. The first Human/EAP-Robot Armwrestling Contest was held during this session.

Figure 1: A view of the presenters and the participants of the 2015 EAP-in-Action Session.

This 2015 Session included 11 demonstrations which was a record for the EAPAD Conference and the demonstrations were as follow (listed by the country of the leading presenters). The session included teams of professors and their students as well as small companies who presented their innovations and potential new products that are driven by EAP.

Canada

M. S. Sarwar, E. Glitz, S. Kianzad, A. Rafiee, M. Pandit, J. D. Lewis, A. R. Berlingeri, M. Farajollahi, S. E. Takaloo, Y. Dobashi, S. Mirabbasi, E. Cretu and John D.W. Madden, Univ. of British Columbia (Figure 2). The presentation title was **“Conducting polymer and nylon-based sensors and actuators”**

Figure 2: From left to right, Mirza Sarwar, John D. W. Madden, and Soheil Kianzad demonstrating conducting polymer and nylon-based sensors and actuators

Description: The demonstration featured ionic EAP sensor membranes, miniature trilayer actuators, and large force nylon linear actuators. The nylon thermal actuators, which are helical in form, can be woven into fabrics (Figure 3).

Figure 3: Nylon thermal actuators

China

Two group from China presented demonstrations this year:

1. J. Leng, J. Li and L. Liu, Harbin Institute of Technology (Figure 4). The presentation title was **“Soft Crawling Robot Based on Dielectric Elastomer”**

Figure 4: From left to right, Hetao Chu, Jinrong Li, Liwu Liu, Honogiu Wei, and Che Yi demonstrating applications of dielectric elastomers.

Description: A simple crawling robot based on dielectric elastomers was demonstrated (Figure 5). This robot is quadrupedal and each foot is a dielectric

elastomer based spring-roll actuator having the appropriate deformation and response time. The power supply and control were tethered through wires. The speed of robot crawling can be changed by changing the amplitude and frequency of the control signal.

Figure 5: Soft crawling robot

2. T. Li, Chi Li, Y. Xie, and X. Yang, Institute of Applied Mechanics, Zhejiang Univ., (Figure 6). **“Softrobot Using Dielectric Elastomers”**

Figure 6: From left to right, Tiefeng Li, Chi Li, Xuxu Yang, and Guoyong Mao presenting their softrobot using dielectric elastomers

Description: Inspired by the natural invertebrates like worms and starfish, a novel soft robot was developed using a flexible elastomer as the body and driven by dielectric elastomer as the actuation muscle (Figure 7). This configuration makes the robot run fast and is resilient to extreme mechanical conditions.

Figure 7: Softrobot

Germany

H. Mößinger¹, H. Haus¹, M. B. Saif², K. Hofmann², Helmut F. Schlaak¹ (Figure 8).

¹Institute of Electromechanical Design, Technische Universität Darmstadt,

²Integrated Electronic Systems Lab, Technische Universität Darmstadt

"Reduced size electronics for controlling DEA"

Figure 8: From left to right, Helmut F. Schlaak, Henry Haus, and Holger Mößinger demonstrating reduced size electronics for controlling DEA.

Description: As DEA moves closer to the market, providing suitable driving and sensing electronics becomes a crucial task. In the ongoing effort to develop small and efficient electronics, Technische Universität Darmstadt presented the first version of their custom designed application-specific integrated circuit (ASIC) for driving up to four DE-actuators at voltages as high as 700 Volts. A total chip size of 20 mm² was developed that contains four signal generation units capable of generating switching signals in the kHz range, configurable by a serial digital interface (Figure 9).

Figure 9: Four channel ASIC for driving DEA compared to the size a US penny.

Japan

M. H. Kabir, J. Gong, M. Makino, and H. Furukawa, Yamagata University, Yamagata (Figure 10). **“Thermo responsive shape recovery soft actuator”**

Figure 10: From left to right, Masato Makino, Kumkum Ahmed, M. Hasnat Kabir, Masonori Arai, Naoya Yamada, and Koji Okada demonstrating a thermo responsive shape recovery soft actuator.

Description: A free forming deformed shape of polymeric gel can recover its original shape and size. The gel shows temperature dependent functionality. The shape memory effect can be observed both in hot water and hot air. The material is suitable for soft actuators which might be applicable in biomedical science. Using this gel to drive a humanlike figure was demonstrated along with the shape memory function (Figure 11).

Figure 11: Thermally active gel used to drive a humanlike figure.

New Zealand

This year two organizations from New Zealand participated in the EAP-in-Action Session:

1. Iain Anderson, Daniel Xu, Alan Veale, Biomimetics Lab. (Figure 12) www.abi.auckland.ac.nz/biomimetics; and Stretchsense Ltd. - www.stretchsense.com

Figure 12: From left to right, Alan Veale, Daniel Xu, Todd Gisby, and Iain Anderson, demonstrating applications of dielectric elastomers

Applications of dielectric elastomers

Description: The Biomimetics Lab. and its spinout StretchSense Ltd. demonstrated their advances that lead to exciting wearable and portable energy harvesters as well as soft sensor technologies.

The demos included:

Figure 13: Motion capture controller (left) and soft sensor (right)

(1) *An intuitive motion capture controller to play DOOM* – This is one of the first computer games featuring 3D graphics and first-person perspective. This novel game controller was made from soft wearable sensor technology allowing a design that is more intuitive and simple to use.

- (2) *Artificial Muscle Power* - An energy harvester using dielectric elastomer generators was present in the new version of the Artificial Muscle Power (AMP) device (Figure 13 left).
- (3) *Measuring human body motion* can provide valuable feedback for sports, medical, video and game applications. The latest soft sensor for this purpose was presented (Figure 13 right).

2. Stacy Hunt, biomym.com (Figure 14), “**Self-healing dielectric elastomer actuators**”.

Figure 14: Stacy Hunt presenting a self-healing dielectric elastomer actuator.

Description: Self-healing dielectric elastomer actuators was demonstrated. After suffering mechanical trauma the material was self-repaired and continued working.

Switzerland

S. Rosset, S. Araromi, A. Poulin, L. Maffli, J. Shintake, D. Floreano and H. Shea, Ecole Polytechnique Fédérale de Lausanne (Figure 15 and Figure 16) - “**High speed silicone DEAs**”.

Figure 15: From left to right, S. Rosset, Sluwaseum Araromi, Alexander Poulin, and Jun Shintake, demonstrating high speed silicone DEAs.

Figure 16: From left to right Sluwaseum Araromi, Alexander Poulin, Herbert Shea, and S. Rosset during the demonstration.

Description: Precise patterning of robust and wear-resistant electrodes on silicone membranes allows for the fabrication of high-speed dielectric elastomer actuators with a long lifetime. At EPFL-LMTS, a broad range of fabrication processes were developed for the fabrication of high quality silicone membranes and the patterning of compliant electrodes presenting strong adhesion to the dielectric membrane. Several devices were shown to illustrate the related activities. These include tunable lens with a settling time below 200 μm , a soft and compliant 1-g gripper capable of holding an egg, and capacitive sensing devices with miniaturized sub-mm electrodes (Figure 17).

Figure 17: Gripper and tunable lens

United States

1. Z. Ren, D. McCoul, W. Hu, and Q. Pei, Dept. of Materials Science and Engineering, University of California, Los Angeles, California (Figure 18) - **"New EAP Materials and Actuators"**.

Figure 18: From left to right, Zhi Ren, Qibing Pei, Maggie Hu, and David McCoul demonstrating bistable electroactive polymers.

Description: Bistable electroactive polymers (BSEP) combine electrically induced large-strain actuation with a shape memory effect to present a unique opportunity for refreshable, repeated actuation. A new BSEP material was presented that achieves prolonged cycle lifetimes. This refreshable rigid-to-rigid actuation simultaneously provides large-strain actuation and large load support. Other innovative forms of actuators will also be presented (Figure 19). One such device is a biomimetic pump fabricated from tubular dielectric elastomer actuators.

Figure 19: Actuation of dot actuator on the hotplate at elevated temperature

2. Lenore Rasmussen and Eric Sandberg, Ras Labs, www.raslabs.com (Figure 20).
"Synthetic Muscle™: Shape-morphing EAP Based Materials and Actuators"

Figure 20: Lenore Rasmussen showing her Synthetic Muscle™

Description: EAP samples were demonstrated contracting and expanding (Figure 21 and Figure 22). A thin shape-morphing film of the material in the expansion mode produces raised surface zones in desired shapes. Actuation can be performed using suitable elastomeric coatings, and in 2015 selected synthetic muscle samples are going to be tested for radiation resistance on the International Space Station.

Figure 21: Contracting EAP (dyed red so easy to see)

Figure 22: Carbon fiber infused EAP

3. Qi Shen, Tyler Stalbaum, Shelby E. Nelson, Sarah Trabia, Jameson Lee, Viljar Palmre, and Kwang J. Kim, Univ. of Nevada (Figure 23). **“Advanced IPMC actuators and sensors”**.

Figure 23: From left to right, Viljar Palmre, Kwang J. Kim, Qi Shen, Jameson Lee, Sarah Trabia, Tyler Stalbaum, and, Shelby E. Nelson demonstrating advanced IPMC actuators and sensors.

Description: Conventional IPMC is produced in a strip form. In this EAP-in-Action, advanced IPMC actuators and sensors in a variety of different forms (cylinder, tube, square, fiber, etc.) were presented (Figure 24).

Figure 24: An IPMC actuators in the form of a tube being manipulated.

Introduction

This SPIE's Electroactive Polymers Actuators and Devices (EAPAD) Conference is the leading international forum for presenting the latest progress and holding discussions amongst the attendees regarding the capabilities, challenges, and potential future directions of the field. The conference this year was Chaired by Yoseph Bar-Cohen, JPL, and Co-Chaired by Gal deBotton, Ben-Gurion Univ. of the Negev (Israel) and it included 112 presentations.

The Conference was well attended by internationally leading experts in the field including members of academia, industry, and government agencies from the United States and overseas. This year the Keynote speaker was Brett Kennedy, JPL, and his paper title is "RoboSimian and the Advancement of Mobile Manipulation in Robotics". In his presentation he covered the progress in robotics for planetary applications, the development of the robot, RoboSimian, as well as details of the DARPA challenge where this robot reached the 5th place out of 16 participants.

Overall, the papers that were presented reported the significant progress that was made in each of the topics of the EAP infrastructure. The topics included Emerging Actuators; Power Generation and Energy Harvesting; EAP Materials and Actuators (including ionic, conducting and dielectric EAP), Nano-Tech and CNT EAP; New EAP Materials, Processes, and Fabrication Techniques; Analytical Modeling and Simulations of EAP Mechanisms; Applications of EAP Materials; New EAP Actuators and Applications of EAP Materials; Shape Memory Polymers and Other EAP Materials; Haptic, Tactile, and Other Sensors.

The papers addressed issues that can forge the transition to practical use, including improved materials, better understanding of the principles responsible for the electromechanical behavior, analytical modeling, processing, and characterization methods as well as considerations and demonstrations of various applications.

The efforts described in the presented papers are showing significant improvements in understanding of the electromechanical principles and better methods of dealing with the challenges to the materials applications. Researchers are continuing to develop analytical tools and theoretical models to describe the electro-chemical and -mechanical processes, non-linear behavior as well as methodologies of design and control of the activated materials. EAP with improved response were described including dielectric elastomer, IPMC, conductive polymers, gel EAP, carbon nanotubes, and other types. Specifically, there seems to be a significant trend towards using dielectric elastomers as practical EAP actuators.

This year, the conference included a half-day course about electroactive polymers. The instructors were Yoseph Bar-Cohen, Jet Propulsion Lab/Caltech., Pasadena, CA; John Madden, Univ. of British Columbia, Vancouver, Canada; and Qibing Pei, Univ. of California, Los Angeles. Also, an EAP-in-Action Session was held and it consisted of eleven demonstrations with presenters from Canada, China, Germany, Japan, New Zealand, Switzerland, and USA. The presentation of 11 demonstrations is a record for the EAPAD Conference.

In closing, I would like to extend a special thanks to all the conference attendees, session chairs, the EAP-in-Action demo presenters, and the members of the EAPAD program organization committee. In addition, special thanks are extended to the SPIE staff that helped making this conference a great success.

Yoseph Bar-Cohen