PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 9517

, "Front Matter: Volume 9517," Proc. SPIE 9517, Smart Sensors, Actuators, and MEMS VII; and Cyber Physical Systems, 951701 (1 July 2015); doi: 10.1117/12.2199472

SPIE.

Event: SPIE Microtechnologies, 2015, Barcelona, Spain

PROCEEDINGS OF SPIE

Smart Sensors, Actuators, and MEMS VII; and Cyber Physical Systems

**José L. Sánchez-Rojas
Riccardo Brama**
Editors

**4–6 May 2015
Barcelona, Spain**

Sponsored and Published by
SPIE

Volume 9517

Proceedings of SPIE 0277-786X, V. 9517

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Smart Sensors, Actuators, and MEMS VII; and Cyber Physical Systems, edited by José L. Sánchez-Rojas,
Riccardo Brama, Proc. of SPIE Vol. 9517, 951701 · © 2015 SPIE
CCC code: 0277-786X/15/\$18 · doi: 10.1117/12.2199472

Proc. of SPIE Vol. 9517 951701-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Smart Sensors, Actuators, and MEMS VII; and Cyber Physical Systems*, edited by José L. Sánchez-Rojas, Riccardo Brama, Proceedings of SPIE Vol. 9517 (SPIE, Bellingham, WA, 2015) Article CID Number.

ISSN: 0277-786X

ISBN: 9781628416398

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2015, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/15/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print. Papers are published as they are submitted and meet publication criteria. A unique citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages.

Contents

ix	<i>Authors</i>
xiii	<i>Conference Committees</i>
xvii	<i>Introduction to Part A: Smart Sensors, Actuators, and MEMS VII</i>
xix	<i>Introduction to Part B: Cyber Physical Systems</i>
xxi	<i>Measuring life: sensors and analytics for precision medicine (Plenary Paper) [9518-502]</i>

Part A Smart Sensors, Actuators, and MEMS VII

SESSION 1	HARVESTING
9517 03	Vibration energy harvesting: fabrication, miniaturisation and applications (Invited Paper) [9517-1]
9517 04	Influence of process parameters on properties of piezoelectric AlN and AlScN thin films for sensor and energy harvesting applications [9517-2]
9517 05	From MEMS to macro-world: a micro-milling machined wideband vibration piezoelectric energy harvester [9517-3]
9517 06	Low-profile and wearable energy harvester based on plucked piezoelectric cantilevers [9517-4]
SESSION 2	MATERIALS AND PROCESSES
9517 07	High temperature performance of sputter-deposited piezoelectric aluminum nitride thin films [9517-5]
9517 08	Wafer bonding technology for new generation vacuum MEMS: challenges and promises [9517-6]
9517 09	3D integration approaches for MEMS and CMOS sensors based on a Cu through-silicon-via technology and wafer level bonding [9517-7]
9517 0A	Design and fabrication of indium phosphide air-bridge waveguides with MEMS functionality [9517-8]

SESSION 3	RESONATORS
9517 0B	Electrothermal piezoresistive cantilever resonators for personal measurements of nanoparticles in workplace exposure [9517-9]
9517 0C	Out-of-plane piezoelectric microresonator and oscillator circuit for monitoring engine oil contamination with diesel [9517-10]
9517 0F	Technology towards a SAW based phononic crystal sensor [9517-62]
9517 0H	Experimental investigations of creep in gold RF-MEMS microstructures [9517-29]
SESSION 4	OPTICAL DEVICES
9517 0I	The next generation of MEMS-based optical microspectrometers (Invited Paper) [9517-14]
9517 0J	Input-shaped actuation of electromagnetic MEMS mirrors [9517-15]
9517 0K	2D stepping microdrive for hyperspectral imaging [9517-16]
9517 0L	Design and fabrication of an endomicroscopic imaging module for minimally invasive medical devices [9517-17]
SESSION 5	MODELING
9517 0M	Acoustic high-frequency effects inside the package of capacitive silicon microphones and their impact on the device performance [9517-18]
9517 0N	Assessment of MEMS energy harvester for medical applications [9517-50]
9517 0O	Optimization method for designing multimodal piezoelectric MEMS energy harvesters [9517-20]
9517 0P	Scaling effects for piezoelectric energy harvesters [9517-21]
SESSION 6	DEVICES
9517 0Q	Thermal cycling reliability of RF-MEMS switches [9517-22]
9517 0R	Microsystem integration from RF to millimeter wave applications [9517-23]
9517 0S	Tailoring design and fabrication of capacitive RF MEMS switches for K-band applications [9517-24]
9517 0T	Investigation of diaphragm deflection of an absolute MEMS capacitive polysilicon pressure sensor [9517-25]

SESSION 7 CHARACTERIZATION	
9517 0V	Smart sensors and calibration standards for high precision metrology (Invited Paper) [9517-26]
9517 0W	Characterization of a dispersion-controlled approach to surface profilometry on wafers using a white-light interferometer [9517-27]
9517 0X	Piezoresistive position microsensors with ppm-accuracy [9517-28]
SESSION 8 SYSTEMS	
9517 0Y	Multifunctional thin film sensor system as monitoring system in production [9517-30]
9517 0Z	Passive microsensor for binary counting of numerous threshold events [9517-60]
9517 10	Car glass microphones using piezoelectric transducers for external alarm detection and localization [9517-32]
9517 12	Autonomous solutions for powering wireless sensor nodes in rivers [9517-34]
SESSION 9 CHEMICAL SENSORS	
9517 13	The effect of sensor temperature and MO_x layer thickness on the sensitivity of SnO₂- and WO₃-based chemiresistive sensors to ethylene gas [9517-35]
9517 14	MEMS-based platform optimized for inkjet printing of nano-sized, gas sensitive functional metal oxides to enable the measurement of gas induced changes of the heating power [9517-36]
9517 15	Photoacoustic CO₂ sensor system: design and potential for miniaturization and integration in silicon [9517-37]
9517 16	Novel SH-SAW gas sensor based on graphene [9517-38]
POSTER SESSION FOR SMART SENSORS, ACTUATORS, AND MEMS VII	
9517 18	Real-time synchronization of wireless sensor network by 1-PPS signal [9517-40]
9517 19	An active reference spring array for in-situ calibration of the normal spring constant of AFM cantilevers [9517-41]
9517 1A	Noise spectroscopy of nano- and microscopic periodic material structures [9517-42]
9517 1C	High temperature stability of Sc_xAl_{1-x}N (x=0.27) thin films [9517-44]
9517 1E	Impact of titanium layer and silicon substrate properties on the microstructure of c-axis oriented AlN thin films [9517-46]

- 9517 1F **Nonlinear numerical modelling and experimental validation of multilayer piezoelectric vibration energy scavengers** [9517-47]
- 9517 1G **Relaxation phenomena in nematic liquid crystals with multiwall carbon nanotubes adding** [9517-48]
- 9517 1H **Efficiency of electromagnetic vibration energy harvesting system** [9517-49]
- 9517 1I **Finite element analysis of AlGaIn/GaN micro-diaphragms with diamond coating** [9517-51]
- 9517 1J **In-liquid characterization of high order out-of-plane modes in piezoelectric square plates** [9517-52]
- 9517 1K **Numerical model a graphene component for the sensing of weak electromagnetic signals** [9517-53]
- 9517 1L **Modeling distributed electrostatic effects in silicon microphones and their impact on the performance** [9517-54]
- 9517 1M **Optical characterization of MEMS-based multiple air-dielectric blue-spectrum distributed Bragg reflectors** [9517-55]
- 9517 1N **Optical design and characterization of a gas filled MEMS Fabry-Perot filter** [9517-56]
- 9517 1O **Low loss optomechanical cavities based on silicon oscillator** [9517-57]
- 9517 1P **Optoelectronic sensor device for monitoring ethanol concentration in winemaking applications** [9517-58]
- 9517 1Q **Force monitoring transducers with more than 100,000 scale intervals** [9517-59]
- 9517 1R **Impact of different polyimide-based substrates on the soft magnetic properties of NiFe thin films** [9517-61]
- 9517 1S **Parameters influencing focalization spot in time reversal of acoustic waves** [9517-63]
- 9517 1T **Experimental verification of a novel MEMS multi-modal vibration energy harvester for ultra-low power remote sensing nodes** [9517-64]
- 9517 1U **A comparative study between SMS interferometers and lossy mode resonance optical fiber devices for sensing applications** [9517-65]
- 9517 1V **High-sensitive lossy mode resonance-based optical fiber refractometers by means of sputtered indium oxide thin-films** [9517-66]
- 9517 1W **Optical fiber pH sensor based on gold nanoparticles into polymeric coatings** [9517-67]
- 9517 1X **Development of silicon microforce sensors integrated with double meander springs for standard hardness test instruments** [9517-68]
- 9517 1Y **Optimal design of piezoelectric microtransducers for static response** [9517-69]

- 9517 1Z **Features design and manufacturing technology in microelectromechanical encapsulated devices** [9517-70]
- 9517 20 **Fabrication of microfluidic chips using lithographic patterning and adhesive bonding of the thick negative photoresist AZ 125 nXT** [9517-71]
- 9517 21 **Laser ablation for membrane processing of AlGaIn/GaN- and micro structured ferroelectric thin film MEMS and SiC pressure sensors for extreme conditions** [9517-72]
- 9517 22 **Microstructures replication using high frequency excitation** [9517-73]
- 9517 23 **Fabrication of wear-resistant silicon microprobe tips for high-speed surface roughness scanning devices** [9517-74]
- 9517 24 **Wafer edge protection kit for MEMS and TSV Si-etching** [9517-75]
- 9517 25 **Research and development of capacitive transducer with linear acceleration** [9517-76]
- 9517 27 **Characterization of cross-spring pivots for micropositioning applications** [9517-78]
- 9517 28 **Modeling and simulation of the multiphase flow involving magnetophoresis-based microfluidic systems** [9517-79]
- 9517 29 **Electrospray ionization deposition of BSA under vacuum conditions** [9517-81]
- 9517 2A **Numerical analysis of a smart composite material mechanical component using an embedded long period grating fiber sensor** [9517-82]
- 9517 2B **Design of a smart superstructure FBG torsion sensor** [9517-83]

Part B *Cyber Physical Systems*

SESSION 10 ENERGY HARVESTING AND LOW POWER DESIGN

- 9517 2C **Interdigitated design of a thermoelectric microgenerator based on silicon nanowire arrays** [9517-101]
- 9517 2D **Fabrication and characterization of a fuel flexible micro-reformer fully integrated in silicon for micro-solid oxide fuel cell applications** [9517-102]
- 9517 2E **An efficient start-up circuitry for de-energized ultra-low power energy harvesting systems** [9517-103]
- 9517 2F **Scaling of dynamic thermoelectric harvesting devices in the 1-100 cm³ range** [9517-105]

SESSION 11 EMBEDDED SYSTEMS APPLICATIONS

- 9517 2G **Computationally efficient models enabling behaviour exploration of large scale cyber physical systems by simulations** [9517-106]
- 9517 2H **On improving low-cost IMU performance for online trajectory estimation** [9517-107]
- 9517 2I **Ultra-low power sensor for autonomous non-invasive voltage measurement in IoT solutions for energy efficiency** [9517-108]
- 9517 2J **Use of a prototype pulse oximeter for time series analysis of heart rate variability** [9517-109]

SESSION 12 NETWORKING AND EMBEDDED COMPUTING

- 9517 2K **Abstraction of communication resources in model-based design frameworks for CPS** [9517-110]
- 9517 2L **Gbps wireless transceivers for high bandwidth interconnections in distributed cyber physical systems** [9517-111]
- 9517 2M **Embedded system for supervision analysis and control of photovoltaic power plants** [9517-112]

Authors

Numbers in the index correspond to the last two digits of the six-digit citation identifier (CID) article numbering system used in Proceedings of SPIE. The first four digits reflect the volume number. Base 36 numbering is employed for the last two digits and indicates the order of articles within the volume. Numbers start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B...0Z, followed by 10-1Z, 20-2Z, etc.

Ababneh, A., 1J	Cristalli, Cristina, 18
Alazzam, Anas, 28	Daus, Alwin, 1X
Almond, Heather J. A., 06	Dávila, D., 2C
Anchutin, Stepan, 25	de Graaf, Ger, 1M, 1N
Andrs, O., 1H	De Pasquale, Giorgio, 0H
Arregui, F. J., 1U, 1V, 1W	Dehé, Alfons, 0M, 1L
Assmann, H., 0W	Dejous, C., 16
Augenstein, A., 0W	Del Moral, Jérica, 2J
Ayarden, N. Pelin, 1M, 1N	Del Villar, I., 1U
Bagolini, Alvise, 0S	Deligeorgis, G., 16
Bakin, Andrey, 23	Dempwolf, S., 09
Balsamo, Domenico, 2I	Divins, N. J., 2D
Barth, Stephan, 04	Doering, Lutz, 0V, 1X, 23
Bartzsch, Hagen, 04	Donmez, I., 2C
Baselt, T., 0W	Donoso, A., 1Y
Becker, Th., 2F	Dragoi, V., 08
Beeby, S. P., 03, 0P	Drexler, P., 1A, 1K
Bellido, J. C., 1Y	Dzuba, J., 1I, 2I
Bellutti, Pierluigi, 0S	Ecke, R., 09
Benini, Luca, 2I	Elefsiniotis, A., 2F
Benkler, Manuel, 2I	Endrödy, Csaba, 0K
Berger, Achim, 2E	Fiala, P., 1A, 1K
Bergmann, Andreas, 20	Fidler, Franz, 0J
Bey-Temsamani, Abdellatif, 2H	Fioravanti, Matteo, 18
Biehl, Saskia, 0Y	Fonseca, L., 2C
Bierer, B., 14	Frach, Peter, 04, 29
Bittner, A., 07, 1C, 1E	Frank, Thomas, 1X
Blažević, D., 12, 1F	Friedl, M., 1A
Bolzmaier, Christian, 10, 1S	Fruehauf, Joachim, 0V
Bonaldi, M., 1O	Gadea, G., 2C
Borrielli, A., 1O	Gao, Sai, 0V, 19
Brand, Uwe, 0V, 19, 1X, 23	Garbayo, I., 2D
Britkov, O., 1Z	Garcia, H., 16
Brunelli, Davide, 2I	Gerlach, Gerald, 04, 29
Buetefisch, Sebastian, 0V	Geßner, T., 09
Cabitto, A., 2M	Ghaderi, Mohammadamir, 1M, 1N
Calaza, C., 2C	Giammarini, Marco, 18
Capoccia, Giovanni, 0S	Giese, A., 0T
Cataliotti, F. S., 1O	Gillinger, M., 07
Cekas, Elingas, 22	Glacer, C., 0M
Chakarov, Dimitar, 1Q	Glažar, V., 12
Chaplygin, Yuriy, 25	Gloess, Daniel, 04, 29
Cirtoaje, Cristina, 1G	Goehlich, A., 0T
Cola, Adriano, 0S	Goertz, M., 0T
Concettoni, Enrico, 18	Goicoechea, J., 1W
Conedera, V., 16	Gomes, J. S., 0L
Correia, J. H., 0L	González, Erika, 2J
Corres, J. M., 1U	Gonzalez, K., 1V
Costa, C. G., 0L	Gostner, Johanna, 13

Gottfried, K., 09
 Gregov, G., 12
 Greiner, A., 0W
 Grewe, Adrian, 0K
 Hadas, Zdenek, 0N, 1H
 Hafez, Moustafa, 1S
 Hahn, S., 19
 Hallil, H., 16
 Hambeck, Christian, 0J
 Harrer, Stefan xxi
 Hartmann, P., 0W
 Hautefeuille, Mathieu, 2J
 Hecker, Dominic, 29
 Hernaez, M., 1U, 1V, 1W
 Hernando-García, J., 1J
 Hiller, Karla, 0V, 19
 Hirsch, Soeren, 0F
 Hoffmann, Martin, 0K, 0Z
 Hofmann, L., 09
 Horak, Peter, 0A
 Hörmann, Leander B., 2E
 Huber, J., 15
 Iannacci, Jacopo, 05, 0O, 0S, 1T
 Isidori, Daniela, 18
 Ižák, T., 1I
 Janusas, Giedrius, 22
 Jiménez-Márquez, F., 0C, 1P
 Jirásek, V., 1I
 Jogschies, Lisa, 1R
 Kamenar, E., 12
 Kenyon, Anthony J., 0A
 Khashan, Saud A., 28
 Kiziroglou, M. E., 2F
 Knechtel, R., 09
 Kneer, J., 14
 Knoll, Thorsten, 20
 Koch, E., 0W
 Kochurina, Elena, 25
 Kokorakis, N., 2F
 Korobova, Natalia, 1Z, 25
 Kosolapov, Andrey, 25
 Kraft, M., 0T
 Krivec, Matic, 13
 Kucera, M., 0C, 1T, 1Y
 Kuenzig, Thomas, 0M, 1L
 Kutiš, V., 1I
 Lahti, M. 0R
 Lalinský, T., 1I, 2I
 Lambruschini, P., 2M
 Lancranjan, Ion I., 2A, 2B
 Le Guelvouit, Valentin, 10
 Leeb, Walter, 0J
 Leighton, Glenn J. T., 06
 Leitner, Raimund, 13
 Leopold, Steffen, 0Z
 Li, Zhi, 0V
 Liu, Huiyun, 0A
 Llorca, J., 2D
 López, Jehú, 2J
 Lucibello, Andrea, 0S
 Lucki, Michal, 2I
 Lucklum, Ralf, 0F
 Maćešić, S., 12
 Manione, Roberto, 2K
 Manzaneque, T., 0C, 1J
 Marcelli, Romolo, 0S
 Marcoñ, P., 1A
 Marconi, L., 1O
 Margesin, Benno, 0Q, 0S
 Marin, F., 1O
 Marino, F., 1O
 Marković, K., 12, 27
 Mathew, Bobby, 28
 Matias, I. R., 1U, 1V, 1W
 Mayrhofer, P. M., 1C
 Mehner, Hannes, 0K, 0Z
 Miclos, Sorin, 2A, 2B
 Mikheev, A., 1Z
 Mitcheson, P. D., 2F
 Modes, Thomas, 04
 Morata, A., 2C, 2D
 Moriarty, Roy J., 06
 Moțoc, Cornelia, 1G
 Mulloni, V., 0Q
 Nasswettrova, A., 1A, 1K
 Neri, Bruno, 2L
 Nešpor, D., 1A, 1K
 Ng, Wing H., 0A
 Nguyen, K., 24
 Nicolay, P., 07
 Nikolaou, I., 16
 Nußbaum, Dominic, 20
 Ompusunggu, Agusmian P., 2H
 Oseev, Aleksandr, 0F
 Pabo, E., 08
 Paetsch, Nancy, 0Y
 Palevicius, Arvydas, 22
 Paleviciute, Ieva, 22
 Palzer, S., 14
 Pandraud, G., 1O
 Peiner, Erwin, 0B, 0V, 1X, 23
 Persano, Anna, 0S
 Petrescu, Emil, 1G
 Pfusterschmied, G., 0C
 Pham, D., 0M
 Pieralisi, Marco, 18
 Pla, D., 2D
 Podoliak, Nina, 0A
 Pontin, A., 1O
 Pozzi, Michele, 06
 Priller, Peter, 2E
 Prodi, G. A., 1O
 Proietti, Emanuela, 0S
 Quaranta, Fabio, 0S
 Raggio, M., 2M
 Ramoska, Evaldas, 22
 Rebière, D., 16
 Reitterer, Jörg, 0J
 Reuter, D., 09
 Rissing, Lutz, 1R

Rittinger, Johannes, 1R
 Rivero, Pedro J., 1W
 Rodríguez-Rey, J., 1P
 Ruiz, D., 1Y
 Ruiz-Díez, V., 0C, 1J
 Rumposch, Christian, 0Y
 Rýger, I., 1I, 2I
 Sabaté, N., 2D
 Saint Julien-Wallsee, Ferdinand, 0J
 Sakalys, Rokas, 22
 Saleem, Muhammad Mubasher, 0H
 Salleras, M., 2C, 2D
 Salzburger, Lukas, 2E
 Sanchez, P., 1V
 Sánchez-Rojas, José L., 0C, 1J, 1P, 1Y
 Santos, J. D., 2C
 Saponara, Sergio, 2L
 Savastru, Dan, 2A, 2B
 Savastru, Roxana, 2A, 2B
 Schmid, Gerhard, 0J
 Schmid, Ulrich, 07, 0C, 0J, 0O, 1C, 1E, 1T, 1Y, 2F
 Schmidt, Marc-Peter, 0F
 Schneider, M., 07
 Scholz, M., 24
 Schrag, Gabriele, 0M, 1L, 24
 Schulz, S. E., 09
 Schwebke, Silvan, 0Z
 Seginak, J., 1A
 Seidel, H., 1J
 Seidelmann, U., 24
 Serra, E., 0O, 1O, 1T
 Shepelev, S., 1Z
 Shulev, Assen, 0X, 1Q
 Siciliano, Pietro, 0S
 Singule, V., 1H
 Sinzinger, Stefan, 0K
 Smilek, Jan, 0N, 1H
 Socorro, A. B., 1U, 1W
 Somà, Aurelio, 0H
 Sordo, G., 05, 0O, 0Q, 1T
 Springer, Andreas, 2E
 Stavreva, Galina, 0X, 1Q
 Stavrov, Vladimir, 0X, 1Q
 Steinbauer, M., 1K
 Stewart, William J., 0A
 Stoian, Victor, 1G
 Suchaneck, Gunnar, 04
 Taptimthong, Piriya, 1R
 Tarancón, A., 2C, 2D
 Taudt, Ch., 0W
 Taurino, Antonietta, 0S
 Timoshenkov, Sergey, 1Z, 25
 Todorov, Vencislav, 0X
 Toh, T. T., 2F
 Toledo, J., 0C, 1J
 Úbeda, J., 1P
 Überall, Florian, 13
 Uhde, Erik, 0B
 Vähä-Heikkilä, T. 0R
 Vanko, G., 1I, 2I
 Vázquez, J., 1P
 Velázquez, Víctor, 2J
 Vetiska, V., 1H
 Villani, Clemente, 2I
 Vogt, H., 0T
 Vojs, M., 1I
 Völlmeke, Stefan, 23
 Waag, Andreas, 0B, 23
 Wachutka, Gerhard, 0M, 1L
 Waegli, Peter, 2G
 Waldner, Roland, 13
 Walk, C., 0T
 Wasisto, Hutomo Suryo, 0B, 1X, 23
 Wieland, Robert, 24
 Wistrela, E., 0C, 1E
 Wolfenbuttel, Reinoud F., 0I, 0L, 1M, 1N
 Wöllenstein, J., 14, 15
 Wright, S. W., 2F
 Wu, Jiang, 0A
 Wu, Wenzhe, 0B
 Wurz, Marc C., 1R
 Xu, Min, 0V
 Yeatman, E. M., 2F
 Yu, Feng, 23
 Yudianto, Risang, 2H
 Zamarreño, C. R., 1V
 Zehetner, J., 2I
 Zelenika, S., 12, 1F, 27
 Zhu, D., 03, 0P
 Zophoniasson, Harald, 1S
 Zywitzki, Olaf, 04

Conference Committees

Symposium Chair

Ulrich Schmid, Technische Universität Wien (Austria)

Symposium Co-chairs

Thomas Becker, EADS Deutschland GmbH (Germany) and nta Isny (Germany)

Jacopo Iannacci, Fondazione Bruno Kessler (Italy)

Symposium Local Co-chair

Carles Cané, Centro Nacional de Microelectrónica (Spain)

Part A Smart Sensors, Actuators, and MEMS VII

Conference Chair

José L. Sánchez-Rojas, Universidad de Castilla-La Mancha (Spain)

Conference Co-chairs

José Correia, Universidade do Minho (Portugal)

Erwin Peiner, Technische Universität Braunschweig (Germany)

Conference Programme Committee

Francisco J. Arregui, Universidad Pública de Navarra (Spain)

Joan Bausells, Centro Nacional de Microelectrónica (Spain)

Achim Bittner, Technische Universität Wien (Austria)

Christian Bolzmacher, Commissariat à l'Énergie Atomique (France)

Lionel Buchaillof, IEMN, Université Lille 1 (France)

Viorel Dragoi, EV Group (Austria)

Isabelle Dufour, IMS, Université Bordeaux 1 (France)

Guido Faglia, Università degli Studi di Brescia (Italy)

Carles Ferrer Ramis, Universidad Autónoma de Barcelona (Spain)

Maximilian Fleischer, Siemens AG (Germany)

Sören Fricke, Robert Bosch GmbH (Germany)

Gerald Gerlach, Technische Universität Dresden (Germany)

Teodor P. Gotszalk, Wroclaw University of Technology (Poland)

Moustapha Hafez, Commissariat à l'Énergie Atomique (France)

Jorge Hernando García, Universidad de Castilla-La Mancha (Spain)

Henning Heuer, Fraunhofer-Institut für Zerstörungsfreie Prüfverfahren (Germany)
Martin Hoffmann, Technische Universität Ilmenau (Germany)
Carmen Horrillo-Guemes, CSIC (Spain)
Jacopo Iannacci, Fondazione Bruno Kessler (Italy)
Enrique Iborra, Universidad Politécnica de Madrid (Spain)
Bernhard Jakoby, Johannes Kepler Universität Linz (Austria)
Konrad Kapser, Infineon Technologies AG (Germany)
Roy Knechtel, X-FAB Semiconductor Foundries AG (Germany)
Kai P. Kolari, VTT Technical Research Center of Finland (Finland)
Robert J. Lad, University of Maine (United States)
Jeong-Bong Lee, The University of Texas at Dallas (United States)
Michael Leitner, ams AG (Austria)
Anita Lloyd Spetz, Linköping Universitet (Sweden)
Dean P. Neikirk, The University of Texas at Austin (United States)
Gianluca Piazza, Carnegie Mellon University (United States)
Patrick Pons, Laboratoire d'Analyse et d'Architecture des Systèmes, CNRS (France)
Michele Pozzi, Newcastle University (United Kingdom)
Angel Rodríguez, Universidad Politécnica de Catalunya (Spain)
Gabriele Schrag, Technische Universität München (Germany)
Andreas Schütze, Universität des Saarlandes (Germany)
Ashwin Seshia, University Cambridge (United Kingdom)
Pietro Siciliano, Istituto per la Microelettronica e Microsistemi (Italy) and Consiglio Nazionale delle Ricerche (Italy)
Gabriel Vanko, Slovak Academy of Sciences (Slovakia)
Jürgen Wöllenstein, Fraunhofer-Institut für Physikalische Messtechnik (Germany)

Session Chairs

- 1 Harvesting
José L. Sánchez-Rojas, Universidad de Castilla-La Mancha (Spain)
- 2 Materials and Processes
Joan Bausells, Centro Nacional de Microelectrónica (Spain)
- 3 Resonators
Lionel Buchailot, IEMN, Université Lille 1 (France)

- 4 Optical Devices
José Correia, Universidade do Minho (Portugal)
- 5 Modeling
Michele Pozzi, Newcastle University (United Kingdom)
- 6 Devices
Jacopo Iannacci, Fondazione Bruno Kessler (Italy)
- 7 Characterization
Erwin Peiner, Technische Universität Braunschweig (Germany)
- 8 Systems
José L. Sánchez-Rojas, Universidad de Castilla-La Mancha (Spain)
- 9 Chemical Sensors
Jürgen Wöllenstein, Fraunhofer-Institut für Physikalische Messtechnik (Germany)

Part B Cyber Physical Systems

Conference Chair

Riccardo Brama, CMC Laboratories (Italy)

Conference Co-chairs

Alessandro Bertacchini, Università degli Studi di Modena e Reggio Emilia (Italy)

Florian Hammer, Linz Center of Mechatronics (Austria)

Conference Programme Committee

Alessandro Abate, University of Oxford (United Kingdom)

Eduard Alarcon, Universidad Politècnica de Catalunya (Spain)

Lynne Baillie, Glasgow Caledonian University (United Kingdom)

Steve P. Beeby, University of Southampton (United Kingdom)

Bernhard Bergmair, Linz Center of Mechatronics (Austria)

Gennaro Boggia, Politecnico di Bari (Italy)

Patricio Bulić, University of Ljubljana (Slovenia)

João Canas Ferreira, Universidade do Porto (Portugal)

Jian-Jia Chen, Technischen Universität Dortmund (Germany)

Christian Claudel, King Abdullah University of Science and Technology (Saudi Arabia)

Stefano D'Amico, Università del Salento (Italy)

Valerio Frascolla, Intel GmbH (Germany)

Felix Gerdes, Cisco Optical GmbH (Germany)
Dip Goswani, Technische Universiteit Eindhoven (Netherlands)
Johannes Klinglmayr, Linz Center of Mechatronics (Austria)
Michail E. Kiziroglou, Imperial College London (United Kingdom)
Xenofon Koutsoukos, Vanderbilt University (United States)
Roberto Manione, Taskscript.com (Italy)
Ian Marsh, Swedish Institute of Computer Science (Sweden)
Sebastian Möller, Technische Universität Berlin (Germany)
Simone Orcioni, Università Politecnica delle Marche (Italy)
Ioannis Papaefstathiou, Foundation for Research and Technology-Hellas (Greece)
Jorge Portilla, Universidad Politécnica de Madrid (Spain)
Maria Prandini, Politecnico di Milano (Italy)
Christophe Prieur, Gipsa-Laboratoire (France)
Angel Rodriguez-Vazquez, Universidad de Sevilla (Spain)
Marco Raggio, Università degli Studi di Genova (Italy)
Pachamuthu Rajalakshmi, Indian Institute of Technology Madras (India)
Kashif Saeed, AMMROC – Mubdala Aerospace (United Arab Emirates)
Sergio Saponara, Università di Pisa (Italy)
Luciano Tarricone, Università del Salento (Italy)
Stavros Toumpis, Athens University of Economics and Business (Greece)
Klaus Witrals, Technische Universität Graz (Austria)

Session Chairs

- 10 Energy Harvesting and Low Power Design
Alessandro Bertacchini, Università degli Studi di Modena e Reggio Emilia (Italy)
- 11 Embedded Systems Applications
Florian Hammer, Linz Center of Mechatronics (Austria)
- 12 Networking and Embedded Computing
Valerio Frascolla, Intel GmbH (Germany)

Introduction to Part A: Smart Sensors, Actuators, and MEMS VII

The conference 'Smart Sensors, Actuators and MEMS' took place in Barcelona, Spain, from 4 May to 6 May, 2015. The interdisciplinary spirit of the event was displayed by a wide range of topics based on the latest research results on the frontiers of microtechnology. Therefore, sessions focused on design, material and fabrication aspects, on micromachined sensors and actuators for the determination of biological, physical and chemical quantities as well as on reliability issues. Moreover, optical and RF MEMS have been presented and more application oriented topics such as energy scavengers, and low power management systems, were discussed. Due to this broad range of topics, researchers coming from academia and industry, with their specific backgrounds, created a very stimulating atmosphere for the exchange of new ideas.

Besides the high quality of the oral and poster presentations, I would like to highlight the three invited talks, the first given by Stephen P. Beeby, from University of Southampton (United Kingdom), on miniaturisation and applications in vibration energy harvesting, the second by Reinoud F. Wolffenbuttel, from Technische Universiteit Delft (Netherlands), on MEMS-based optical microspectrometers, and last, but not least, by Uwe Brand, from, Physikalisch-Technische Bundesanstalt (Germany), focusing on calibration standards for high precision metrology.

I would like to thank all participants for their individual contributions which made the conference a successful event in the international conference calendar. Special thanks go to Ulrich Schmid, Thomas Becker, Jacopo Iannacci and Carles Cané, for organising the symposium, to SPIE staff and the Co-chairs Erwin Peiner (Technische Universität Braunschweig, Germany) and José Correia, (Universidade do Minho, Portugal). Finally, I would like to thank the members of the Technical Programme Committee for reviewing the abstracts, especially those who served as session chairs.

José L. Sánchez-Rojas

Introduction to Part B: Cyber Physical Systems

It is with great pleasure we met you at the 1st SPIE Conference on Cyber-Physical Systems. It has been a very interesting event in which authors both from industry and academia had the chance to get in touch and exchange ideas. We really hope they were able to broaden their network of contacts while hopefully finding new ways to cooperate or new market chances.

We are living in one of the most exciting moments in the history of communication and embedded computing, the rise of the Internet of Things. With a forecast of 30 billion connected devices in the next few years, market and research opportunities are growing day by day. With this in mind we tried to shape the Cyber-Physical Systems Conference stressing both the communication and self-sufficiency needs of these distributed systems. By letting wireless links to meet CPSs, new and unpredictable ways of interaction between smart-objects and the surrounding environment will be enabled.

Let me personally thank all participants and authors that, with their contributions, made this conference a great beginning. We are now working on the next edition of the Cyber-Physical Systems Conference, and we are eager to meet you all there, making this event the preferred meeting for a new and sparkling CPS community!

It has been a real pleasure and an honor to work with Alessandro Bertacchini (Università degli Studi di Modena e Reggio, Italy) and Florian Hammer (Linz Center of Mechatronics, Austria) while organizing this event. Their commitment and dedication have been the driving force of this conference. Special thanks go to Valerio Frasca (Intel, GmbH, Germany) serving as Session Chair in an exemplar way. Together with them, I would also like to thank our entire Programme Committee, which allowed us, with its invaluable work, to meet quality standards this first SPIE Conference on Cyber-Physical Systems deserved.

Riccardo Brama

Measuring life: sensors and analytics for precision medicine

Stefan Harrer*^{1, 2}

¹IBM Research - Australia, 204 Lygon Street, 3053 Carlton, VIC, AU

²University of Melbourne, 3010 Parkville, VIC, AU

ABSTRACT

The first industrial revolution focused on machines, the second one was data-centric – a third revolution combining the power of devices and information has just started and transforms our understanding of life itself. Thereby novel sensors and networks from wearable biometric devices to lab-on-a-chip platforms for exploratory fundamental research on single-biomolecule characterization and design occupy a key role. In combination with recent advances in big data analytics for life sciences, healthcare and genomics such sensors are essential tools for moving from fast and cheap personalized DNA-sequencing via smart genomics towards one-off prevention and treatment plans. Replacing state-of-the-art, one-fits-all approaches, this paradigm shifting individual “assess & response” scheme commonly referred to as precision medicine merges biomedical engineering, systems biology, systems genomics, and information technology. Integrated sensors for isolating, investigating and eventually manipulating single biomolecules are important experimental tools for developing next-generation DNA-sequencing platforms and for conducting ‘omics research which is a defining part of systems biology. In that context resistive pulse sensing has emerged as a powerful technology at the intersection of biotechnology and nanotechnology allowing electrical, label-free screening of biological compounds such as proteins or DNA with single-molecule, single-nucleotide and even single binding site resolution. Resistive pulse sensing technology has been at the center of recent commercial \$100Ms investments in the next-generation DNA-sequencing sector. While next-generation sequencing platforms based on resistive pulse sensing techniques will mature further, the technology is also increasingly used for screening other biomolecules such as for example proteins. This allows for developing novel diagnostics and ultra-high throughput pre-clinical drug screening systems which might help to transform the pharma pipeline similarly to how the \$1000-genome has revolutionized DNA-sequencing.

Keywords: resistive pulse sensing, precision medicine, systems biology, systems genomics, single molecule sensing, label-free, DNA-sequencing, drug screening, protein screening, nanopore, nanochannel

1. INTRODUCTION

A conventional engine control unit for commercial cars gathers dozens of data points per second. State-of-the-art flight data recorders collect around 3000 data points per second storing several gigabytes of data per flight. The so called APGAR test was developed in 1952 and to-date still is the most comprehensive check of a newborn’s organism: it is performed once in a baby’s life and collects a total of 5 data points. Why is it that we are monitoring and controlling systems which we entrust our lives to with such diligence, but do not do the same with our life itself? The answer lies in the complexity of the human organism: operating a car engine or flying an airplane is trivial compared to grasping the complexity of physiological interactions in the human body which shape every second of our life. Ever since the double-helix structure of DNA was discovered in 1953 we have investigated its role as the carrier of the code of life. It was a multi-\$B effort over more than 10 years until a complete human genome had been fully sequenced for the first time in 2003. Being able to read the manual of human life was of course a breakthrough but information could not be derived from it. In order to make sense out of sequencing data it has to be individually contextualized with biomedical metadata (such as for example healthcare and medical records, medical family history, scientific publications). Being able to do this in a meaningful way requires three things: firstly, a statistically relevant number of reference cases needs to be compared to narrow down the physiological function of a specific gene, therefore secondly, DNA-sequencing needs to be fast and affordable for everyone, everywhere, and thirdly, given the size and inhomogeneity of the data to be correlated in a reasonable time, novel big data analytics technologies are needed.

*presenting speaker and author email: sharrer@au.ibm.com;

2. NOVEL SENSORS FOR PRECISION MEDICINE APPLICATIONS

Advancing DNA-sequencing from the \$1000-Genome to the \$1-Genome is a bionanotechnology hardware challenge residing in the field of biomedical device engineering. Setting up large-scale human genome studies to create and analyze sequencing and contextual medical data of an ever increasing number of individuals is a complex joint operational effort in the hands of patients, medical practitioners, scientists as well as regulatory and funding bodies. Developing platforms to process and analyze big data packages of unprecedented size and diversity is a software challenge calling for novel cognitive analytics techniques. The last 3 years have seen substantial advancements in all these areas: the size/cost footprint of DNA-sequencing tools is decreasing fast bringing cheap and portable DNA-sequencers into reach^{1, 2}. At the same time performance of high-throughput state-of-the-art sequencing techniques has improved at a pace that led to the abandonment of the X-Price for demonstrating the \$1000-Genome as various teams are currently approaching and likely blazing through that milestone with the \$100-Genome in sight. Building on these enhanced sequencing capabilities multiple private, commercial and government institutions have initiated large scale genome studies: ranging from a recent landmark study performed on the population of Iceland³ via the Genomics England Initiative⁴ and Craig Venter's newly founded Human Longevity⁵ enterprise to the Precision Medicine Initiative of the US government⁶, current studies aim to collect whole genome information on patient pools consisting of several thousands to 100,000 genomes. At the same time advanced cognitive big data analytics tools like for example IBM's Watson technology have emerged and mature showing first indications of early-stage commercial practicability⁷. Finally, in order to be able to respond to the findings of personalized genome analysis we need to develop faster and cheaper technologies for discovering novel drugs, for improving existing drugs, and for their intelligent use in an increasingly complex and customized environment transforming the pharma pipeline much like the \$1000-Genome has revolutionized DNA-sequencing. First cases of all building blocks working in sync towards successful individual treatments have been reported recently^{6, 8}, but at this point these examples constitute encouraging, yet isolated efforts rather to proof that the concept can be moved from hype to impact, than demonstrating population-wide availability of precision medicine services.

Precision medicine is a story about data. Figure 1 schematically projects key data sources and corresponding sensor types onto the 'omics canvas of precision medicine. While some data is readily available or can be extracted using existing techniques, other data has to be generated individually and from scratch requiring novel and improved sensing platforms. Besides biometric data creation through wearable sensors, this is naturally the case for sequencing data and also applies to data which we collect in the pre-clinical drug discovery phase to test the impact of drug compounds on physiological intra- and intercellular activities. It is our fragmentary understanding of the nature of these biomolecular cross functionalities that we mean when we talk about the complexity of the human organism. Investigating which proteins our body builds and why, how these proteins interact with each other and to which end, and finally how these interactions can be impacted by introducing drug compounds to the cellular environment is key to understanding, monitoring and eventually controlling our body with the same level of detail that we control a driving car or flying plane with. This task forms the backbone of systems genomics, systems biology and in particular 'omics research. It covers the entire spectrum of the biomatrix from investigating biophysical characteristics and interaction dynamics of single molecules to analyzing the behavior of complex many-biomolecule systems in the context of the environment an individual lives in and the lifestyle it pursues. In that context resistive pulse sensing technology (often also referred to as nanopore/nanochannel translocation technology) has emerged as a predestined technique for single-molecule isolation, investigation and eventually manipulation⁹.

Resistive pulse sensing is a label-free, single-molecule screening technology allowing electrical detection and characterization of single particles in aqueous solutions. Thereby, location, speed and direction of motion of single target molecules can be controlled at the same time. Alternative sensing technologies include surface plasmonic/waveguide sensors, resonator-based sensors, and nanowire devices. While these technologies also offer label-free, single-molecule sensing capabilities, location control at the time of detection is low, and more sophisticated nanofabrication and integration processes are required to incorporate these types of sensors in lab-on-a-chip platforms. Instead of employing custom-labelled biological assays, resistive pulse sensing is performed purely electrically in a nanofluidic chip which contains at least one integrated nanochannel connected to two reservoirs. The system is wetted with an aqueous electrolyte solution, and a sample containing the target molecules is pumped into one reservoir. After creating a potential drop between the two reservoirs an ionic current begins to flow through the nanochannel forming the baseline current signal and creating a hydrodynamic drag force close to the channel openings. As single target molecules are pulled into the nanochannel and translocate through it one at a time, they partially block the channel and thus modulate the baseline

current signal. This produces an individual electrical fingerprint for each translocation event whose distinct features can be correlated with the biophysical properties of the translocating molecule that created it. Resistive pulse sensing can be used to investigate a broad variety of molecular biological systems with single-particle, single nucleotide and even single-binding site resolution. It is explicitly powerful to perform next-generation nanopore-based DNA-sequencing¹⁰⁻¹⁶ and to investigate target-ligand interactions in the pre-clinical compound-to-hit, hit-to-lead, and lead optimization stages of the pharma pipeline¹⁷⁻²².

Figure 1. Precision medicine contextualizes data from genome to exposome (left). Thereby genomic, transcriptomic, proteomic, metabolomic and microbiomic data is biomolecular by nature while epigenomic and exposomic data also takes environmental, biometric and medical metadata sources into account (center). On one hand, environmental and biometric data is highly diversified but often readily available and can be collected and processed through smart sensor networks which are incorporated into novel mobile platforms such as wearables, smart phones or smart watches. Such platforms then communicate directly to analytical tools for point-of-care monitoring and diagnostics (top). On the other hand collecting biomolecular data from intra- and intercellular systems on the genome to microbiome scale is a biophysical challenge in the field of experimental systems biology requiring the design of highly customized tools for screening biomolecules with single particle and single binding site resolution (bottom).

3. OUTLOOK

Highlighting the extraordinary current relevance of resistive pulse sensing technology for next-generation DNA-sequencing and drug discovery and giving a perspective onto the resulting impact of this technology on precision medicine applications, a comprehensive technical and commercial review has recently been published elsewhere²³. Integrated bionanosensors utilizing resistive pulse sensing technology are uniquely suitable to characterize the smallest units of the human organism and to help understand their complex interplay. While resistive pulse sensing-based next-generation sequencing platforms will mature further, the technology will also increasingly be used for developing novel diagnostics and ultra-high throughput pre-clinical drug screening systems. This could contribute to transforming the pharma pipeline similarly to how the \$1000-Genome has revolutionized DNA-sequencing, thus making resistive pulse sensing an essential part of precision medicine, the next big thing emerging at the intersection of biotechnology, nanotechnology and big data.

ACKNOWLEDGEMENTS

I thank Ajay Royyuru, Gustavo Stolovitzky, Yann Astier, Lili Deligianni, Ruhong Zhou and Binqun Luan (*IBM T. J. Watson Research Center*), Emmanuel Delamarche and Govind Kaigala (*IBM Zurich Research Laboratory*), Claudius Feger (*IBM Research Brazil*), Juerg v. Kaenel, John Wagner, Matthew Downton, Christine Schieber, Natalie Gunn, Sung Cheol Kim, Sridhar Kannam, Stephen Moore, Julia Baldauf (*IBM Research Australia*), Robert Miller (*IBM Almaden Research Center*), Ross Bathgate and Daniel Scott (*Florey Neuroscience Institutes*) as well as Stan Skafidas (*University of Melbourne*) for fruitful technical and strategic discussions on nanobiotechnology topics. Tom Conway and Kelly Wyres (*IBM Research Australia*) provided useful insights into the areas of genomics and systems biology. I also gratefully acknowledge Jonathan Rothberg (*Butterfly Network*), Hermann Hauser (*Amadeus Capital*), Stefan Roeber and Roger Chen (both *Genia Technologies*) as well as Philip Waggoner (*Ion Torrent/Thermo Fisher Scientific*) for taking the time to discuss next-generation DNA-sequencing topics with me.

REFERENCES

- [1] Steinbock, L. J. and Radenovic A., "The emergence of nanopores in next-generation sequencing," *Nanotechnology* 26, 074003 (2015).
- [2] Kilianski, A., Haas, J. L., Corriveau, E. J., Liem, A. T., Willis, K. L., Kadavy, D. R., Rosenzweig, C. N. and Minot, S. S., "Bacterial and viral identification and differentiation by amplicon sequencing on the MinION nanopore sequencer," *GigaScience* 4(12), 1-8 (2015).
- [3] Gudbjartsson, D. F. et al., "Large-scale whole genome sequencing of the Icelandic population," *Nature Genetics*, doi:10.1038/ng.3247 (2015).
- [4] Genomics England, News 2014. <http://www.genomicsengland.co.uk/uk-to-become-world-number-one-in-dna-testing-with-plan-to-revolutionise-fight-against-cancer-and-rare-diseases/>
- [5] Human Longevity, Press & News 2014. <http://www.humanlongevity.com/human-longevity-inc-hli-launched-to-promote-healthy-aging-using-advances-in-genomics-and-stem-cell-therapies/>
- [6] Kaiser, J., "Obama gives East Room rollout to Precision Medicine Initiative," *Science*, DOI: 10.1126/science.aaa6436 (2015).
- [7] Ratner, M., "IBM's Watson Group signs up genomics partners," *Nature Biotech.* 33(1), 10-11 (2015).
- [8] "Genome project produces first diagnoses of rare diseases," *The Guardian*, Press Association (March 2015). http://www.theguardian.com/science/2015/mar/11/genomes-project-diagnoses-rare-diseases?adbsc=sm_gen_global_all_20150311_41925366&adbid=UPDATE-c7513-5981518410754834432&adbpl=li&adbpr=7513
- [9] Kasianowicz, J. J., Brandin, E., Branton, D. and Deamer, D. W., "Characterization of individual polynucleotide molecules using a membrane channel," *Proc. Natl. Acad. Sci. USA* 93, 13770-13773 (1996).
- [10] Proffitt, A., "Roche back in Sequencing game with \$350M Genia Acquisition," *BioIT World* 2015. http://www.bio-itworld.com/BioIT_Article.aspx?id=138708
- [11] Timp, W., Nice, A. M., Nelson, E. M., Kurz, V., McKelvey, K. and Timp, G., "Think small: nanopores for sensing and synthesis," *IEEE Access* 2, 1396-1408 (2014).
- [12] Peng, H., Luan, B., Harrer, S., Polonsky, S., Rossmagel, S. M., Martyna, G. J. and Stolovitzky, A. G., "Base-by-base ratcheting of single-stranded DNA through a solid-state nanopore: the DNA Transistor," *Abstracts of Papers of the ACS* 240 (2010).
- [13] Polonsky, S., Rossmagel, S. and Stolovitzky G., "Nanopore in metal-dielectric sandwich for DNA position control," *Appl. Phys. Lett.* 91, 153103 (2007).
- [14] Branton, D., Deamer, D. W., Marziali, A., Bayley, H., Benner, S. A., Butler, T., Di Ventra, M., Garaj, S., Hibbs, A., Huang, X., Jovanovich, S. B., Kristic, P. S., Lindsay, S., Ling, X. S., Mastrangelo, C. H., Meller, A., Oliver, J. S., Pershin, Y. V., Ramsey, J. M., Riehn, R., Soni, G. V., Tabard-Cossa, V., Wanunu, M., Wiggin, M. and Schloss J. A., "The potential and challenges of nanopore sequencing," *Nature Biotechnology* 26, 1146-1153 (2008).
- [15] Harrer, S., Ahmed, S., Afzali-Ardakani, A., Luan, B., Waggoner, P. S., Shao, X., Peng, H., Goldfarb, D. L., Martyna, G. J., Rossmagel, S. M., Deligianni, L. and Stolovitzky, G. A., "Electrochemical Characterization of Thin Film Electrodes Toward Developing a DNA Transistor," *Langmuir* 26(24), 19191-19198 (2010).
- [16] Wang, D., Harrer, S., Luan, B., Stolovitzky, G., Peng H. and Afzali-Ardakani, A., "Regulating the transport of DNA through biofriendly nanochannels in a thin solid membrane," *Sci. Rep* 4, 3985 (2014).

- [17] Paul, S. M., Mytelka, D. S., Dunwiddie, C. T., Persinger, C. C., Munos, B. H., Lindborg, S. R. and Schacht, A. L., "How to improve R&D productivity: the pharmaceutical industry's grand challenge," *Nature Reviews* 9, 203-214 (2010).
- [18] Kannam, S., Downton, M. T., Gunn, N., Kim, S. C., Rogers, P., Schieber, C., Wagner, J. M., Scott, D., Bathgate, R., Skafidas, E. S. and Harrer, S., "Nanosensors for next-generation drug screening," *Proc. SPIE* 8923, 89230I-1 (2013).
- [19] Bathgate, R., Downton, M., Gunn, N., Harrer, S., Rogers, P., Scott, D. and Skafidas S., "Modifying single proteins (GPCR), ligands, and nanopore surfaces to create binding-induced molecular changes of protein-ligand complexes detected in nanochannel translocation," US Patent 8,835,362 (2014).
- [20] Bathgate, R., Downton, M., Gunn, N., Harrer, S., Rogers, P., Scott, D. and Skafidas S., "Modifying single proteins (GPCR), ligands, and nanopore surfaces to allow the detection of binding-induced molecular changes of protein-ligand complexes with nanochannel translocation," US Patent App. 20140179540A1 (2014).
- [21] Kannam, S., Kim, S. C., Rogers, P. R., Gunn, N., Wagner, J. M., Harrer, S. and Downton, M. T., "Sensing of protein molecules through nanopores: a molecular dynamics study," *Nanotechnology* 25, 1555021 (2014).
- [22] Kim, S. C., Kannam, S., Moore, S., Downton, M. T., Wagner, J. M. and Harrer, S. "Geometric dependence of the conductance drop in a nanopore due to a particle," *Phys. Rev. E* 89, 0427021 (2014).
- [23] S. Harrer et. al., "Label-free screening of single biomolecules through resistive pulse sensing technology for precision medicine applications," accepted for publication in *Nanotechnology* (April 2015).