

# Index

- 2D dyadic decomposition, 63
  - 2D matrix architecture, 254
  - 3D embedded zeroblock coding, 66
  - 3D set-partitioning embedded block, 63
  - 3D SPECK, 62, 63
  - 3D VQ, 140, 326, 351
- A**
- a priori* knowledge, 5
  - absolute distance, 252
  - absolute root mean square error (A-RMSE), 227
  - absorption band, 123
  - absorption-feature-based fitting, 311
  - abundance image, 121, 123
  - AC coefficients, 89
  - Acadie, 117, 212
  - acceptability, 297
  - acoustic wave, 83
  - Acousto-Optical Spectrometer (AOS), 82
  - acquisition system, 4
  - across-spectral-bands vector distance calculator, 251
  - across-track spatial misregistration, 236
  - adaptive arithmetic coding (AAC), 40
  - adaptive entropy coder, 76, 78
  - adaptive linear prediction, 99
  - adder, 252
  - addition operation, 109
  - additive noise, 191
  - additive white Gaussian noise (AWGN), 241
  - additive white noise, 26
  - adjacent pixel spectra in a cross-track line (APSICL), 205
  - Advanced Responsive Tactically Effective Military Imaging Spectrometer (ARTEMIS), 2
  - aerial photography, 305
  - aggregated class, 316
  - agreement with ground truth, 305
  - agriculture, 117, 301
  - air bubble, 312
  - Airborne Visible Infrared Imaging Spectrometer (AVIRIS), 48, 85, 113, 190, 198, 244, 333
  - along-spectral-bands vector distance calculator, 251
  - along track, 179, 215
  - alunite, 123, 311, 314
  - amplifier, 177
  - amplitude binary codevector, 139
  - analog-to-digital (A/D) converter, 177, 296, 318, 306
  - anchor points, 111
  - ancillary channel, 20
  - anisotropic diffusion, 26
  - anomaly, 211
  - applet server, 349
  - application-specific integrated circuit (ASIC), 249
  - approximation size, 129

- approximation stage, 162, 238  
 architecture, 249, 275  
 archive, 345  
 arithmetic coding (AC), 40, 59  
 arithmetic mean, 25  
 artificial target, 117  
 associated codebook, 188  
 asymmetric compression process, 34  
 asymptote, 166, 203, 216  
 asynchronous, 264  
 at-sensor radiance, 223, 305  
 atmosphere, 178  
 atmospheric correction, 178, 296, 298, 349  
 atmospheric effect, 148  
 Atmospheric Infrared Sounder (AIRS), 2, 59, 103, 198  
 atmospheric water vapor, 297  
 auxiliary parameter, 141  
 average classification, 312  
 average percent-relative absolute difference, 318  
 awning, 212, 308
- B**
- BAD PIXEL CORR (BPC), 316  
 band combination, 354  
 band math evaluation, 311  
 band reordering, 34, 38, 60  
 band interleaved by pixel (BIP), 205, 273  
 band sequential, 205  
 base bits, 49  
 base-bit plus overflow-bit coding (BPOC), 49  
 baseband, 63  
 baseline index map, 183  
 benchmark, 316  
 benchmark hyperspectral library, 349  
 Bernoulli process, 42  
 bilinear interpolation, 21  
 binary codevector, 139, 140  
 binary-input power-limited Gaussian channel (BIPLGC), 243  
 birch, 154  
 bit-allocation, 57  
 bit-error rate (BER), 238, 245  
 bit errors, 182, 211  
 bit pattern, 79  
 bit-plane encoder (BPE), 87  
 bit-shifting, 62  
 BitPlaneStop, 90  
 bitrate, 41, 61, 91, 200  
 bitrate reduction, 2  
 bits per pixel per band (bpppb), 104  
 bits per symbol (bps), 41  
 bitstream, 35, 40, 98  
 black crustose lichen, 306  
 black spruce, 154  
 blind datacube, 225, 297  
 blind-compressed datacube, 218  
 blind distortion measurement, 24  
 block, 78  
 block-adaptive entropy coding approach, 102  
 block diagram, 162  
 block effect, 61  
 block size, 52, 79  
 blocking, 24  
 blocking artifact, 26  
 blocking effect, 180  
 Blue Books, 75  
 blurring, 24  
 boreal forest environment, 305  
 bottleneck, 264, 276, 285  
 boundary conditions, 100  
 brightness temperature, 2  
 broadband channel, 3  
 browser module, 349  
 browsing, 121  
 buddingtonite, 314  
 byte limit, 87

**C**

- C++ language, 274
- c-code, 240
- c-means clustering, 36
- California, 84
- CAM5S, 302
- Canadian Space Agency (CSA), 346
- canopy liquid-water content, 297
- card-to-card connector, 265
- catalog server, 347
- cataloging system, 345
- causal neighborhoods, 35
- causal pixels, 55
- CCD, 76
- CCSDS 121.0-B, 76
- CCSDS-123 , 98
- CCSDS-IDC, 199
- central local difference, 101
- central web server, 352
- centroid, 115, 124, 162, 253, 351
- Chalcedony, 314
- channel codes, 241
- channel decoder, 243
- Chesapeake Bay, 84
- chipset, 264
- chromatic aberration, 236
- cirrus cloud, 309
- class map, 351, 352
- classical VQ algorithm, 110
- classification map, 171
- clock cycle, 252
- cloud scene type, 117
- cluster, 36, 107, 168, 277
- cluster map, 277
- cluster SAMVQ, 178, 181
- co-located pixel, 55
- coastal zone, 3
- codeblock, 66
- code rate, 241
- codebook, 37, 57, 237, 238
- codebook generation, 107
- codebook generation time, 149
- codebook size, 164, 168, 238, 240
- codebook training, 58, 107
- coded dataset, 81
- codestream, 39
- codevector (CV), 107, 251, 258
- codevector matching, 107
- codevector memory, 260
- codevector trainer, 251, 262
- codevector update operation, 254
- codeword, 40, 57, 77
- CodeWordLength, 97
- coding gain, 25
- coding paradigm, 34
- coding step, 107
- coding time, 149
- coefficient of determination, 303
- collimator, 236
- color-composite image, 212
- column-oriented local sum, 100
- commission error, 306
- communication channel, 243
- Compact Airborne Spectrographic Imager (CASI), 48, 198, 212, 225, 244, 302, 327
- compare with previous region codevectors (CWPRC), 282
- component software-configurable-items (CSCIs), 275
- composite mineral map, 314
- compressed data library, 349
- compressed datacube, 225
- compressibility, 25
- compression effectiveness, 89
- compression efficiency, 77
- compression engine (CE), 180, 249, 262
- compression-error datacube, 194
- compression-error image, 192
- compression fidelity, 110, 149, 162, 216, 237, 238
- compression performance, 211
- compression ratio (CR), 2, 34, 50, 82, 301
- computation time, 112, 118, 133

- computational complexity, 38, 53, 60, 110, 162, 168  
 computational platform, 142  
 concrete, 315  
 confidence level, 296  
 configuration, 249, 280  
 confusion matrix, 316  
 constrained spectral unmixing, 309  
 constraint length, 241  
 Consultative Committee for Space Data Systems (CCSDS), 44, 75, 197  
 context adaptive, 36  
 context-based embedded zerotrees of wavelet transforms (CB-EZWs), 39  
 context modeling, 67  
 contrast enhancement, 18  
 contrast stretch, 356  
 controlled laboratory environment, 306  
 conventional full-reference metrics, 6  
 conventional VQ algorithm, 110, 164  
 convergence speed, 167  
 convex, 59  
 convolutional code, 238, 241  
 corn, 225, 227  
 cornfield, 118, 212  
 correlation codevectors (CCs), 144  
 correlation coefficient, 8  
 correlation vector quantization (CVQ), 110, 351  
 cosine, 111  
 cotton, 212, 309  
 covariance, 61  
 covariance matrix, 61  
 CPU, 180, 249  
 crisp, 56  
 crop chlorophyll content, 296  
 crop field, 225, 302  
 crop leaf area index, 301  
 cross-support, 75  
 cross-track, 45, 57, 215  
 cross-track line, 178, 282  
*cube1*, 48  
*cube3*, 48  
 Cuprite, 21, 48, 67, 113, 190, 245  
 current pixel, 34, 57  
 current regional codebook, 188  
 current spectral band, 99  
 curvature, 218  
 custom weight, 95
- D**
- dark current, 177, 223, 228, 309  
 dark leakage current, 177  
 data acquisition, 347  
 data anomaly, 299  
 data bus, 262  
 data cleaner, 317  
 Data Compression Working Group (DCWG), 75  
 data-flow chain, 296  
 data handling, 211, 249  
 data holdings, 347  
 data loss, 86, 182  
 data processing level, 301  
 data products, 4  
 data structure, 111  
 data visualization tool, 360  
 datacube, 2, 6  
 DC coefficient, 89  
 DCStop, 90  
 DCStop=0, 93  
 deblocking, 61  
 dead detector elements, 212  
 debug, 266  
 decoder, 78, 107, 148, 238  
 decoding time, 164  
 decomposition, 63  
 defence, 301  
 derived product, 4, 298  
 desktop browser, 349  
 despike, 215

- destriping, 228
  - detector array, 177
  - detector defects, 211
  - diagonal subband, 63
  - difference between the reflectance
    - maximum and the minimum, 324
  - differential pulse code modulation (DPCM), 36, 143
  - differentiator, 254
  - digital count, 177
  - digital number (DN), 117, 184
  - digital signal processor, 249
  - dimension-reduction code, 140
  - direct memory access (DMA), 249, 262
  - directional local differences, 101
  - dirt road, 315
  - discrete cosine transform (DCT), 2, 26, 34
  - discrete wavelet transform (DWT), 38, 61, 86
  - discrimination capability, 11
  - dispersion element, 4, 236
  - distortion channel, 17
  - distortion measure, 5, 109
  - distortion threshold, 109
  - distortion types, 24
  - dolomite, 314
  - double-blind test, 225, 234, 297
  - downlink channel, 3, 182, 237, 241
  - downsample, 18
  - duty cycle, 276
  - dynamic range, 82, 184, 223
- E**
- Earth-observation satellites, 1
  - edge-based prediction, 36
  - eigenvectors, 38, 61
  - embedded zerotrees of wavelet transforms (EZWs), 39
  - embedded data structure, 87
  - encoding order, 102
  - endmember (EM), 123, 218, 229
  - endmember spectra, 218
  - energy balance, 83
  - energy compaction, 25
  - energy shifting, 26
  - entropy, 24, 34
  - entropy encoder, 34, 35, 40, 59, 99, 102
  - entry counts, 254
  - ENVISAT, 3
  - Earth Observer-1 (EO-1), 29, 198, 316
  - equal-percentage subsampling, 158
  - equal-size subsampling, 158
  - equivalent codebook, 164
  - ERGAS, 10
  - error-correction measures, 211, 298
  - error cube, 269
  - error matrix, 305
  - error measurement, 6
  - error propagation, 211, 298
  - error vector, 58
  - Euclidean distance, 109, 138, 161, 351
  - evaluation criteria, 298
  - evaluation metrics, 232
  - evaluation procedure, 298
  - evaluation score, 219, 235
  - evaluator, 297
  - exhaustive search, 56
  - exponential-Golomb coding, 42
  - exposed rock, 306
  - exposure, 177
  - extensible markup language (XML), 273
  - external RAM, 284
  - extragalactic source, 82
- F**
- F-test, 301
  - factor of improvement in coding time, 146
  - factor of improvement in compression ratio, 147
  - factorization, 39

- false alarm rate, 315
  - false color, 356
  - fast three-dimensional vector
    - quantization (F3DVQ), 351
  - fast correlation vector quantization (FCVQ), 352
  - fast Fourier transform (FFT), 26
  - fast memory, 250
  - fast precomputed vector
    - quantization (FPVQ), 57
  - fast sorting method, 126
  - fast VQ algorithm, 110
  - feature extraction, 18
  - fidelity, 274
  - fidelity mode, 170
  - fidelity penalty, 164
  - fidelity threshold, 166
  - field campaign, 154, 225, 302
  - field of view (FOV), 108
  - field programmable gate array (FPGA), 249
  - filter bank, 63
  - final product, 4
  - fingerprnt, 120
  - first-in first-out (FIFO), 275
  - first-order predictor, 77
  - fixed-compression-ratio mode, 165
  - fixed-fidelity mode, 166
  - fixed length, 40
  - flat field, 198
  - flexibility, 61
  - floating point, 62
  - floating-point DWT, 86, 88
  - floating-point wavelet transform, 63
  - focal plane, 236
  - focal plane frames, 250
  - focal plane image, 45
  - footprint, 57
  - forest, 218, 229
  - forest density, 305
  - forest height, 305
  - forest regeneration ecosystems, 305
  - forest regeneration map, 305
  - forest scene type, 117
  - forest species classification, 316
  - forestry, 301
  - forestry inventory, 316
  - forward-error correction, 238
  - Fourier frequencies, 228
  - Fourier transform spectroscopy (FTS), 1
  - fraction image, 218, 228, 229, 308, 315
  - frame-based algorithm, 97
  - frame-based image format, 76
  - framework, 162, 275
  - frequency, 40
  - frequency domain, 26
  - frozen detector elements, 212
  - full-frame compression, 94, 97
  - full-prediction mode, 101
  - full-reference metrics, 5
  - full-resolution data, 349
  - full search, 110
  - fully redundant regional datacube, 182
  - fundamental sequence, 80
  - fusion, 28
  - fuzzy logic, 35
  - fuzzy prediction, 35
- G**
- gaggle, 94
  - galaxy, 83
  - gamma function, 23
  - gamma ray, 83
  - Gamma-Ray Spectrometer (GRS), 82, 83
  - Gaussian blurs, 26
  - Gaussian distribution, 58
  - Gaussian random variable, 243
  - generalized Gaussian, 22
  - generalized Lloyd algorithm (GLA), 37, 110
  - geo-referencing, 302
  - geological rock mapping, 306

- geology, 301
- geometric distortion, 236
- geometric mean, 25
- global blur, 26
- global carbon cycle, 3
- Goddard High-Resolution Spectrometer (GHRM), 82
- goethite, 311
- golden spectra, 170
- Golomb code, 94
- Golomb coding, 40–41
- Golomb power-of-two coding (GPO2), 40, 42
- granule, 2, 59, 198
- graphical user interface (GUI), 273
- grass, 218, 229
- grating, 236
- gravel road, 218, 229
- gray level, 26
- grayscale, 38
- grazing-incidence reflecting telescope, 85
- Greater Victoria Watershed District (GVWD), 191
- green crustose lichen, 306
- ground control point, 305
- ground receiving station, 2
- ground sample distance (GSD), 1
- ground sample size, 118
- ground swath, 1
- ground truth, 225, 227, 298, 302
- groups of species, 305
- H**
- halloysite, 314
- Hamming distance, 110, 138, 161, 351
- handshake, 262
- hardware configuration, 272
- hardware implementation, 249, 273
- hardware timing, 273, 284
- hardware topology, 276
- header, 238
- healthy vegetation, 315
- Heat-Capacity Mapping Radiometer (HCMR), 82, 84
- hematite, 311
- heuristic parameter selection, 94
- hierarchical pyramidal structure, 64
- hierarchical self-organizing cluster vector quantization (HSOCVQ), 168, 295
- hierarchical splitting, 170
- high-energy phenomena, 85
- high-frequency component, 63
- high-frequency noise, 194
- high-pass filter (HPF), 23, 63
- high-speed hardware, 76
- high-speed integrated circuit hardware description language, 249
- high-speed serial link, 250
- histogram, 22, 151
- histogram-based segmentation, 151
- horizontal subband, 63
- housekeeping control logic, 260
- Hubble Space Telescope (HST), 82
- Huffman code, 40, 78
- human brain, 17
- human visual system (HVS), 17
- human-readable, 273
- HyCorr, 314
- HyMap, 314
- hypercomplex, 12, 14
- Hyperion, 1, 103, 198, 316
- hyperplane, 59
- hyperspectral, 1, 98
- hyperspectral analysis tool, 347
- hyperspectral image browser, 346
- Hyperspectral Imager, 82
- hyperspectral visualization tool, 347
- hypertext markup language (HTML), 358
- HypOT, 315
- hypothesis test, 296

**I**

ICER, 95  
 ICER-3D, 199  
 ID, 79  
 identifier, 79  
 illite, 311  
 illumination, 148  
 image archiving facility, 347  
 image data compression (IDC), 76, 86  
 image frames, 76  
 image information, 17  
 image processing, 107  
 image quality criteria, 5  
 image quality metrics, 4  
 image acquisition, 211  
 image-quality index, 12  
 imaging Fourier transform spectrometer, 1  
 imaging instrument, 82  
 imaging optics, 236  
 impulsive noise, 177  
 index, 37, 107, 253  
 index map, 108, 120, 143, 163, 237–238, 352  
 inequalities, 42  
 inequality elimination method, 111  
 inequality-of-cosines law, 111  
 inflection of the NIR vegetation reflectance curve, 324  
 inflection point, 166  
 inflection-point-detection operating mode, 166  
 information amount, 17  
 information theory, 2, 24  
 infrared, 1  
 infrared atmospheric sounding interferometer (IASI), 198  
 infrared region, 84  
 initialization, 66, 115  
 input symbol, 40  
 instrument defects, 211  
 instrument noise, 177, 191

integer DWT, 86, 88  
 integer wavelet transform (IWT), 38, 39, 63  
 integrated circuit (IC), 264  
 intensive field campaign (IFC), 225  
 interband, 14, 35  
 interband-scaling lookup table, 54  
 intermediate product, 4  
 internal RAM, 262, 284  
 international standard, 197  
 International Organization of Standards (ISO), 75  
 Internet, 347  
 interoperability, 75  
 interpolation, 21  
 interstellar medium, 82  
 intraband, 14, 35  
 intrinsic noise, 166, 178, 191, 192, 298  
 inverse Gaussian red-edge spectral parameters, 325  
 irreversibility, 34  
 isocustering, 149, 151  
 isolated over-responsive detector elements, 212  
 iteration loop, 109  
 iterative back-projection, 21  
 iterative error analysis (IEA), 318  
 iterative process, 109, 113

**J**

Jasper Ridge, 48, 67, 113  
 Java applet, 353  
 Java client running, 347  
 Java language, 273  
 JPEG, 24, 76  
 JPEG-lossless, 95  
 JPEG-LS, 95, 103, 200  
 JPEG2000, 76, 95, 199, 296  
 JPEG2000 BA, 199  
 JPEG2000 multicomponent, 62  
 JPEG2000 SD, 199



**K**

*k*-dimensional (*k*-d) tree, 111  
*k* split-sample options, 80  
kaolinite, 123, 311  
Karhunen–Loève transform (KLT),  
38, 39, 61  
kernel, 168  
Key Lake, 21  
keystone (KS), 211, 228, 235, 309  
Kullback–Leibler distance, 10, 22

**L**

Landsat, 82, 84  
Landsat Thematic Mapper, 82  
laser beam, 83  
latency, 253  
leaf area index (LAI), 224, 297  
leaf chlorophyll content, 296  
least-significant bits, 184  
least squares, 36  
lenses, 236  
lichen, 306  
lidar, 1  
lifting scheme, 39  
Linde–Buzo–Gray (LBG)  
algorithm, 58, 109, 251, 278, 351  
linear prediction, 57  
linear spectral unmixing (LSU),  
229, 307  
list of insignificant sets (LIS), 66  
list of significant pixels, 66  
local difference value, 99  
local HIBR applet, 349  
local hyperspectral library, 349  
local sum, 99  
locally averaged, interband-scaling  
quantized-index lookup table  
(LAIS-QLUT), 56  
LOCO-I, 46  
logarithm, 25  
logging road, 336  
longer vector, 205  
lookup table (LUT), 34, 37, 53

lossless data compression (LDC),  
44, 76  
lossless multispectral and  
hyperspectral image compression,  
76  
lossy compression, 33  
lossy-to-lossless compression, 38,  
61, 63, 66  
low altitude, 67  
low complexity, 38, 200  
low-frequency component, 62  
low-pass filter, 23, 63, 194, 235  
low resolution, 18  
luminance function, 15  
luminance-weighted norm, 26  
Lunar Lake, 67

**M**

M-CALIC algorithm, 62  
MacDonald Dettwiler and  
Associates (MDA), 346  
machine readable, 273  
macro-variable, 240  
*mapbits*, 238  
mapped prediction residual, 99,  
102  
mapping, 77  
marginal analysis, 59  
Mars Observer, 82–83  
mathematical model, 298  
matrix factorization theory, 61  
maximum absolute difference  
(MAD), 7  
maximum likelihood classification,  
305  
maximum spectral angle (MSA), 10  
maximum spectral information  
divergence (MSID), 10  
maximum value, 7, 118  
mean absolute error (MAE), 8  
mean and standard deviation  
evaluation, 311  
mean deviation binary codevector, 139

- mean-distance-order partial search, 137  
 mean-normalized vector  
   quantization, 39  
 mean of spectral vector, 9  
 mean-square error (MSE), 6  
 mean-square spectral error (MSSE), 9  
 mean-squared reconstruction error, 25  
 mean SSIM, 16  
 median, 42  
 medical image, 178  
 Medium-Resolution Imaging Spectrometer (MERIS), 3  
 membership, 57  
 membership degrees, 36  
 memory, 180  
 memory-efficient implementation, 76  
 metadata, 345  
 mica, 314  
 mineral exploration, 313  
 mineral mapping, 297, 314  
 minimal distance selector (MDS), 259  
 minimum distance detection (MDD), 243  
 minimum distance partition (MDP), 109  
 minimum sum, 47  
 misalignment, 228  
 misregistration, 5  
 Moderate-Resolution Imaging Spectroradiometer (MODIS), 198  
 modularity, 249  
 modulation transfer function (MTF), 4  
 Moffet, 48  
 molecular cloud, 83  
 monochromatic image, 107, 236  
 most-significant bit, 66, 184  
 motion compensation, 66  
 movable window, 143  
 moving average classification (MAC), 312  
 MPEG, 61  
 Mt. Fitton talc mines, 314  
 multidimensional data, 162  
 multidisciplinary, 297  
 multilifting, 61  
 multithresholding, 150  
 multiple-bit burst errors, 238  
 multiple codebooks, 37  
 multiple-subcodebook algorithm, 149  
 multispectral, 1, 98  
 multispectral images, 6  
 multispectral prediction, 85  
 multispectral sensor, 2, 5  
 multistage, 162, 238  
 multivariable, 13  
 mutual information, 17
- N**
- navigation, 1  
 navigation satellites, 1  
 near-infrared, 1  
 near-infrared reflectance maximum, 324  
 near-infrared reflectance shoulder, 324  
 near-lossless compression, 33, 166  
 nearest neighbor (NN), 53  
 nearest-neighbor partitions, 124  
 nearest-neighbor prediction, 35, 44  
 nearest-neighbor search, 37  
 nearest-partition set, 124  
 negative value, 224  
 neighbor-oriented local sum, 100  
 neighboring pixel, 57  
 neighboring sample, 99  
 network switch, 250, 264  
 no-compression option, 81  
 no-reference metrics, 5, 24  
 noise free, 177, 191

noise profile, 192  
noise-removed radiance (NRR),  
232  
noisy radiance (NR), 232  
nonimaging instrument, 82  
nonaggregated class, 316  
nonconvex, 59  
nonlinear filter, 298  
nonlinear prediction, 36  
nonnegative integer, 42  
nonsingular matrix, 61  
nonstationary, 16  
nonuniformity, 223  
nonvegetated pixel, 327  
normalized difference vegetation  
index (NDVI), 150, 351  
notch filter, 228  
number of bits per index, 238  
number of coded bits, 241  
number of columns of the datacube  
scene, 238  
number of information bits, 241  
number of rows of the datacube  
scene, 238  
number of spectral bands, 238, 240

## O

objective image-quality index, 11  
ocean scene, 150  
ocean ship wake detection, 312  
oceanography, 301  
offline design, 111  
offline procedure, 36  
offset, 223  
oil tank, 315  
Old Jack Pine, 324  
omission error, 306  
onboard near-lossless compression,  
168  
one-layer coding, 83  
online data dissemination, 347  
online data storage, 347  
online design, 170

optimal hardware implementation,  
273  
optimal linear predictor, 36  
optimization, 211  
orbit, 1  
original data, 191  
original image, 5  
original spectrum, 121  
output port, 253  
overall noise, 194  
overflow, 285  
overflow bits, 49  
overhead, 79, 148, 183  
overlapping two adjacent regions, 182

## P

$p$ -least sorting, 127  
packet size, 79  
packetization, 87  
pan-sharpening, 27  
panchromatic image, 1, 6, 29  
panchromatic sensor, 2  
parallel processing, 61, 180, 249, 276  
partial distance, 115  
partial distance search (PDS), 137  
partial information, 18  
partition, 115, 253  
patent, 168  
pattern recognition, 107  
PCI, 151  
PCI bus, 250  
peak signal, 118  
peak signal-to-noise ratio (PSNR),  
7, 118  
perceived visual quality, 6  
percent standard error, 310  
percentage maximum absolute  
difference (PMAD), 8  
percentage standard error, 219  
perceptual quality, 18  
performance penalty, 110  
periodic noise, 218, 228, 309  
PHILLS2, 312

photon, 177  
 photonic effects, 4  
 pipeline processing, 253  
 pitch, 305  
 plastic tarp, 212  
 Pleiades, 199  
 point spread function (PSF), 4  
 Poisson distribution, 177  
 polythene, 212, 309  
 postclassification filter, 305  
 postfiltering, 61  
 precision agriculture, 296  
 predefined criteria, 234, 297, 305  
 predetermined fidelity, 170  
 predetermined threshold, 168  
 prediction, 77  
 prediction-based lossless  
   compression, 34  
 prediction error, 34, 78  
 prediction residual, 99  
 predictors, 40  
 prefiltering, 61  
 prefix-free code, 40  
 preprocessing, 181, 211, 223, 228, 298  
 preprocessor, 76  
 preselected predictor, 52  
 previous pixel, 34  
 previous regional codebook, 188  
 previous spectral bands, 99  
 principal component analysis  
   (PCA), 35  
 print circuit board (PCB), 264  
 prism, 236  
 probability, 40  
 probability density functions, 22, 23  
 Probe-1, 306, 310, 315  
 processing capability, 3  
 processing time, 159  
 product operation, 110  
 programming bus interface, 262  
 progressive performance, 39  
 protocol, 75  
 prototype, 283

pseudo-color editing, 356  
 Ptolemy, 273  
 pull-down menu, 358  
 pulse code modulation (PCM), 25  
 purest pixel, 123  
 push-broom-type sensor, 86, 102  
 pyramidal, 63

## Q

$Q$  index, 6, 11  
 $q$ -norm, 29  
 $Q2^n$  index, 14  
 $Q4$  index, 12  
 quadratic, 237  
 quadtree, 67  
 qualitative, 298  
 qualitative criteria, 218  
 quality assurance procedure, 299  
 quality limit, 87  
 quality metrics, 4  
 quantitative, 298  
 quantitative criteria, 218  
 quantization, 26  
 quantization noise, 177  
 quantum fluctuation, 177  
 quartzite, 306  
 quaternion, 12  
 quick-look image, 336  
 quick looking, 121, 345  
 QuickBird, 11  
 QuickSort, 127

## R

radiance, 211  
 radiance data, 178, 349  
 radio-wave spectrum, 83  
 radiometric calibration, 178, 298  
 radiometric conversion, 223, 228  
 radiometric noise, 4  
 radiometric normalization, 211  
 radiometric precision, 1  
 random error, 194  
 random noise, 228, 231

- raster-scan order, 37
- raster scanning, 205
- rate-distortion curve, 200
- rate-distortion performance, 198
- raw data, 211
- real time, 18
- real-time data compression
  - emulator, 272
- receiver side, 20
- reconfigurable, 264
- reconstructed datacube, 123, 192
- reconstructed image, 33
- reconstructed spectrum, 121
- reconstruction fidelity, 165, 232
- recursive HSOCVQ, 178, 185
- red-edge indices, 295, 324
- red-edge reflectance ratio index, 324
- reduced prediction mode, 101
- reduced-reference metrics, 5, 18
- redundancy, 33, 183
- redundant index map, 183
- reference image, 5
- reference predictor, 56
- reference sample, 78
- refinement pass, 66
- reflectance data, 178, 349
- reflectance datacube, 225
- reflective light, 1
- regional datacube, 179
- regions of interest (ROIs), 218, 296
- register, 253
- relative global error in synthesis, 10
- relative-mean-square error (ReMSE), 7
- relative root-mean-square error (Re-RMSE), 227
- remote sensing application, 218
- remove negative spikes, 317
- reorganized vector, 205
- residual, 35
- resilience to bit errors, 86, 238
- resolution enhancement, 18
- resolution ratio, 29
- reused codevector, 186
- reused codevectors, 188
- reversible, 34, 77
- reversible compression, 33
- reversible discrete cosine transform, 38
- reversible integer-to-integer transform, 38, 61
- reversible time-domain lapped transform (RTDLT), 62
- reversible transform, 39
- RGB, 356
- RGB image, 191
- Rice algorithm, 78
- Rice coding, 40
- Rice encoder, 44
- ringing artifact, 26
- river bank, 336
- roam, 354
- roll, 305
- root-mean-square error (RMSE), 5, 6
- root-mean-square spectral error (RMSSE), 9
- root relative-mean-square error (RRMSE), 7
- S**
- salt-and-pepper noise, 177, 298
- sample-adaptive entropy coding approach, 102
- sample splitting option, 81
- SAMspade, 314
- sand, 218, 229, 315
- Santa Barbara, 315
- saturation, 212, 219
- scalability, 249
- scalar distance, 252
- scalar quantization, 107
- scan line, 57
- scanning order, 53
- scatter plot, 315
- Scenario Builder, 272, 273, 276

- scene segmentation, 149  
 score, 310  
 seamless conjunction, 185  
 search complexity, 110  
 search process, 111  
 search range, 141  
 season, 148  
 second-extension option, 80, 81  
 second-order predictor, 77  
 seed spectrum, 357  
 SegByteLimit, 90  
 segment, 87, 89  
 segment boundary, 87  
 segment header, 87, 89, 92  
 segment line  $w$ , 205  
 segment size, 89  
 segmentation map, 154  
 self-deception, 297  
 self-organizing feature map, 109  
 semivariances, 297  
 sensor attitude correction, 305  
 sequence of states, 241  
 serial link, 264  
 service control module, 349  
 set partitioning in hierarchal trees (SPIHT), 67, 95  
 shadow, 315  
 Shannon entropy, 24  
 ship wake, 312  
 short-wave infrared (SWIR), 85, 150  
 Short-Wave Infrared Full-Spectrum Imager, 117, 212, 309  
 shortest fitting word-length, 184  
 shot noise, 177  
 side information, 57  
 Sierra Nevada, 84  
 signal intensity, 177  
 signal processing, 107  
 signal-to-noise ratio (SNR), 4, 7, 118  
 signature information, 166  
 signed data, 223  
 signed integer, 99  
 significance, 298  
 significance level, 219  
 simulator, 275  
 sine, 111  
 single-bit error, 238  
 single-bit event, 182  
 single-bit flips, 184  
 single-event upset (SEU), 211, 237  
 single-lookup-table prediction, 53  
 sliding window, 17  
 slit, 236  
 slit curvature, 228, 309  
 slope binary codevector, 139  
 Small Satellite Technology Infusion (SSTI), 82, 85  
 smile, 211, 228, 235, 309  
 smoothing effect, 4  
 Soft X-Ray Telescope, 82, 85  
 software environment, 273  
 software implementation, 273  
 soil condition, 302  
 solid state photodetector, 84  
 SORTER, 276, 283  
 sorting pass, 66  
 sounder, 98  
 source coding, 2  
 source packages, 182  
 soybean, 225, 227  
 spacecraft, 87  
 spaceflight, 75  
 spatial correlation, 57  
 spatial decorrelation, 35  
 spatial distortion, 5, 211, 235  
 spatial distortion index, 29  
 spatial metadata search, 349  
 spatial nonlinearity, 236  
 spatial pattern, 226, 302, 336  
 spatial resolution, 1, 148  
 spatial size of a datacube, 238  
 spatial-resolution-enhanced image, 20  
 spectral amplitude, 307  
 spectral angle, 9  
 spectral angle mapper (SAM), 10, 121, 296, 307

- spectral anomaly, 121
- spectral band, 1, 5
- spectral band configuration, 148
- spectral correlation, 9, 35, 57
- spectral distortion, 5, 211, 235
- spectral distortion index, 28
- spectral domain, 108
- spectral feature, 121
- spectral feature fitting, 311
- spectral-feature-based binary code (SFBBC), 110, 138, 139, 142
- spectral feature matching, 138
- spectral fuzzy-matching pursuits (SFMP), 36, 56
- spectral index, 149
- spectral information, 166
- spectral line curvature, 236
- spectral profile, 108, 122
- spectral relaxation-labeled prediction, 56
- spectral resolution, 1
- spectral shape, 307
- spectral similarities, 150, 277
- spectral-spatial smoothing operation, 232
- spectral unmixing, 121, 123, 229
- spectral vector (SV), 6, 168, 179, 181, 251, 258, 276
- spectral vector memory, 260
- spectrograph, 236
- spectrum, 108
- spectrum-oriented least squares, 36
- spectrum profile, 6
- spikes, 212
- spurious spike, 299
- square blocks, 36
- squared distance, 252
- stability of the product, 298
- Stage#, 238
- stage codebook, 184
- stage number, 238
- StageStop, 90
- standard deviation, 58, 194
- standards, 75
- state machine, 242
- state machine controller, 262
- statistical measures, 232
- statistical test, 298
- steerable pyramid wavelet transform, 23
- stellar, 82
- straight entrance, 236
- stream pipe, 275
- strip-based algorithm, 97
- strip-based input formats, 76
- strip compression, 94
- stripe, 317
- striping, 305
- structural distortion measurement, 6
- structural information, 6
- structural similarity (SSIM) index, 15
- subidentities (SIDs), 46
- subband image, 63, 88
- subbands, 23
- subclusters, 169
- subcodebooks, 110, 149
- subcube  $h \times w$ , 205
- subdatacube, 180
- submillimeter wave, 83
- Submillimeter-Wave Astronomy Satellite (SWAS), 83
- subsampling training subset, 158
- subsampling, 157, 278
- subsampling rate, 158
- subvector, 37, 205
- successive approximation multistage vector quantization (SAMVQ), 162, 295
- suitability, 347
- sum of absolute distance (SOAD), 252
- sum of squared distance (SOSD), 252
- supervised classification, 149, 171, 316
- support vector machine (SVM), 312
- surface reflectance, 296

symbol, 40  
 synchronization, 40  
 synchronization marker, 87  
 synthesizer, 275  
 synthetic target, 21, 212, 308  
 Système Pour l'Observation de la  
 Terre (SPOT), 1

## T

T-test, 219, 301, 310  
 TacSat-3, 2  
 tamarack, 154  
 target detection, 218, 228  
 telemetry channel, 2  
 temporal metadata search, 349  
 tentative codevector, 168, 185  
 terra cotta roof, 315  
 test image, 5  
 Thematic Mapper (TM), 84  
 thermal infrared, 1  
 thermal noise, 177  
 third-order predictor, 78  
 threshold, 34, 164  
 throughput, 180, 249, 284  
 time-domain lapped transform  
 (TDLT), 39, 61  
 toggle button, 358  
 topological structure, 111  
 topology, 249  
 trade-off, 3, 87  
 trade-off study, 249  
 training data, 36  
 training sequence, 107, 115, 140  
 training set size, 168  
 training set subsampling, 326  
 training step, 107  
 training vector, 111, 115  
 transfer frame, 182  
 transform-based lossless  
 compression, 34, 38  
 transmission bitrate, 2  
 transmission downlink channel, 86  
 tree structure, 170

tree-structure codebook algorithm,  
 109  
 tree-structured VQ, 170  
 trellis diagram, 242  
 triangle inequality elimination  
 (TIE), 111, 137  
 triangular elementary reversible  
 matrices (TERMs), 61  
 triple-module redundancy, 238  
 triplet, 241  
 TRWIS-III, 305, 313  
 two-layer coding, 83

## U

ultraspectral sounder, 1, 57  
 ultraviolet, 1  
 unary coding, 41  
 uncertainty, 178  
 unconstrained VQ, 110  
 uniform distribution, 177  
 unit-delay predictor, 77  
 universal code, 42  
 universal codebook, 147  
 universal image-quality index, 6, 11  
 universal source encoder for space  
 (USES), 44  
 unsigned integer, 99  
 unsupervised classification, 151,  
 171, 308  
 updated codevector, 254  
 uploaded, 60  
 upper-triangle matrix, 126  
 urban scene, 117  
 user assessment, 295  
 user product search, 356  
 user trials, 272

## V

variable coefficient predictors, 50  
 variable-length code, 78  
 variable-length encoder, 49  
 variance of spectral vector, 9  
 variogram, 297



- vcd files, 275
- vectorbits*, 240
- vectorbits[k]*, 240
- vector, 107
- vector accumulator, 254, 259
- vector distance, 251
- vector distance measure, 252
- vector quantization (VQ), 34, 57, 107, 162
- vector-reorganizing schemes, 206
- vegetated scene, 150
- vegetation, 152
- VEGETATION, 199
- vehicle, 315
- vertical subband, 63
- very high-speed integrated-circuit hardware description language (VHDL), 249, 272
- vessel, 312
- vicarious calibration, 228, 309
- viewing angle, 148
- viewing field, 6
- vignette, 180
- vinyl turf mat, 212, 309
- virtual codebook, 164
- visible near-infrared (VNIR), 85
- visible region, 84
- visual communication systems, 18
- visual examination, 302
- visual information fidelity (VIF), 17
- visual near-lossless, 178
- visual perception, 15
- visual quality, 17
- visualizing monochrome, 356
- Viterbi algorithm, 241
- Vogl, 324
- Voltron, 314
- Voronoi cell, 110
- VQube, 346
- W**
- wake pixel, 312
- wake-pixel classification map, 312
- water index, 150
- water-vapor peak, 232
- wavelength of the reflectance maximum, 324
- wavelength range, 1
- wavelet, 22
- wavelet coefficients, 22
- wavelet-packet transform (WPT), 63, 67
- wavelet subband, 23, 87
- wavelet transform, 22, 34
- weather forecasting, 1
- web browser, 353
- weight factor, 95
- weighted sum, 99
- wheat, 225, 227
- wheat field, 302
- whisk-broom, 102
- white noise, 4
- white tarp, 309
- wide bus, 250
- Wide Field Planetary Camera (WFPC), 82, 85
- word-length, 109
- word-length of each codevector, 240
- workstation, 118
- X**
- xy* coordinate system, 124
- Y**
- yaw, 305
- Yellowstone, 103
- Young Jack Pine, 324
- Z**
- Z-test, 301
- zeroblock option, 80–81
- zero-crossing, 27
- zeroblock, 67
- zerotree, 39, 95
- zerotrees of wavelet transforms, 39
- zoom, 354



**Dr. Shen-En Qian** is a senior scientist and technical authority at the Canadian Space Agency. He is an internationally recognized expert in optical spacecraft payloads, space technologies for satellite missions and deep space exploration, remote sensing, satellite image processing and analysis, onboard satellite data compression, data handling, and the enhancement and international spacecraft data standards. He has been working in these areas for 30 years. He holds nine U. S. patents, three European patents, and several pending patents. He is the author of two reference books and chapters in three others. He has published over 100 scientific papers and produced 100 unpublished proprietary technical reports. He is a fellow of SPIE and a senior member of the Institute of Electrical and Electronics Engineers (IEEE).

Dr. Qian received his B. Eng. in industrial electrical automation in 1982, his M. S. in optoelectronics in 1985, and his Ph. D. in telecommunication and electronic systems in 1990. He was the recipient of the Marie Curie Award (European Community International Scientific Cooperation Program). He received the Canadian Government Invention Award for his multiple patents for satellite missions, and he was twice the recipient of the Director Award from the Federal Government of Canada for his outstanding contributions to R&D in space technology and satellite missions in the government laboratory.