

---

## REFERENCES

1. The National Technology Roadmap for Semiconductors, Semiconductor Industry Association, 1997.
2. <http://www.chips.ibm.com>.
3. D. Edelstein, in *Multilevel Interconnect Technology II*, Proc. SPIE 3508, 8-18 (1998).
4. (a) D. Edelstein, J. Heidenreich, R. Goldblatt, W. Cote, C. Uzoh, N. Lustig, P. Roper, T. McDevitt, W. Motsiff, A. Simon, J. Dukovic, R. Wachnik, H. Rathore, R. Schulz, L. Su, S. Luce, and J. Slattery, *Proc. IEDM 1997 Conf. (IEEE)*, pp. 773-776 (1997).  
(b) E. P. Barth, T. H. Ivers, P. S. McLaughlin, A. McDonald, E. N. Levine, S. E. Greco, J. Fitzsimmons, I. Melville, T. Spooner, C. DeWan, X. Chen, D. Manger, H. Nye, V. McGahay, G. A. Biery, R. D. Goldblatt, and T. C. Chen, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 219-221 (2000).  
(c) R. D. Goldblatt, B. Agarwala, M. B. Anand, E. P. Barth, G. A. Biery, Z. G. Chen, S. Cohen, J. B. Connolly, A. Cowley, T. Dalton, S. K. Das, C. R. Davis, A. Deutsch, C. DeWan, D. C. Edelstein, P. A. Emmi, C. G. Faltermeier, J. A. Fitzsimmons, J. Hedrick, J. E. Heidenreich, C. K. Hu, J. P. Hummel, P. Jones, E. Kaltalioglu, B. E. Kastenmeier, M. Krishnan, W. F. Landers, E. Liniger, J. Liu, N. E. Lustig, S. Malhotra, D. K. Manger, V. McGahay, R. Mih, H. A. Nye, S. Purushothaman, H. A. Rathore, S. C. Seo, T. M. Shaw, A. H. Simon, T. A. Spooner, M. Stetter, R. A. Wachnik, and J. G. Ryan, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 262-263 (2000).
5. S. Venkatesan, A. V. Gelatos, V. Misra, B. Smith, R. Islam, J. Cope, B. Wilson, D. Tuttle, R. Cardwell, S. Anderson, M. Angyal, R. Bajaj, C. Capasso, P. Crabtree, S. Das, J. Farkas, B. Fiordalice, M. Freeman, P. V. Gilbert, M. Herrick, A. Jain, H. Kawasaki, C. King, J. Klein, T. Lii, K. Reid, T. Saarinen, C. Simpson, T. Sparks, P. Tsui, R. Venkatraman, D. Watts, E. J. Weitzman, R. Woodruff, I. Yang, N. Bhat, G. Hamilton, and Y. Yu, *Proc. IEDM 1997 Conf. (IEEE)*, pp. 769-772 (1997).
6. E. M. Zielinski, S. W. Russell, R. S. List, A. M. Wilson, C. Jin, K. J. Newton, J. P. Lu, T. Hurd, W. Y. Tsu, V. Cordasco, M. Gopikanth, V. Korthuis, W. Lee, G. Cerny, N. M. Russell, P. B. Smith, S. O'Brien, and R. H. Havemann, *Proc. IEDM 1997 Conf. (IEEE)*, pp. 936-938 (1997).

7. G. C. Schwartz, K. V. Srikrishnan, and A. Bross, eds., *Handbook of Semiconductor Interconnection Technology*, Dekker, New York (1998).
8. W. W. Lee and P. S. Ho, *Mater. Res. Soc. Bulletin* 22 (10), 19-23 (1997).
9. M. Bohr, *Tech. Digest IEEE Electron. Dev. Meeting 1995*, p. 214 (1995).
10. R. S. List, A. Singh, A. Ralston, and G. Dixit, *Mater. Res. Soc. Bulletin* 22 (10), 61-69 (1997).
11. S.-P. Jeng, R. H. Havemann, and M. Chang, *Mater. Res. Soc. Symp. Proc.* 337, 25 (1994).
12. K. Rose, presented at the Semi-Annual Meeting of the NSF I/UCRC Center for Microcontamination Control at Arizona and Rensselaer, Tucson AZ, April 22-23, 1999.
13. S. Yang, *Mater. Res. Soc. Symp. Proc.* 514, 53-64 (1998).
14. J. M. E. Harper, E. G. Colgan, C.-K. Hu, J. P. Hummel, L. P. Buchwalter, and C. E. Uzoh, *Mater. Res. Soc. Bulletin* 19, 23 (1994).
15. D. C. Edelstein, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 12, 301 (1995).
16. B. Zhao, D. Feiler, V. Ramanathan, Q. Z. Liu, M. Brongo, J. Wu, H. Zhang, J. C. Kuei, D. Young, J. Broan, C. Vo, W. Xia, C. Chu, J. Zhou, C. Nguyen, L. Tsau, D. Dornsich, L. Camilletti, P. Ding, G. Lai, B. Chin, N. Krishna, M. Johnson, J. Turner, T. Ritzdorf, G. Wu, and L. Cook, *Electrochem. Sol. State. Lett.* 1, 276-278 (1998).
17. Y. Hayashi, T. Onondera, S. Saitoh, and J. Kawahara, in *Multilevel Interconnect Technology II*, *Proc. SPIE* 3508, 30-41 (1998).
18. S.-P. Jeng, M.-C. Chang, T. Kroger, P. McAnally, and R. H. Havemann, *VLSI Technol. Symp. Tech. Digest*, p. 73 (1994).
19. B. Zhao, D. Feiler, Q. Z. Liu, C. H. Nguyen, M. Brongo, J. Kuei, V. Ramanathan, H. Zhang, J. Wu, M. Rumer, M. A. Biberger, V. Sachan, and D. James, *Electron. Lett.* 34, 139-140 (1998).
20. J. S. H. Cho, H.-K. Kang, S. S. Wong, and Y. Shacham-Diamand, *Mater. Res. Soc. Bulletin* 18 (6), 31-38 (1993).
21. A. E. Kaloyeros and M. A. Fury, *Mater. Res. Soc. Bulletin* 18 (6), 22-29 (1993).
22. A. K. Hochberg, J. A. T. Norman, and D. A. Roberts, *Proc. Advanced Metallization Conf. for ULSI Applications*, p. 79 (1997).
23. Y. Senzaki, M. Kobayashi, L. J. Charneski, and T. Nguyen, *J. Electrochem Soc.* 144, L154-L155 (1997).
24. S. K. Lakshmanan and W. N. Gill, *J. Vac. Sci. Technol. A* 16, 2187-2197 (1998).
25. C. Marcadal, E. Richard, J. Torres, J. Palleau, and R. Madar, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 93-98 (1997).
26. J. H. Son, M. Y. Park, and S. W. Rhee, *Thin Solid Films* 335, 229-236 (1998).

27. Y. Senzaki, *J. Electrochem Soc.* 145, 362-365 (1998).
28. Y. K. Choe, Y. Shimogaki, and H. Komoyama, *J. Electrochem. Soc.* 145, 4226-4233 (1998).
29. J. A. T. Norman, D. A. Roberts, A. K. Hochberg, P. Smith, G. A. Petersen, J. E. Parmeter, C. A. Apblett, and T. R. Omstead, *Thin Solid Films* 262, 46-51 (1995).
30. A. V. Gelatos, R. Marsh, M. Kottke, and C. J. Mogab, *Appl. Phys. Lett.* 20, 2842-2844 (1993).
31. A. Jain, A. V. Gelatos, T. T. Kodas, M. J. Hampden-Smith, R. Marsh, and C. J. Mogab, *Thin Solid Films* 262, 52-59 (1995).
32. S. K. Lakshmanan and W. N. Gill, *Thin Solid Films* 338, 24-39 (1999).
33. M. B. Naik, W. N. Gill, R. H. Wentorf, and R. R. Reeves, *Thin Solid Films* 262, 60-66 (1995).
34. T. Nguyen, L. J. Charneski, and S. T. Hsu, *J. Electrochem. Soc.* 144, 2829-2833 (1997).
35. J. Farkas, T. T. Kodas, and M. J. Hampden-Smith, *J. Electrochem. Soc.* 141, 3547-3555 (1994).
36. A. Jain, J. Farkas, T. T. Kodas, M. J. Hampden-Smith, A. V. Gelatos, R. Marsh, and C. J. Mogab, *Mater. Res. Soc. Symp. Proc.* 315, 105 (1993).
37. C. Brett and A. Brett, *Electrochemistry Principals, Methods, and Applications*, Oxford University Press (1993).
38. M. H. Holzle, C. W. Apsel, T. Will, and D. M. Kolb, *J. Electrochem. Soc.* 142, 3741-3749 (1995).
39. G. Oskam, P. M. Vereecken, and P. C. Searson, *J. Electrochem. Soc.* 146, 1436-1441 (1999).
40. L. Graham, Ch. Steinbrüchel, D. J. Duquette, and L. Chen, The Nucleation and Growth of Electrochemically Deposited Copper on PVD Copper and TiN using Alkaline (EDTA and NH<sub>3</sub>) Baths, presented at Electrochem. Soc. Fall 1999 Meeting, Hawai (1999).
41. A. Krishnamoorthy, C. Y. Lee, D. J. Duquette, and S. P. Murarka, *Proc. Symp. on Electrochemical Processing in ULSI Fabrication I and Interconnect and Contact Metallization: Materials, Processes, and Reliability*, San Diego, CA, USA & Boston, MA, USA, Electrochem. Soc, Pennington NJ, USA, pp. 185-194 (1998).
42. A. J. Bard and L. R. Faulkner, in *Electrochemical Methods: Fundamentals and Applications*, Chapter 3, Wiley, NY (1980).
43. B. Scharifker and G. Hills, *Electrochim. Acta* 28, 879-889 (1983).
44. M. Sluyters-Rebach, J. H. O. J. Wijenbergm, E. Bosco, and J. H. Sluyters, *J. Electroanal. Chem.* 236, 1-20 (1987).
45. See Chapter VI in Ref. [7].

46. S. Rossnagel, D. Mikalsen, H. Kinoshita, and J. J. Cuomo, *J. Vac. Sci. Technol. A* 9, 261-265 (1991).
47. T. Smy, L. Tan, K. Chan, J. N. Broughton, R. N. Tait, S. K. Dew, and M. J. Brett, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 204-206 (1997).
48. T. Saito, N. Fukuda, J. Noguchi, M. Kubo, H. Yamaguchi, S. Hirasawa, and N. Owada, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 81-86 (1997).
49. T. Kondo, W. S. Cho, J. Hiroishi, N. Motegi, Y. Mizusawa, H. Obinata, and M. Tamura, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 110-112 (1997).
50. H. P. Bader, H. A. Lardon, and K. J. Hoefler, in *Multilevel Metallization, Interconnection, and Contact Technologies*, L. B. Rothman and T. Herndon, eds., *Electrochem. Soc. Proc. PV* 87-4, 185 (1987).
51. B. Gittleman, P. Bai, G.-R. Yang, T.-M. Lu, and C.-K. Hu, *J. Vac. Sci. Technol. A* 8, 1514-1520 (1990).
52. H. Ito, N. Kajita, S. Yamah, and Y. Minowa, *Jpn. J. Appl. Phys.* 30, 3228-3232 (1991).
53. W. M. Holber, J. S. Logan, H. J. Grabarz, J. T. C. Yeh, J. B. O. Caughman, A. Sugerman, and F. E. Turenee, *J. Vac. Sci. Technol. A* 11, 2903-2910 (1993).
54. P. F. Cheng, S. M. Rossnagel, and D. N. Ruzic, *J. Vac. Sci. Technol. B* 13, 203-208 (1995).
55. C. Backhouse, N. Poon, S. K. Dew, M. J. Brett, T. Smy, L. Tan, and J. Drewery, in *Advanced Metallization and Interconnect Systems for ULSI Applications*, *Mater. Res. Soc.*, pp. 327-333 (1996).
56. J. E. Foster, A. E. Wendt, W. W. Wang, and J. H. Booske, *J. Vac. Sci. Technol. A* 16, 2198-2203 (1998).
57. J. Drewery, F. Cerio, K. F. Lai, Q. Lu, G. J. Reynolds, and M. Vukovic, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 274-278 (1997).
58. K. F. Lai, Q. Lu, G. J. Reynolds, L. M. Tam, C. J. Case, C. B. Case, M. A. Marcus, and J. E. Bower, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 234-239 (1997).
59. S. Bothra, S. S. Sengupta, B. Chang, M. Narasimhan, and S. Ramaswami, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 240-245 (1997).
60. O. Kubaschewski and E. L. Evans, *Metallurgical Thermochemistry*, 3rd Ed., Pergamon, New York, pp. 326-329 (1958).
61. M. J. Hampden-Smith and T. T. Kodas, *Mater. Res. Soc. Bulletin* 13 (6), 39-45 (1993).
62. S.-W. Kang, H.-U. Kim, and S.-W. Rhee, *J. Vac. Sci. Technol. B* 17, 154-157 (1999).

63. Ch. Steinbrüchel, Reactive ion etching, in *Handbook of Thin Film Process Technology*, D. A. Glocker and S. I. Shah, eds., IOP Publishing, Bristol, UK, pp. C.1.1:1-C1.1:23 (1995).
64. P. M. Schaible and G. C. Schwartz, U.S. Patent Nr. 4,352,716 (1982).
65. W. Sesselmann and T. J. Chuang, *Surf. Sci.* 176, 32-66 and 67-90 (1986).
66. B. J. Howard and Ch. Steinbrüchel, *J. Vac. Sci. Technol. A* 12, 1259-1264 (1994).
67. Ch. Steinbrüchel, *Appl. Surf. Sci.* 91, 139-146 (1995).
68. Y. Igarashi, T. Yamanobe, and T. Ito, *Thin Solid Films* 262, 124-128 (1995).
69. J. Sasserath and Ch. Steinbrüchel (unpublished results).
70. J. W. Lee, Y. D. Park, J. R. Childress, S. J. Pearton, F. Sharifi, and F. Ren, *J. Electrochem Soc.* 145, 2585-2588 (1998).
71. Y. Ohshita and N. Hosoi, *Thin Solid Films* 262, 67-72 (1995).
72. K.-S. Choi and C.-H. Hart, *J. Electrochem. Soc.* 145, L37-L39 (1998).
73. C.-K. Hu, B. Luther, F. B. Kaufman, J. Hummel, C. Uzoh, and D. J. Pearson, *Thin Solid Films* 262, 84-92 (1995).
74. J. P. McDonald, B. Wang, Ch. Steinbrüchel, and R. Tacito, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 13, 58-60 (1996).
75. D. T. Price, R. J. Gutmann, and S. P. Murarka, *Thin Solid Films* 308-309, 523-528 (1997).
76. R. J. Gutmann, D. T. Price, J. M. Neyrinck, C. Sainio, D. Permana, D. J. Duquette, and S. P. Murarka, *Proc. 1998 CMP-Multilevel Interconnection Conf.*, pp. 257-266 (1998).
77. F. B. Kaufman, D. B. Thompson, R. E. Broadie, M. A. Jaso, W. L. Guthrie, D. J. Pearson, and M. B. Small, *J. Electrochem Soc.* 138, 3460-3465 (1991).
78. Q. Luo and S. V. Babu, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 287-292 (1997).
79. Q. Luo, S. Ramarajan, and S. V. Babu, *Thin Solid Films* 335, 160-167 (1998).
80. W. T. Tseng, J. H. Chin, and L. C. Kang, *J. Electrochem. Soc.* 146, 1952-1959 (1999).
81. B. Zhao and F. G. Shi, *Electrochem. Sol. State Lett.* 2, 145-147 (1999).
82. G. Grover, C. Yu, T. Myers, C. Streinz, S. Grumbine, J.-L. Li, J. Z. Zhen, C. Chia, W. D. Jiang, and T. Y. Tse, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 293-300 (1997).
83. G. C. Lee, M. Weling, C. Drill, and A. Hu, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 304-306 (1997).
84. C. Streinz, S. Grumbine, C. Yu, A. Zutshi, D. Schey, and P. Myers, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 313-318 (1997).
85. A. K. Rawat, V. Sachan, A. R. Sethuraman, and L. M. Cook, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 321-324 (1997).

86. K. Sugai, S. Chikaki, T. Nakajima, and T. Kikkawa, *Proc. IEDM 1997 Conf. (IEEE)*, pp. 781-784 (1997).
87. T. Murakami, M. Nishio, and M. Hamanaka, *Proc. VLSI Multilevel Interconnection Conf. (VMIC) 13*, 413-420 (1996).
88. J. N. Steigerwald, S. P. Murarka, R. J. Gutmann, and D. J. Duquette, *J. Electrochem Soc.* 141, 3512-3516 (1994).
89. P. Holzapfel, K. Murella, J. Schlueter, and C. Johnson, *Proc. VLSI Multilevel Interconnection Conf. (VMIC) 14*, 307-309 (1997).
90. T. Bibby and K. Holland, *J. Electron. Mater.* 27, 1073-1081 (1998).
91. E. T. Ryan, A. J. McKerrow, J. Leu, and P. S. Ho, *Mater. Res. Soc. Bulletin* 22 (10), 49-54 (1997).
92. C. Jin, J. D. Luttmmer, D. M. Smith, T. A. Ramos, *Mater. Res. Soc. Bulletin* 22 (10), 39-42 (1997).
93. C. Jin, S. List, and E. Zielinski, *Mater. Res. Soc. Symp. Proc.* 511, 213-222 (1998).
94. S. Nitta, A. Jain, V. Pisupatti, W. N. Gill, P. C. Wayner, Jr., and J. L. Plawsky, *Mater. Res. Soc. Symp. Proc.* 511, 99-104 (1998).
95. See Chapter IV in Ref. [7].
96. R. D. Miller, J. L. Hedrick, D. Y. Yoon, R. F. Cook, and J. P. Hummel, *Mater. Res. Soc. Bulletin* 22 (10), 44-48 (1997).
97. H. Aoki, S. Yamasaki, T. Usami, Y. Tsuchiya, N. Ito, T. Onondera, Y. Hayashi, K. Ueno, H. Gomi, and N. Aoto, *Proc. IEDM 1997 Conf. (IEEE)*, pp. 777-780 (1997).
98. C.-H. Hsieh and C.-C. Hsu, *Proc. VLSI Multilevel Interconnection Conf. (VMIC) 14*, 583-589 (1997).
99. T. C. Chang, P. T. Liu, M. F. Chou, M. S. Tsai, S. M. Sze, C. Y. Chang, F. Y. Shih, and H. D. Huang, in *Multilevel Interconnect Technology II*, *Proc. SPIE 3508*, 208-215 (1998).
100. M. Olewine, R. Wall, and G. Colovos, in *Multilevel Interconnect Technology II*, *Proc. SPIE 3508*, 42-50 (1998).
101. S. E. Kim, Ph.D. thesis, Rensselaer Polytechnic Institute (1998).
102. S. E. Kim, Ch. Steinbrüchel, A. Kumar, and H. Bakhru, *Mater. Res. Soc. Symp. Proc.* 511, 191-196 (1998).
103. S. W. Lim, Y. Shimogaki, Y. Nakano, K. Tada, and H. Komiyama, *Appl. Phys. Lett.* 68, 832-834 (1996).
104. P. W. Lee, S. Mizuno, A. Verma, H. Tran, and B. Nguyen, *J. Electrochem. Soc.* 143, 2015-2019 (1996).
105. G. Passemar, P. Fugier, P. Noel, F. Pires, and O. Demolliens, *Microelectron. Eng.* 33, 335-342 (1997).
106. A. Kumar, H. Bakhru, A. W. Haberl, R. A. Carpio, and A. Ricci, in *14th Proc. Int. Conf. on the Application of Accelerators in Research and Industries*,

- J. L. Duggan and I. L. Morgan, eds., Am. Inst. Phys. Publications 329, 697-700 (1996).
107. J.-H. Kim, S.-H. Seo, S.-M. Yun, H.-Y. Chang, K.-M. Lee, and C.-K. Choi, *Appl. Phys. Lett.* 68, 1507-1509 (1996).
  108. S. H. Lee, *Mater. Res. Soc. Symp. Proc.* 443, 111 (1997).
  109. T. Tamura, J. Sakai, M. Satoh, Y. Inoue, and H. Yoshitaka, *Jpn. J. Appl. Phys.* 36, Part 1, 1627-1630 (1997).
  110. H. Kudo, R. Shinohara, S. Takeishi, N. Awaji, and M. Yamada, *Jpn. J. Appl. Phys.* 35, Part 1, 1583-1587 (1997).
  111. S. M. Han and E. S. Aydil, *J. Vac. Sci. Technol. A* 15, 2893-2904 (1997).
  112. M. J. Shapiro, S. V. Nguyen, T. Matsuda, and D. Dobuzinsky, *Thin Solid Films* 270, 503-507 (1996).
  113. S. W. Lim, Y. Shimogaki, Y. Nakano, K. Tada, and H. Komiyama, *J. Electrochem. Soc.* 144, 2531-2537 (1997).
  114. T. Fukada and T. Akahori, *Proc. Dielectrics for ULSI Multilevel Interconnection Conf. (DUMIC)*, pp. 43-47 (1995).
  115. S. M. Han and E. S. Aydil, *J. Appl. Phys.* 83, 2172-2178 (1998).
  116. J. P. Sullivan, D. R. Denison, J. C. Barbour, P. P. Newcomer, C. A. Apblett, C. H. Saeger, and A. G. Baca, *Mater. Res. Soc. Symp. Proc.* 443, 149-155 (1997).
  117. S. E. Kim and Ch. Steinbrüchel (unpublished results).
  118. S. Lee and J.-W. Park, *J. Electrochem. Soc.* 146, 697-701 (1999).
  119. N. P. Hacker, *Mater. Res. Soc. Bulletin* 22 (10), 33-38 (1997).
  120. S. McClatchie, K. Beekmann, A. Kiermasz, and C. Dobson, *Proc. Dielectrics for ULSI Multilevel Interconnection Conf. (DUMIC)*, pp. 34-40 (1997).
  121. M. Matsuura, I. Tottori, K. Got, K. Maekawa, Y. Mashiko, and M. Hirayama, *Proc. IEDM 97 Conf. (IEEE)*, pp. 785-788 (1997).
  122. A. T. Kohl, R. Mimna, R. Shick, L. Rhodes, Z. I. Wang, and P. A. Kohl, *Electrochem. Solid-State Lett.* 2, 77-79 (1999).
  123. T. Fuji, M. Hiramatsu, and M. Nawata, *J. Vapor Dep.* 6, 232-249 (1999).
  124. S. Mikoshiba and S. Hayase, *J. Mater. Chem.* 9, 591-598 (1999).
  125. T.-M. Lu and J. A. Moore, *Mater. Res. Soc. Bulletin* 22 (10), 28-31 (1997).
  126. J. F. McDonald, B. Wang, Ch. Steinbrüchel, and R. Tacito, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 13, 58-60 (1996).
  127. R. J. Gutmann, D. T. Price, J. M. Neiryneck, C. Sainio, D. Permana, D. J. Duquette, and S. P. Murarka, *Proc. CMP-Multilevel Interconnection Conf.*, pp. 257-266 (1998).
  128. J. F. Gaynor and S. B. Desu, *J. Mater. Res.* 9, 3125-3130 (1994).
  129. M. E. Mills, M. Dibbs, S. J. Martin, and P. H. Townsend, *Proc. Dielectrics for ULSI Multilevel Interconnection Conf. (DUMIC)*, pp. 269-274 (1995).

130. C. B. Case, A. Kornblit, and J. Sapjeta, Proc. VLSI Multilevel Interconnection Conf. (VMIC) 13, 63-68 (1996).
131. K. S. Y. Lau, E. Brouk, T. A. Chen, B. A. Korolev, P. E. Schilling, and H. W. Thompson, Proc. VLSI Multilevel Interconnection Conf. (VMIC) 14, 577-582 (1997).
132. P. Townsend, E. Shaffer, M. Mills, J. Blackson, and M. Radler, *Proc. Low Dielectric Constant Materials and Interconnects Workshop* (SEMATECH, 1996), p. 427 (1996).
133. K. S. Y. Lau, J. S. Drage, N. P. Hacker, N. M. Rutherford, R. R. Katsanes, B. A. Korolev, T. A. Krajewski, S. P. Lefferts, H. Sayad, P. R. Sebahar, A. R. Smith, W. B. Wan, and E. C. White, Proc. VLSI Multilevel Interconnection Conf. (VMIC) 14, 92-97 (1997).
134. K. Endo, Mater. Res. Soc. Bulletin 22 (10), 55-58 (1997).
135. K. Endo and T. Tatsumi, Appl. Phys. Lett. 68, 2864-2866 (1996).
136. K. Endo and T. Tatsumi, Appl. Phys. Lett. 68, 3656-3658 (1996).
137. H. Yang, D. J. Tweed, and Y. Ma, Appl. Phys. Lett. 73, 1514-16 (1998).
138. S. Takeishi, H. Kudo, R. Shinohara, M. Hoshino, S. Fukuyama, J. Yamaguchi, and M. Yamada, J. Electrochem. Soc. 144, 1797-1802 (1999).
139. R. Sharangpani, R. Singh, and M. Drews, J. Electron. Mater. 26, 402-409 (1997).
140. K. Nojiri and E. Iguchi, J. Vac. Sci. Technol. B 13, 1451-1455 (1995).
141. N. R. Rueger, J. J. Beulens, M. Schaepekens, M. F. Doemling, J. M. Mirza, T. E. F. M. Standaert, and G. S. Oehrlein, J. Vac. Sci. Technol. A 15, 1881-1889 (1997).
142. G. S. Oehrlein, in *Proc. NATO Adv. Study Institute on Plasma Processing of Semiconductors*, Kluwer, Dordrecht, Netherlands, pp. 73-88 (1998).
143. S. Karecki, L. Pruette, R. Reif, T. Sparks, L. Beu, and V. Vartanian, J. Electrochem. Soc. 145, 4305-4312 (1998).
144. M. F. Doemling, N. R. Rueger, and G. S. Oehrlein, Appl. Phys. Lett. 68, 10-12 (1996).
145. G. L. Liu, N. Ikegami, H. Uchida, N. Hirashita, and J. Kanamori, J. Vac. Sci. Technol. B 17, 355-361 (1999).
146. L. R. Allen, J. Vac. Sci. Technol. B 14, 724-726 (1996).
147. T. E. F. M. Standaert, P. J. Matsuo, S. D. Allen, G. S. Oehrlein, and T. J. Dalton, J. Vac. Sci. Technol. A 17, 741-748 (1999).
148. R. D. Tacito and Ch. Steinbrüchel, J. Electrochem. Soc. 143, 1974-1977 (1996).
149. R. D. Tacito and Ch. Steinbrüchel, J. Electrochem. Soc. 143, 2695-2697 (1996).
150. R. D. Tacito and Ch. Steinbrüchel, Mater. Res. Soc. Symp. Proc. 427, 449-454 (1996).



151. M. R. Baklanov, S. Vanhaelemeersch, H. Bender, and K. Maex, *J. Vac. Sci. Technol. B* 17, 372-379 (1999).
152. Q. Zhao and P. A. Kohl, *J. Electrochem. Soc.* 145, 1257-1262 (1998).
153. D. T. Price and R. J. Gutmann, *Proc. Conf. ULSI XIV* (Mater. Res. Soc., 1999) pp. 653-659 (1999).
154. E. Waggener, G. Mueller, S. F. Clark, and K. J. Newton, in *Multilevel Interconnect Technology II*, Proc. SPIE 3508, 202-206 (1998).
155. D. Louis, C. Payne, E. Lajoinie, B. Vallesi, D. Maloney, and S. Lee, in *Multilevel Interconnect Technology II*, Proc. SPIE 3508, 162-169 (1998).
156. S. Y. M. Chooi, Z. Ismail, P.-Y. Ee, and M.-S. Zhou, in *Multilevel Interconnect Technology II*, Proc. SPIE 3508, 181-190 (1998).
157. K. Ueno, V. M. Donnelly, Y. Tsuchiya, K. Ohto, and K. Tsunenari, Proc. VLSI Multilevel Interconnection Conf. (VMIC) 13, 245-250 (1996).
158. A. Somashekhar, H. Ying, P. B. Smith, D. B. Aldrich, and R. J. Nemancich, *J. Electrochem. Soc.* 146, 2318-2321 (1999).
159. J. M. Steigerwald, S. P. Murarka, and R. J. Gutmann, *Chemical Mechanical Planarization of Microelectronics Materials*, Wiley, New York (1997).
160. M. A. Fury, *Sol. State Technol.* 42 (7), 87-96 (1999).
161. Y. Shimooka, T. Matsuno, A. Ui, H. Miyajima, N. Kaji, H. Nojo, Y. Tateyama, and H. Shibata, Proc. VLSI Multilevel Interconnection Conf. (VMIC) 14, 119-124 (1997).
162. H. M'Saad, in *Proc. Dielectrics for ULSI Multilevel Interconnect Conf. (DUMIC)*, pp. 210-219 (1999).
163. C. Jin, *Proc. SEMATECH Ultra-Low-k Workshop*, pp. 323-346 (1999).
164. E. T. Ryan, *Proc. SEMATECH Ultra-Low-k Workshop*, pp. 347-366 (1999).
165. G. R. Yang, Y. P. Zhao, J. M. Neiryneck, S. P. Murarka, and R. J. Gutmann, *J. Electrochem. Soc.* 144, 3249-3255 (1997).
166. D. Towery and M. A. Fury, *J. Electron. Mater.* 27, 1088-1094 (1998).
167. T. Hara, T. Tomisawa, T. Kurosu, and T. K. Doy, *J. Electrochem. Soc.* 146, 2333-2336 (1999).
168. Y. L. Wang, C. Liu, S. T. Chang, M. S. Tsai, M. S. Feng, W. T. Tseng, *Thin Solid Films* 308-309, 550-554 (1998).
169. T. Hara, T. Tomisawa, L. Kurosu, T. K. Doy, and K. Sakai, *Electrochem. Sol. State Lett.* 2, 339-340 (1999).
170. J. Li and J. W. Mayer, *Mater. Res. Soc. Bulletin* 18 (6), 52-56 (1993).
171. G. Raghavan, C. Chiang, P. B. Anders, S.-M. Tzeng, R. Villasol, G. Bar, M. Bohr, and D. B. Fraser, *Thin Solid Films* 262, 168-176 (1995).
172. T. Nakano, H. Ono, T. Ohta, T. Olu, and M. Murakami, Proc. VLSI Multilevel Interconnection Conf. (VMIC) 11, 407-413 (1994).

173. S. C. Sun, in *Proc. 5th Int. Conf. on Solid-State and Integrated Circuit Technology-ICSICT'98*, M. Zhang and R. N. Tu, eds., (IEEE; Piscataway, NJ, USA, 1998) pp. 243-246 (1998).
174. S. C. Sun, *Am. Inst. Phys. Conf. Proc.* 418, 451-456 (1998).
175. X. Sun, J. S. Reid, E. Kolawa, M.-A. Nicolet, and R. P. Ruiz, *J. Appl. Phys.* 81, 664-671 (1997); X. Su, J. S. Reid, E. Kolawa, and M.-A. Nicolet, *J. Appl. Phys.* 81, 656-663 (1997).
176. L. Vanasupa, Y.-C. Joo, P. R. Besser, and S. Pramanick, *J. Appl. Phys.* 85, 2583-2590 (1999).
177. J. Mendonca, R. Venkatraman, G. Hamilton, M. Angyal, B. Rogers, L. Frisa, V. Kaushik, C. Simpson, T. P. Ong, M. Herrick, R. Gregory, T. Remmell, R. Fiordalice, J. Klein, E. Weitzman, T. Chiang, P. Ding, and B. Chin, in *Proc. Advanced Metallization Conf. for ULSI Applications* (Mater. Res. Soc., 1997) pp. 741-745 (1997).
178. B. Sun, T. Chiang, P. Ding, and B. Chin, in *Proc. Advanced Metallization Conf. for ULSI Applications* (Mater. Res. Soc., 1997) pp. 137-141 (1997).
179. V. S. C. Len, R. E. Hurley, N. McCusker, D. W. McNeill, B. M. Armstrong, and H. S. Gamble, *Sol. State Electron.* 43, 1045-1049 (1999).
180. M. T. Wang, Y. C. Lin, and M. C. Chen, *J. Electrochem. Soc.* 145, 2538-2542 (1998).
181. S.-H. Kim, D.-S. Chung, K.-C. Park, K.-B. Kim, and S.-H. Min, *J. Electrochem. Soc.* 146, 1455-1460 (1999).
182. T. Oku, H. Mori, and M. Murakami, in *Proc. 5th Int. Conf. on Solid-State and Integrated Circuit Technology-ICSICT'98*, M. Zhang and R. N. Tu, eds., IEEE, Piscataway, NJ, USA, pp. 238-241 (1998).
183. A. Hirata, K. Machida, N. Awaya, H. Kyuragi, and M. Maeda, *Jpn. J. Appl. Phys.* 38, Part 1, 2355-2359 (1999).
184. J.-C. Chuang, S.-L. Tu, and M.-C. Chen, *J. Electrochem. Soc.* 145, 4290-4293 (1998).
185. W. A. Lanford, P. J. Ding, W. Wang, S. Hymes, and S. P. Murarka, *Thin Solid Films* 262, 234-241 (1995).
186. W. Wang, W. A. Lanford, and S. P. Murarka, *Appl. Phys. Lett.* 68, 1622-1624 (1996).
187. T. Suwvan de Felipe, S. P. Murarka, S. Bedell, and W. A. Lanford, *J. Vac. Sci. Technol. B* 15, 1987-1989 (1997).
188. A. Labiadh, F. Braud, J. Torres, J. Palleau, G. Passemard, F. Pires, J. C. Cupuy, C. Dubois, and B. Gautier, *Microelectron. Eng.* 33, 369-375 (1997).
189. S. E. Kim and Ch. Steinbrüchel, *Sol. State. Electron.* 43, 1019-1023 (1999).
190. S. E. Kim, Ch. Steinbrüchel, A. Kumar, and H. Bakhru, in *Multilevel Interconnect Technology II*, SPIE Symp. Proc. 3508, 51-56 (1998).

191. S. E. Kim and Ch. Steinbrüchel, *Appl. Phys. Lett.* 75, 1902-1904 (1999).
192. A. Jain, S. Rogojevic, S. V. Nitta, V. Pisupatti, W. N. Gill, P. C. Wayner, Jr., J. L. Plawsky, T. E. F. Standaert, and G. S. Oehrlein, *Mater. Res. Soc. Symp. Proc.* 565, 29-40 (1999).
193. Y.-K. Kim, C.-A. Chang, and A. G. Schrott, *J. Appl. Phys.* 67, 251-254 (1990).
194. M. K. Shi, A. Selmani, L. Martinu, E. Sacher, M. R. Wertheimer, and A. Yelon, *J. Adhesion Sci. Technol.* 8, 1129-1141 (1994).
195. D. Popovici, K. Piyakis, M. Meunier, and E. Sacher, *J. Appl. Phys.* 83, 108-111 (1998).
196. M. Du, R. L. Opila, and C. Case, *J. Vac. Sci. Technol. A* 16, 155-162 (1998).
197. M. Du, R. L. Opila, V. M. Donnelly, J. Sapjeta, and T. Boone, *J. Appl. Phys.* 85, 1496-502 (1999).
198. G.-R. Yang, Y.-P. Zhao, B. Wang, E. Barnat, J. McDonald, and T.-M. Lu, *Appl. Phys. Lett.* 72, 1846-1848 (1998).
199. A. L. S. Loke, J. T. Wetzel, C. Ryu, W.-J. Lee, and S. S. Wong, *VLSI Technol. Symp. Digest of Tech. Papers*, IEEE, New York, pp. 26-27 (1998).
200. B. Cohen, J. X. Li, V. Parkhe, K. Ngan, M. Narasimhan, Z. Xu, and F. Chen, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 15, 91-95 (1998).
201. See Ref. [60], pp. 242 and 248.
202. I. Hashim, V. Pavate, P. Ding, B. Chin, D. Brown, and T. Nogami, in *Multi-level Interconnect Technology II*, SPIE Symp. Proc. 3508, 58-64 (1998).
203. G. Zhong and J. Hopwood, *J. Vac. Sci. Technol. B* 17, 405-409 (1999).
204. Y. Tanaka, E. Kim, J. Forster, and Z. Xu, *J. Vac. Sci. Technol. B* 17, 416-422 (1999).
205. P. Ding, T. Chiang, R. Tao, B. Sun, I. Hashim, T.-Y. Tao, L. Chen, G. Yao, B. Chin, R. Mosley, Z. Xu, and F. Chen, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 14, 87-92 (1997).
206. H. Kizil, G. Kim, Ch. Steinbrüchel, B. Zhao, L. Tsau, and M. Brongo, presented at 1999 AVS Meeting, Seattle WA, 1999, Paper EM1-ThM6 (to be published).
207. K.-H. Min, K.-C. Chun, and K.-B. Kim, *J. Vac. Sci. Technol. B* 14, 3263-3267 (1996).
208. K. Holloway, P. M. Fryer, C. Cabral, Jr., J. M. E. Harper, P. J. Bailey, and K. H. Kelleher, *J. Appl. Phys.* 71, 5433-5440 (1992).
209. G. Bai, S. Wittenbrock, V. Ochoa, R. Villasol, C. Chiang, T. Marieb, D. Gardner, C. Mu, D. Fraser, and M. Bohr, *Mater. Res. Soc. Symp. Proc.* 403, 501-506 (1996).
210. L. W. Graham, Ph.D. thesis, Rensselaer Polytechnic Institute (2000).

211. J. Reid, V. Bhaskaran, R. Contolini, E. Patton, R. Jackson, E. Broadbent, T. Walsh, S. Mayer, R. Schetty, J. Martin, M. Toben, and S. Menard, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 284-286 (1999).
212. W. Y. Hsu, Q. Z. Hong, A. Wilson, V. Cordasco, J. D. Luttmner, and R. J. Havemann, *Mater. Res. Soc. Symp. Proc.* 516 (1998).
213. K. M. Takahashi and M. E. Gross, *J. Electrochem. Soc.* 146, 4499-503 (1999).
214. T. Ritzdorf, L. Chen, D. Fulton, and C. Dundas, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 287-289 (1999).
215. C. Lingk and M. E. Gross, *J. Appl. Phys.* 84, 5547-5553 (1998).
216. S. H. Brongersma, E. Richard, I. Vervoort, H. Bender, W. Vandervorst, S. Lagrange, G. Beyer, and K. Maex, *J. Appl. Phys.* 86, 3642-3645 (1999).
217. I. V. Tomov, D. S. Stoychev, and I. B. Vitanova, *J. Appl. Electrochem.* 15, 887 (1985).
218. A. C. West, C.-C. Cheng, and B. C. Baker, *J. Electrochem. Soc.* 145, 3070-3075 (1998).
219. L. Vanasupa, Y.-C. Joo, P. R. Besser, and S. Pramanick, *J. Appl. Phys.* 85, 2583-2590 (1999).
220. C. Lingk, M. E. Gross, and W. L. Brown, *Appl. Phys. Lett.* 74, 682-684 (1999).
221. S. P. Hau-Riege and C. V. Thompson, *Appl. Phys. Lett.* 76, 309-311 (2000).
222. L. Arnaud, G. Tartavel, T. Berger, D. Mariolle, Y. Gobil, and I. Touet, *Microelectron. Reliab.* 40, 77-86 (2000).
223. H. J. Jin, M. Shiratani, Y. Nakatake, T. Fukuzawa, T. Kinoshita, Y. Watanabe, and M. Toyofuku, *Jpn. J. Appl. Phys., Part 1*, 38, 4492-4495 (1999).
224. A. Kobayashi, A. Sekiguchi, and O. Okada, *Jpn. J. Appl. Phys., Part 1*, 37, 6358-6363 (1999).
225. M. Zhang, A. Kobayashi, T. Koide, A. Sekiguchi, O. Okada, and N. Hosokawa, *Proc. Internat. Interconnect Technol. Conference (IEEE)*, pp. 170-172 (1999).
226. S.-W. Kang, S.-H. Han, and S.-W. Rhee, *Thin Solid Films* 350, 10-13 (1999).
227. Y. Xu, Y.-P. Tsai, K. N. Tu, B. Zhao, Q.-Z. Liu, M. Brongo, G. T. T. Sheng and C. H. Tung, *Appl. Phys. Lett.* 75, 853-855 (1999).
228. M. Uhlig, A. Berta, M. Rennau, S. E. Schulz, T. Werner, and T. Gessner, *Microelectron. Eng.* 50, 7-14 (2000).
229. C. P. Lungu, A. M. Lungu, M. Akazawa, Y. Sakai, H. Sugawara, and M. Tabata, *Jpn. J. Appl. Phys., Part 2*, 38, L1544-1546 (2000).
230. S. Agraharam, D. W. Hess, P. A. Kohl, and S. A. Bidstrup, *J. Vac. Sci. Technol. A* 17, 3265-3271 (1999).

231. J. A. Theil, *J. Vac. Sci. Technol. B* 17, 2397-2410 (1999).
232. Y. T. Kim, D. J. Kim, S. Lee, Y. K. Park, I.-S. Kim, and J.-W. Park, *Proc. SPIE* 3743, 227-233 (1999).
233. J. P. Chang, H. W. Krautter, W. Zhu, R. L. Opila, and C. S. Pai, *J. Vac. Sci. Technol. A* 17, 2969-2974 (1999).
234. A. Vijayendran and M. Danek, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 122-124 (1999).
235. J. E. Kelsey, C. Goldberg, G. Nuesca, G. Peterson, A. E. Kaloyeros, and B. Arkles, *J. Vac. Sci. Technol. B* 17, 1101-1104 (1999).
236. J. G. Fleming, P. M. Smith, J. S. Custer, E. Rohurty-Osmun, M. Cohn, R. V. Jones, D. A. Roberts, J. A. T. Norman, A. K. Hochberg, J. S. Reid, Y.-D. Kim, T. Kacsich, and M.-A. Nicolet, *Proc. Adv. Metallization and Interconnect Systems for ULSI Applications (MRS)*, pp. 245-251 (1996).
237. H. S. Choe and M. Danek, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 62-64 (1999).
238. Q.-T. Jiang, R. Faust, H. R. Lam, and J. Mucha, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 125-127 (1999).
239. D.-S. Yoon, H.-K. Baik, and S.-M. Lee, *J. Appl. Phys.* 83, 1333-1336 (1998).
240. A. Paranjpe, R. Bubber, L. Velo, G. Shang, S. Gopinath, J. Dalton, and M. Moslehi, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 119-121 (1999).
241. X. Chen, G. G. Peterson, C. Goldberg, G. Nuesca, H. L. Frisch, A. E. Kaloyeros, B. Arkles, and J. Sullivan, *J. Mater. Res.* 14, 2043-2052 (1999).
242. J. A. Davis, V. K. De, and J. D. Meindl, *IEEE Trans. Electron Dev.* 45, 580-584 (1998).
243. R. Liu, C.-S. Pai, H.-I. Cong, W. Lai, and E. Martinez, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 21-23 (1999).
244. J. A. Davis and J. D. Meindl, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 227-229 (1999).
245. Y. Hayashi, T. Onondera, N. Sasaki, K. Tanaka, and Y. Samitu, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 100-102 (1999).
246. M. Lin, C. Y. Chang, T. Y. Huang, and M.-L. Lin, *Jpn. J. Appl. Phys. Part 1*, 38, 6240-6246 (1999).
247. M. B. Anand, M. Yamada, and H. Shibata, *IEEE Trans. Electron Dev.* 44, 1965-1971 (1997).
248. P. A. Kohl, Q. Zhao, K. Patel, D. Schmidt, S. A. Bidstrup-Allen, R. Shick, and S. Jayaraman, *Dielectric Material Integration for Microelectronics*, San Diego, CA, USA, Electrochem. Soc., Pennington, NJ, pp. 169-178 (1998).
249. P. Townsend, *Mater. Res. Soc. Symp. Proc.* 476, 9-15 (1997).

250. H. L. Maynard, C.-S. Pai, C. B. Case, R. O. Adebajo, M. R. Barker, W. W. Tai, and R. Liu, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 212-214 (1999).
251. B. Hanyaloglu, A. Aydinli, M. Oye, and E. S. Aydil, *Appl. Phys. Lett.* 74, 606-608 (1999).
252. G. Kim, Ph.D. thesis, Rensselaer Polytechnic Institute (1999).
253. I. Morey and A. Asthana, *Sol. State Technol.* 42 (6), 71-78 (1999).
254. D. A. Chan, B. Swedek, A. Wiswesser, and M. Birang, *Proc. IEEE/SEMI Adv. Semicond. Manuf. Conf.*, pp. 377-384 (1998).
255. J. T. Pan, P. Li, K. Wijekoon, S. Tsai, and F. Redeker, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 164-166 (1999).
256. Y. Ye, D. Ma, A. Zhao, P. Hsieh, W. Tu, X. Deng, G. Chu, C. Mu, J. Chow, P. Moon, and S. Sherman, *Proc. Int. Interconnect Technol. Conf. (IEEE)*, pp. 235-237 (1998).
257. C. Jin and J. Wetzel, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 99-101 (2000).
258. T. Furusawa, N. Sakuma, D. Ryuzaki, Seiichi Kondo, K. Takeda, S. Machida, and K. Hinode, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 222-224 (2000).
259. O. Demolliens, Y. Morand, M. Fayolle, M. Cochet, M. Assous, H. Feldis, D. Louis, J. C. Royer, Y. Gobil, G. Passemar, P. Maury, F. Jourdan, M. Cordeau, T. Morel, L. Perroud, L. Ulmer, J. F. Lugand, and D. Renaud, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 276-277 (2000).
260. Y. Morand, M. Assous, P. Berruyer, M. Cochet, O. Demolliens, M. Fayolle, D. Louis, G. Passemar, A. Roman, C. Verove, and Y. Trouiller, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 225-227 (2000).
261. H. Yamaguchi, N. Ohashi, T. Imai, K. Torii, J. Noguchi, T. Fujiwara, T. Saito, N. Owada, Y. Homma, S. Kondo, and K. Hinode, *Proc. Internat. Interconnect Technol. Conf. (IEEE)*, pp. 264-266 (2000).
262. S. Rossnagel, in *Ionized Physical Vapor Deposition*, J. A. Hopwood, ed., Academic Press, New York, pp. 37-66 (2000).
263. J. Forster, in *Ionized Physical Vapor Deposition*, J. A. Hopwood, ed., Academic Press, New York, pp. 141-179 (2000).
264. B. Cohen, J. X. Li, V. Parkhe, K. Ngan, M. Narasimhan, Z. Xu, and F. Chen, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 15, 91-95 (1998).
265. D. Nguyen and H. Rathore, *Proc. VLSI Multilevel Interconnection Conf. (VMIC)* 17, 267-271 (2000).
266. "Advanced PVD Solutions for sub 0.13  $\mu\text{m}$  Copper Barrier and Seed Applications," paper presented at AVS Symposium on Challenges in Deep Sub-Micron Processing, Phoenix, Arizona (2000).

267. L.-Q. Xia, P. W. Lee, M. Chang, I. Latchford, P. K. Narwankar, R. Urdahl, A. S. Nickles, R. Achutharanam, and C. B. Lewis, in *Handbook of Semiconductor Manufacturing Technology*, Y. Nishi and R. Doering, eds., M. Dekker, New York, pp. 309-356 (2000).
268. W.-F. Yau, Y.-C. Lu, K. Liu, N. Chopra, T. Poon, R. Willecke, J.-H. Lee, P. Matthews, T. Huang, R. Mandal, P. Lee, C.-I. Lang, D. Sugiarto, I.-S. Lou, J. Ma, B. Pang, M. Naik, D. Yost, and D. Cheung, *Proc. of Advanced Metallization Conference*, Mater. Res. Soc., pp. 379-386 (1999).
269. R. A. Donaton, H. Struyf, M. Lepage, B. Coenegrachts, M. Stucci, D. De Roest, S. Vanhaelemeersch, K. Maex, F. Gaillard, L.-Q. Xia, R.-H. Lim, M. Gotuaco, and E. Yieh, *Proc. of Advanced Metallization Conference*, Mater. Res. Soc., p. 88 (2000).
270. E. Klawuhn, G. C. DCouto, K. A. Ashtiani, P. Rymer, M. A. Biberger, and K. B. Levy, *J. Vac. Sci. Technol. A* 18, 1546-1549 (2000).





---

## Index

- $\beta$ -diketonates, 20
- $\alpha$ -C:F, 62
- acidic baths, 24
- additives, 25
- adhesion, 86
- adhesion layers, 80
- aerogel, 49
- air gap, 8, 13, 50, 57
- Al, 10, 43, 79
- Al-oxyfluoride, 79
- Al/FSG, 79
- Al/ILD, 75
- Al/SiO<sub>2</sub>, 10, 14
- Al/W, 53
- alkaline baths, 24
- anisotropic, 35, 37, 63, 67
- Ar/Cl<sub>2</sub>, 39
- architectures, 47
- aspect ratio, 6, 19
  
- barrier, 76, 101
- barrier layer, 17
- barrier/polymer, 80
- BCB, 59
- BCl<sub>3</sub>-based plasmas, 36
- benzocyclobutene, 13, 59
- between-layer, 7
- between-lines, 7
- Black Diamond, 13
- breakdown voltage, 51
- BTS, 89
- by-products, 20
  
- C<sub>2</sub>F<sub>6</sub>, 53
- C-doped, 55
- carbonaceous, 48
- CCl<sub>4</sub>/Ar plasma, 36
- CeO<sub>2</sub>, 101
- chemical methods, 19
- chemical vapor deposition, 19–20
- chemical-mechanical polishing, 17, 19, 42
- chronoamperometry, 25
- circuit architecture, 9
- cleaning, 71
  
- CMP, 17, 42, 73
- collimated, 28
- collimated sputter deposition, 29
- conformal, 31, 87
- conformality, 87
- contact, 15, 18, 71
- copolymers, 57
- copper oxide, 83
- Coral, 13
- Cr, 78, 80
- crosstalk, 9
- Cu, 10, 13, 24, 36, 38, 43, 92
- Cu CVD, 20, 99–100
- Cu<sup>II</sup>, 20
- Cu<sup>I</sup>, 20
- CuCl, 38
- CuO, 72
- Cu<sub>2</sub>O, 72
- CuSO<sub>4</sub>, 24
- Cu-Al, 79
- Cu-FSG, 79
- Cu-Mg, 78
- Cu/ILD, 75
- Cu/low-*k*, 10
- Cu/polymer, 81
- Cu/SiO<sub>2</sub>, 15
- CupraSelect, 23
- current density, 25
- CVD, 19, 20
  
- damascene, 15–16, 35, 41
- deposition, 19, 24
- depth profiles, 85
- design rules, 8
- dielectric constant, 5
- dielectric etch, 15
- diffusion, 27, 75, 86
- diffusion barrier, 19
- diffusion-controlled, 27
- dishing, 44
- disproportionation, 22
- dissolution, 24
- doped, 51
- dry etching, 14, 35
- dual-damascene, 69

- ECP, 19, 92  
 ECP reaction cell, 24  
 ECR, 32, 39, 65  
 electrochemical cell, 24  
 electrochemical plating, 12, 19, 24  
 electromigration, 12, 19, 75  
 electron cyclotron resonance, 32, 39, 65  
 electroplated, 92  
 end point detection, 16, 45  
 etch depth, 16  
 etch stop, 16  
 etching, 63, 67  
 evaporation, 28
- F-doped, 53  
 F-doped oxide, 8  
 fabrication, 14  
 filling, 25  
 FLARE 1.0, 13, 61, 80  
 FLARE 1.51, 62  
 FLARE 2.0, 13, 59  
 fluorinated, 60  
 fluorinated amorphous carbon, 13, 62  
 fluorocarbon, 64  
 fluorosilicate glass, 13  
 Fourier transform infrared spectroscopy, 53  
 FSG, 13, 53, 66, 73, 101  
 FTIR, 53
- gate length, 9  
 grain growth, 98  
 growth, 27
- H<sub>2</sub> plasma, 72  
 H<sub>2</sub>SO<sub>4</sub>, 24  
 H-doped, 52  
 halogen plasmas, 36  
 hard mask, 67  
 HDP, 55  
 hexafluoroacetylacetonate, 20  
 hexamethyldisilazane, 50  
 hfac, 20  
 high-density plasma, 55  
 HMDS, 50  
 HNO<sub>3</sub>, 43  
 hollow cathode magnetron, 33, 86  
 HSQ, 13, 52  
 hydrogen, 83  
 hydrogen silsesquioxane, 13, 52  
 hydroxyl, 50
- ICP, 65  
 ILD, 47
- IMP, 33, 86–87, 92  
 inductively coupled plasmas, 65  
 inlaid, 15, 41  
 inorganic-organic hybrid, 58  
 instantaneous nucleation, 27  
 interconnect, 14  
 interconnect delays, 8  
 interconnect level, 16  
 interconnect materials, 9  
 interface, 12, 75  
 interlayer dielectric, 47  
 intrinsic, 8  
 ion bombardment, 65  
 ion metal plasma, 33, 86  
 ionized physical vapor deposition, 29  
 IPVD, 29, 31, 86  
 isotropic ILD, 7
- large aspect ratios, 64  
 leakage current, 51, 89  
 limiting current, 25  
 line length, 9  
 lithography, 15  
 long-throw sputter deposition, 28, 30  
 low-*k* ILD, 13, 47  
 low-*k* polymer, 8
- magnetron ion etching, 38  
 magnetron sputter deposition, 32  
 mass transport, 25  
 material properties, 9  
 metal, 13  
 metal etch, 15, 18  
 metal nitride diffusion barrier, 73  
 metal nitrides, 78  
 metal/ILD adhesion, 76  
 metal/ILD interface, 10  
 methyl-silsesquioxane, 55  
 microstructure, 10, 92  
 MIE, 38  
 minimum feature size, 9  
 MOCVD, 19  
 MoN, 78  
 MSQ, 55  
 multilevel, 14
- nanoporous silica, 49, 52  
 Nb, 78  
 NF<sub>3</sub>, 53  
 NH<sub>4</sub>OH, 43  
 nitrides, 76  
 non-fluorinated, 58  
 non-halogen, 36

- norborene, 56  
 NRA, 53, 79  
 nuclear reaction analysis, 53  
 nucleation, 26
- organic additives, 97, 100  
 organic polymers, 13  
 oxidation, 24  
 oxide, 8, 49, 51
- pad-scanning local CMP, 45  
 parallel-plate reactor, 65  
 partially ionized beam deposition, 32  
 parylene-f, 13, 60  
 parylene-n, 13, 58, 73  
 PASCAL-CMP, 45  
 pattern density, 44  
 pattern transfer, 64, 66  
 patterning, 10, 37, 63  
 Pentium Klamath, 8  
 perfluorinated cyclobutene, 13  
 perfluoro-cyclobutane, 61  
 PFCB, 61  
 photoresist, 17, 67  
 physical deposition, 11, 28  
 PIB, 32  
 planarization, 17, 72  
 plasma, 35  
 plasma enhancement, 22  
 plasma etching, 63  
 plasma excitation, 23  
 polarization, 55  
 poly(arylene ethers), 59  
 poly(arylene) ethers, 73  
 polyimide, 80  
 polymer, 11, 58, 60, 67, 73  
 pore size, 49  
 porosity, 49  
 porous, 8  
 preclean, 83  
 precursor, 20  
 Preston's equation, 42  
 progressive nucleation, 27  
 PTFE, 62  
 pulse plating, 24  
 PVD, 11
- radiation-enhanced etching, 40  
 re-sputtering, 28, 87  
 reactive ion etching, 11, 36, 65  
 recrystallization, 98  
 reduction, 22, 24  
 requirements, 10
- residue, 18, 72  
 resistivity, 20  
 reverse-pulse plating, 100  
 RC delay, 5, 47  
 RIE, 36, 65
- secondary ion mass spectrometry, 85  
 seed layer, 92  
 selective CVD, 23  
 self-annealing, 98  
 self-passivating, 79  
 self-passivation, 12  
 SF<sub>6</sub>, 54  
 SiF<sub>4</sub>, 54  
 Si<sub>2</sub>F<sub>6</sub>, 54  
 SiN, 16  
 SiO<sub>2</sub>, 10, 47  
 SiOC, 57  
 Si-F, 53  
 Si-O, 53  
 Si-OH, 49  
 SiCl<sub>4</sub>/N<sub>2</sub> plasma, 38  
 SiH<sub>4</sub>/O<sub>2</sub>, 54  
 signal propagation, 5  
 silica-based oxides, 13  
 silicate, 49, 64  
 silicate-based, 48  
 silicon dioxide, 64  
 silicon nitride, 75  
 silicon oxycarbide material, 57  
 silicon oxynitride, 75  
 SiLK, 13, 60, 102  
 siloxanes, 56  
 SIMS, 85  
 spin-on glasses, 49  
 sputter deposition, 11, 28  
 subtractive, 35
- Ta, 78–80, 86  
 Ta-nitride, 87  
 TaC, 78  
 TaN, 78–79  
 TaSiN, 101  
 Tafel plot, 25  
 Teflon, 13, 62, 80  
 temperature stability, 21  
 temperature stress, 77  
 TEOS, 49  
 TEOS/O<sub>2</sub>, 54  
 test structure, 5  
 tetraethoxy-silicate, 49  
 texture, 77, 92  
 thermal annealing, 77

122 Index

- thermal stability, 11
- Ti, 78–80
- TiN, 52, 78–79, 86
- TiSiN, 101
- Ti/TiN, 78
- time delay, 5
- tmvs, 20
- transition metal-silicon-nitrides, 76
- transition metals, 76
- trenches, 16
- trimethylvinylsilane, 20
  
- undoped, 49
  
- via filling, 28, 31, 92, 99
- via resistance, 76, 83
- vias, 15
  
- W, 43
- W plugs, 10, 50
- W<sub>2</sub>N, 78
- WBN, 101
- WN, 78
- WSiN, 78, 101
  
- xerogel, 49
- xerogels, 13
- XKL, 53





**Christoph Steinbrüchel** is an associate professor in the Materials Science and Engineering Department at Rensselaer Polytechnic Institute. Before joining Rensselaer, he held positions at the University of California at Berkeley, the University of Chicago, the Argonne National Laboratory, RCA Laboratories, and Mettler Instruments. He received a degree in physics from the University of Zürich in 1969 and a Ph.D. degree in chemical physics from the University of Minnesota in 1974. Dr. Steinbrüchel's research interests have focused on thin film processing and characterization of microelectronic and sensor applications. He has published extensively, and has given numerous public presentations in the areas of plasma etching, sputtering, plasma diagnostics, process contamination control, thin films, and surface science. His current research program includes projects in plasma diagnostics, etch mechanisms in the patterning of low-k dielectrics, and diffusion barriers between copper and low-k dielectrics.



**Barry L. Chin** is senior director in the Interconnect Systems and Modules Business Group at Applied Materials. He received his B.S. degree in Materials Science and Engineering from Cornell University in 1974. He received his M.S. and Ph.D., also in Materials Science and Engineering, from the University of California at Berkeley, where he studied the heteroepitaxial growth of II-VI compounds for photovoltaic applications. From 1980 he worked at several semiconductor device manufacturers where he was involved in the process development of low-pressure CVD, PECVD, reactive ion etching, and PVD metallization. He joined Novellus Systems in 1987 and was engaged in development of the plasma TEOS oxide and CVD tungsten products. Since joining Applied Materials in 1995, Dr. Chin has been working to develop and commercialize a production-worthy diffusion barrier and seed layer for copper metallization. He is a member of the IEEE, Electrochemical Society and the American Vacuum Society.