

Index

A

a priori probability, 28
activity, 150, 220, 230, 234–235
adaptive, 225, 228, 233
aided target recognition, 1
all-versus-all, 229
anomaly detection, 36
asynchronous clock, 225
automatic target tracker, 134
autonomous land vehicle, 201–202
autonomy, 249
axons, 217, 219

B

bagging, 118
Bayer pattern, 177
Bayes average, 191
Bayes belief integration, 192
binding, 167, 170, 174
biomimicry, 57
bistatic radar, 171–172
boosting, 118
Borda count, 190

C

CFAR detector, 63
change detection, 8
classification, 103, 230, 236
clock frequency, 220
clutter level, 20
clutter object, 11
cognitive radar, 199–200
committee machine, 118

common operating picture,
203–204
compressive imaging, 58
computational explanatory
gap, 254
computational imaging, 58
concept of operations, 81
conceptual knowledge, 248
confidence interval, 29
confusion matrix, 25
constant false alarm rate per
image, 36
continuous learning, 221,
227–228
convolutional neural network,
121, 223, 231
correlation, 36

D

decision tree, 22, 229, 230
decision tree classifier, 118
deep learning, 118
Dempster–Shafer theory, 193
dendrites, 217
detection criterion, 7
don't care object, 13

E

embodied, 222, 228, 232
ensemble classifiers, 118
events, 150, 231
experimental design, 29
expert system, 207

F

false alarm rate, 12
 false alarm, 11
 feature extraction, 92
 feature selection, 97
 feature-aided tracking, 148
 feature-level fusion, 187
 fingerprinting, 8
 force structure, 56, 251
 forensics, 152
 frequency, 172

G

generative adversarial network, 235
 graphics processing unit, 119,
 223, 226
 ground truth, 5

H

hierarchical temporal memory, 120,
 229–230, 235, 238
 histogram of optical flow, 100
 histogram of oriented gradients, 100
 human subjects, 32, 237
 hyperspectral imagery, 64

I

image truth, 6, 8
 Institutional Review Board, 32
 intelligent preparation of the
 battlespace, 202–203
 Integrated Product Team, 80

J

Joint Directors of Laboratories, 176

K

Kalman filter, 141

L

latency, 216, 220, 225
 learning vector quantization, 112
 learning-on-the-fly, 57

Lightweight Laser Designator

 Rangefinder, 178

linear classifier, 104

long short-term memory, 120, 228

M

majority voting, 189

manned–unmanned teaming, 205

map-seeking circuit, 116

mean-shift tracker, 149

metacognition, 254

model-based classifier, 116

moving target indication, 37

MSTAR, 116

multiclassifier fusion, 176,
 187, 194

multifunction radio frequency,
 199–200

multifunction radio, 172

multilayer perceptron, 114

multimodality, 227

multisensor fusion, 167, 172, 176,
 195, 227, 253

mutual information, 185

N

naïve Bayes classifier, 110

narrative, 204, 206

neocortex, 216, 219

neural network, 53, 214

neuromorphic chip, 223, 225

neuron, 214, 216–217, 219–220,
 222–223

neuroplasticity, 228, 233

No Free Lunch theorem, 76

O

Occam's razor, 78

one-versus-all, 112, 229

one-versus-one, 229

ontology, 21

operating conditions, 5

order of battle, 251

P

parallelism, 223, 227
pattern of life, 152
perceptron, 111
performance parameters, 33
persistent surveillance, 152
photon, 59
plastic, 228, 233
polarization, 181–183
pre-mission briefing, 247
probability of (correct)
 classification, 25
probability of detection, 14
probability of false alarm, 14

Q

quaternions, 159

R

Random Forest™, 118
receiver operating characteristic
 curve, 15
recurrent neural network, 119–120,
 150, 214, 223, 226, 228, 234
Reed–Xialo algorithm, 65
region-of-interest, 12, 231
reinforcement learning, 228,
 233, 236
rules of engagement, 250

S

sapient ATR, 255
Scale-Invariant Feature
 Transform, 61
scene gist, 245
sentient ATR, 124, 255
single-nearest-neighbor
 classifier, 108

situated, 228, 232
sleep, 225
spatial scale, 38
spikes, 217, 219, 222, 225
spoke filter, 52
stacking methods, 118
stationary target indication, 37
stereo camera, 180
strawman, 214, 228–230, 233
strong artificial intelligence, 255
super-intelligent ATR, 255
support vector machine, 105
surprise, 59
synapse, 216–217, 223, 225
system design, 80

T

target, 5
target classifier, 76
target detection, 7, 10
target polarity, 38
taxonomy, 21, 229
template matcher, 55
test plan, 31
track fusion, 196–197
transfer learning, 235, 249
triple window filter, 41
Turing test, 238, 242

U

Ugly Duckling theorem, 76
unattended ground sensor, 186–187

X

XPATCH®, 116

Z

zero-shot learning, 204–205, 209



Bruce J. Schachter is an engineer whose work has focused on automatic target recognition (ATR) for more than forty years. He was on the team that developed the first Automatic Target Recognizer, at the University of Maryland then later at Northrop Grumman. He has been program manager or principal investigator of a dozen ATR programs. His previous books are *Pattern Models* and the award-winning *Computer Image Generation*. The author can be contacted at

Bruce.Jay.Schachter@gmail.com.