

Bibliography

M. Born and E. Wolf, *Principles of Optics*, Pergamon, New York, 1985.

A. E. Conrady, *Applied Optics and Optical Design*, Parts I and II, Oxford, London, 1929 (Reprinted by Dover, New York, 1957).

H. H. Hopkins, *Wave Theory of Aberrations*, Oxford, London, 1950.

F. A. Jenkins and H. E. White, *Fundamentals of Optics*, 4th ed., McGraw-Hill, New York, 1976.

M. V. Klein and T. E. Furtak, *Optics*, 2nd ed., Wiley, New York, 1986.

E. H. Linfoot, *Recent Advances in Optics*, Clarendon, Oxford, 1955.

L. C. Martin and W. T. Welford, *Technical Optics*, Vol. I, 2nd ed., Pitman, London, 1966.

E. L. O'Neill, *Introduction to Statistical Optics*, Addison-Wesley, Reading, Massachusetts, 1963.

D. J. Schroeder, *Astronomical Optics*, Academic Press, New York, 1987.

W. J. Smith, *Modern Optical Engineering*, McGraw-Hill, New York, 1966.

W. T. Welford, *Aberrations of the Symmetrical Optical System*, Academic Press, New York, 1974.

Additional References

1. V. D. Andreeva, "Fundamental aberration coefficients of an optical system," *Sov. J. Opt. Tech.* **42**, 321–323 (1975).
2. T. Asakura, "Axial intensity distribution for an annular aperture with primary spherical aberration," *Oyo Buturi* **31**, 243–244 (1962).
3. T. Asakura and K. Fukui, "Study on the best focus with small amounts of primary spherical aberration," *Oyo Buturi* **31**, 221–232 (1962).
4. T. Asakura and H. Mishina, "Irradiance distribution in the diffraction patterns of an annular aperture with spherical aberration and coma," *Japan. J. Appl. Phys.* **7**, 751–758 (1968).
5. T. Asakura and H. Mishina, "Three dimensional distribution in the diffraction patterns of annular apertures with primary spherical aberration," *Oyo Buturi* **37**, 805–809 (1968).
6. T. Asakura and R. Barakat, "Annular and annulus apertures with spherical aberration and defocusing," *Oyo Buturi* **30**, 728–735 (1961).
7. R. Barakat, "Total illumination in a diffraction image containing spherical aberration," *J. Opt. Soc. Am.* **51**, 152–157 (1961).
8. R. Barakat, "The intensity distribution and total illumination of aberration-free diffraction images," *Progress in Optics*, Vol. 1, ed. E. Wolf (North Holland, 1961) pp. 67–108.
9. R. Barakat, "Rayleigh wavefront criterion," *J. Opt. Soc. Am.* **55**, 572–573 (1965).
10. R. Barakat, "The calculation of integrals encountered in optical diffraction theory," in *The Computer in Optical Research*, ed. B. R. Frieden (Springer, 1980) pp. 35–80.
11. R. Barakat and A. Houston, "Diffraction effects of coma," *J. Opt. Soc. Am.* **54**, 1084–1088 (1964).
12. R. Barakat and A. Houston, "The aberration of non-rotationally symmetric systems and their diffraction effects," *Optica Acta* **13**, 1–30 (1966).
13. R. Barakat and L. Riseberg, "Diffraction theory of the aberrations of a slit aperture," *J. Opt. Soc. Am.* **55**, 878–881 (1965).
14. L. Beiser, "Perspective rendering of the field intensity diffracted at a circular aperture," *Appl. Opt.* **5**, 869–870 (1966).

15. U. Bose, "Optical tolerances I. Rayleigh $\lambda/4$ criterion," *Bull. Opt. Soc. India* **2**, 47–51 (1968).
16. A. D. Budgor, "Exact solutions in the scalar diffraction theory of aberrations," *Appl. Opt.* **19**, 1597–1600 (1980).
17. S. N. Bezdidko, "The use of Zernike polynomials in optics," *Sov. J. Opt. Tech.* **41**, 425–429 (1974).
18. S. N. Bezdidko, "Calculation of the Strehl coefficient and determination of best focus plane in polychromatic light," *Opt. Tech.* **42**, 514–516 (1975).
19. S. N. Bezdidko, "Determination of the Zernike polynomial expansion coefficients of the wave aberration," *Sov. J. Opt. Tech.* **42**, 426–427 (1975).
20. S. N. Bezdidko, "Numerical method of calculating the Strehl coefficients using Zernike polynomials," *Sov. J. Opt. Tech.* **43**, 222–225 (1976).
21. S. N. Bezdidko, "Use of orthogonal polynomials in the case of optical systems with annular pupils," *Opt. Spectrosc.* **43**, 200–203 (1977).
22. J. Campos and M. J. Yzuel, "Axial and extra-axial responses in aberrated optical systems with apodizers, maximization of the Strehl ratio," *J. Mod. Opt.* **36**, 733–749 (1989).
23. H. S. Coleman and S. W. Harding, "The loss of resolving power caused by primary astigmatism, coma and spherical aberration," *J. Opt. Soc. Am.* **38**, 217–221 (1948).
24. G. Conforti, "Zernike aberration coefficients from Seidel and higher-order power-series coefficients," *Opt. Lett.* **8**, 407–408 (1983).
25. J. C. Dainty, "The image of a point for an aberration-free lens with a circular pupil," *Opt. Commun.* **1**, 176–178 (1968).
26. H. S. Dhadwal and J. Hantgan, "Generalized point spread function for a diffraction-limited aberration-free imaging system under polychromatic illumination," *Opt. Eng.* **28**, 1237–1240 (1989).
27. J. B. DeVelis, "Comparison of methods for image evaluation," *J. Opt. Soc. Am.* **55**, 165–174 (1965).
28. F. A. Dixon, "The influence of aberration and detector response on optical images," *Proc. Phys. Soc.* **75**, 713–728 (1960).
29. D. B. Fenneman and D. R. Cruise, "Far-field illumination of targets by annular apertures," *J. Opt. Soc. Am.* **65**, 1300–1305 (1975).

30. I. L. Goldberg and A. W. McCulloch, "Annular aperture diffracted energy distribution for an extended source," *Appl. Opt.* **8**, 1451–1458 (1969).
31. A. Greeve and G. C. Hunt, "The Strehl number of degraded diffraction patterns," *Optik* **40**, 18–23 (1974).
32. D. S. Grey, "Computed aberrations of spherical Schwarzschild reflecting microscope objectives," *J. Opt. Soc. Am.* **41**, 183–192 (1951).
33. A. K. Gupta, R. N. Singh and K. Singh, "Diffraction images of extended circular targets in presence of coma," *Can. J. Phys.* **55**, 1025–1032 (1977).
34. H. H. Hopkins and M. J. Yzuel, "The computation of diffraction patterns in the presence of aberrations," *Optica Acta* **17**, 157–182 (1970).
35. C. B. Hogge, R. R. Butts, and M. Burlakoff, "Characteristics of phase aberrated nondiffraction-limited laser beams," *Appl. Opt.* **13**, 1065–1070 (1974).
36. R. Herloski, "Strehl ratio for untruncated aberrated Gaussian beams," *J. Opt. Soc. Am.* **A2**, 1027–1030 (1985).
37. R. B. Johnson, "Polynomial ray aberrations computed in various lens designs programs," *Appl. Opt.* **12**, 2079–2082 (1973).
38. C. J. Kim and R. R. Shannon, "Catalog of Zernike polynomials," *Applied Optics and Optical Engineering*, eds., R. R. Shannon and J. C. Wyant, Vol. 10 pp. 193–221 (Academic Press, 1987).
39. W. B. King, "A direct approach to the evaluation of the variance of the wave aberration," *Appl. Opt.* **7**, 489–494 (1968).
40. W. B. King, "Dependence of the Strehl ratio on the magnitude of the variance of the wave aberration," *J. Opt. Soc. Am.* **58**, 655–661 (1968).
41. W. B. King and J. Kitchen, "The evaluation of the variance of the wave-aberration difference function," *Appl. Opt.* **7**, 1193–1197 (1968).
42. W. S. Kovach, "Energy distribution in the PSF for an arbitrary pass band," *Appl. Opt.* **13**, 1769–1771 (1974).
43. Y. Li, "Dependence of the focal shift on Fresnel number and f number," *J. Opt. Soc. Am.* **72**, 770–774 (1982).
44. E. H. Linfoot, "Focal tolerances and best focal setting for model photographic images with primary spherical aberration," *Optica Acta* **8**, 233–253 (1961).
45. E. H. Linfoot and E. Wolf, "Diffraction images in systems with an annular aperture," *Proc. Phys. Soc. (London)* **B66**, 145–149 (1953).

46. D. D. Lowenthal, "Maréchal intensity criteria modified for Gaussian beams," *Appl. Opt.* 2126–2133 (1974). Errata, *Appl. Opt.* 13, 2774 (1974)
47. D. D. Lowenthal, "Far-field diffraction patterns for Gaussian beams in the presence of small spherical aberrations," *J. Opt. Soc. Am.* 65, 853–855 (1975).
48. A. Magiera and K. Pietraszkiewicz, "Position of the optimal reference sphere for apodized optical systems," *Optik* 58, 85–91 (1981).
49. M. N. Malakhov, "Effect of optical system aberrations on the location of the energy center of gravity of the image of a point source," *Sov. J. Opt. Tech.* 45, 131–132 (1978).
50. J. T. McCrickerd, "Coherent processing and depth of focus of annular aperture imagery," *Appl. Opt.* 10, 2226–2230 (1971).
51. T. S. McKechnie, "The effect of defocus on the resolution of two points," *Optica Acta* 20, 253–262 (1973).
52. J. Meiron, "The use of merit functions based on wavefront aberrations in automatic lens design," *Appl. Opt.* 7, 667–672 (1968).
53. J. P. Mills and B. J. Thompson, "Effect of aberrations and apodization on the performance of coherent optical systems. I. The amplitude impulse response," *J. Opt. Soc. Am.* A3, 694–703 (1986).
54. J. P. Mills and B. J. Thompson, "Effect of aberrations and apodization on the performance of coherent optical systems. II. Imaging," *J. Opt. Soc. Am.* A3, 704–716 (1986).
55. K. Miyamoto, "Wave optics and geometrical optics in optical design," *Progress in Optics* Vol. 1, ed. E. Wolf (North Holland, 1960) pp. 31–66.
56. B. R. A. Nijboer, "The diffraction theory of optical aberrations. Part I: General discussion of the geometrical aberrations," *Physica* 10, 679–692 (1943).
57. B. R. A. Nijboer, "The diffraction theory of optical aberrations. Part II: Diffraction pattern in the presence of small aberrations," *Physica* 13, 605–620 (1947).
58. K. Nienhuis and B. R. A. Nijboer, "The diffraction theory of aberrations. Part III: General formulae for small aberrations: experimental verification of the theoretical results," *Physica* 14, 590–603 (1949).
59. H. Osterberg and L. W. Smith, "Defocusing images to increase resolution," *Science* 134, 1193–1196 (1961).
60. K. Pietraszkiewicz, "Determination of the optimal reference sphere," *J. Opt. Soc. Am.* 69, 1045–1046 (1979).

61. J. L. Rayces, "Exact relation between wave aberration and ray aberration," *Optica Acta* **11**, 85–88 (1964).
62. M. Rimmer, "Analysis of perturbed lens systems," *Appl. Opt.* **9**, 533–537 (1970).
63. C. J. R. Sheppard and T. Wilson, "Imaging properties of annular lenses," *Appl. Opt.* **18**, 3764–3768 (1979).
64. R. M. Sillito, "Diffraction of uniform and Gaussian Beams: an application of Zernike polynomials," *Optik* **48**, 271–277 (1977).
65. J. J. Stamnes, H. Heier, and S. Ljunggren, "Encircled energy for systems with centrally obscured circular pupils," *Appl. Opt.* **21**, 1628–1633 (1982).
66. W. H. Steel, "Etude des effets de aberrations et d'une obturation centrale de la pupille sur le contraste des images optiques," *Rev. d' Opt.* **32**, 4–26, 143–178, 269–304 (1953).
67. W. H. Steel, "The defocused image of sinusoidal gratings," *Opt. Acta* **3**, 65–74 (1956).
68. R. E. Stephens and L. E. Sutton, "Diffraction image of a point in the focal plane and several out-of-focus planes," *J. Opt. Soc. Am.* **58**, 1001–1002 (1968).
69. G. C. Steward, *The Symmetrical Optical System* (Cambridge, U. P. 1928).
70. P. A. Stokseth, "Properties of a defocused optical system," *J. Opt. Soc. Am.* **59**, 1314–1321 (1969).
71. S. Szapiel, "Maréchal intensity criteria modified for circular apertures with non-uniform intensity transmission: Dini series approach," *Opt. Lett.* **2**, 124–126 (1978).
72. S. Szapiel, "Aberration balancing techniques for radially symmetric amplitude distributions: a generalization of the Maréchal approach," *J. Opt. Soc. Am.* **72**, 947–957 (1982).
73. S. Szapiel, "Aberration–variance–based formula for calculating point–spread functions: rotationally symmetric aberrations," *Appl. Opt.* **25**, 244–251 (1986).
74. B. Tatian, "Aberration balancing in rotationally symmetric lenses," *J. Opt. Soc. Am.* **64**, 1083–1091 (1974).
75. C. A. Tayler and B. J. Thompson, "Attempt to investigate experimentally the intensity distribution near the focus in the error-free diffraction patterns of circular and annular apertures," *J. Opt. Soc. Am.* **48**, 844–850 (1958).

76. R. Tyson, "Conversion of Zernike aberration coefficients to Seidel and higher-order power-series aberration coefficients," *Opt. Lett.* **7**, 262–264 (1982).
77. J. J. H. Wang, "Tolerance condition for aberrations," *J. Opt. Soc. Am.* **62**, 598–599 (1972).
78. J. Y. Wang and D. E. Silva, "Wavefront interpretation with Zernike polynomials," *Appl. Opt.* **19**, 1510–1518 (1980).
79. W. T. Welford, "On the limiting sensitivity of the star test for optical instruments," *J. Opt. Soc. Am.* **50**, 21–23 (1959).
80. W. T. Welford, "Use of annular apertures to increase focal depth," *J. Opt. Soc. Am.* **50**, 749–753 (1960).
81. W. T. Welford, "Aberration tolerances for spectrum line images," *Optica Acta* **10**, 121–127 (1963).
82. W. B. Wetherell, "The calculation of image quality," in *Applied Optics and Optical Engineering*, eds. R. R. Shannon and J. C. Wyant (Academic Press, 1980), pp. 171–315.
83. E. Wolf, "The diffraction theory of aberrations," *Rep. Prog. Phys.* **14**, 95–120 (1951).
84. E. Wolf, "Light distribution near focus in an error-free diffraction image," *Proc. Roy. Soc.* **A204**, 533–548 (1951).
85. A. T. Young, "Photometric error analysis X. Encircled energy (total illuminance) calculations for annular apertures," *Appl. Opt.* **9**, 1874–1878 (1970).
86. M. J. Yzuel and F. J. Arlegui, "A study on the computation accuracy in the aberrational diffraction images," *Optica Acta* **27**, 549–562 (1980).
87. M. J. Yzuel and F. Calvo, "Point-spread function calculation for optical systems with residual aberrations and a non-uniform transmission pupil," *Optica Acta* **30**, 233–242 (1983).

Index

A

- Aberration balancing
 - diffraction, 77
 - geometrical, 60
- Aberrated PSF, 70, 82
- Aberration coefficient, 11
- Aberration difference function, 96
- Aberration function, 10
- Aberration order, 11
- Aberration variance, 76
- Airy disc, 71
- Airy pattern, 71
- Anastigmatic, 18
- Angular dispersion, 45
- Annular pupils 111, 139
- Aperture stop, 3
- Aplanatic, 18
- Apodized system, 124
- Astigmatic focal lines, 72, 73
- Astigmatism, 11, 61, 77
 - sixth order, 48
- Atmospheric turbulence, 138, 155
- Atmospheric coherence length, 138
- Autocorrelation function, 135
- Axial irradiance
 - annular pupil, 113
 - circular pupil, 74
 - Gaussian pupil, 124

B

- Balanced aberration, 76
 - nonoptional, 79
- Balanced astigmatism
 - diffraction, 77, 78
 - geometrical, 62
- Balanced coma, 77, 78
- Balanced spherical aberration
 - geometrical, 60
 - diffraction, 77
- Beam
 - annular, 118
 - circular, 75
 - Gaussian, 123, 126

C

- Circle of least confusion
 - astigmatic, 63
 - spherical, 60
- Centroid, 131
- Chief ray, 5
- Chromatic aberration, 19, 44
- Circular pupils, 69
- Coherence length, 140
- Coherent object, 71
- Coma, 11
 - sagittal, 61
 - secondary, 80, 90
 - tangential, 61
- Conic surface, 50
- Conjugates, 3
- Contrast ratio, 95
- Contrast reversal, 99
- Converging beam, 33, 75, 118
- Correlation length, 148
- Cutoff frequency, 94

D

- Defocus, 7
- Defocus aberration, 8
- Defocused PSF, 84
- Degree of coherence, 140
- Design aberrations, 148
- Diffraction focus, 78
- Diffraction-limited image, 72
- Diffraction pattern, 69
- Diffraction PSF, 69
- Distortion, 11, 64
- Doublet, 27

E

- Eccentricity, 50
- Encircled power, 71
- Entrance pupil, 3
- Exit pupil, 5


F

- Fabrication errors, 148
- f-number, 9
- Field curvature, 11
- Field of view, 49
- Figure errors, 149

- Focal length
 - refracting surface, 15
 - spherical mirror, 35
 - thin lens, 21
- Focal ratio, 9
- Fourier transform, 92
- Fourth-order wave aberrations, 11
- Fresnel number, 73
- G**
- Gaussian amplitude, 124
- Gaussian approximation
 - geometrical optics, 3
 - PSF, 137
- Gaussian beam, 124
- Gaussian image, 3
- Gaussian image motion, 137
- Gaussian pupils, 124
 - weakly truncated, 127
- Gaussian radius, 124
- Gaussian random variable, 135
- Gaussian reference sphere, 5
- Gaussian spherical wavefront, 5
- General aspherical surface, 54
- Geometrical point-spread function, 57
- Geometrical ray aberration, 7
- H**
- Half-wave zones, 73
- Hopkins ratio, 95
- I**
- Image magnification, 15
- Irradiance, 70
- Image motion
 - annular pupils, 143
 - circular pupils, 137
- Incoherent object, 70
- Interference pattern, 150
- Interferogram, 151
- Isoplanatic system, 69
- K**
- Kolmogorov turbulence, 138
- L**
- Lateral spherical aberration, 48
- Line-of-sight, 131
- Longitudinal astigmatism, 63
- Longitudinal chromatic aberration, 19
- Longitudinal defocus, 9
- Longitudinal spherical aberration, 59
- M**
- Magnification
 - image, 15
 - pupil, 18
- Manufacturing errors, 148
- Maréchal formula, 76
- Marginal image, 59
- Marginal ray, 5
- Meridional plane, 7
- Modulation ratio, 95
- Modulation transfer function, 93
- N**
- Neutral zone, 47
- Nonoptimally balanced aberration, 79
- O**
- Oblique spherical aberration, 48
- Obscuration ratio, 111
- Optical axis, 3
- Optical path length, 5
- Optical tolerances, 76
- Optical transfer function, 92
- Order of an aberration, 11
- Orthogonal aberrations, 82
- P**
- Paraboloidal mirror, 55
- Parallel beam, 27
- Paraxial approximation, 3
- Paraxial image, 3
- Petzval curvature, 17
- Petzval surface, 18
- Phase aberration, 70
- Phase transfer function, 93
- Plane-parallel plate, 30
- Point-spread function
 - diffraction, 69
 - geometrical, 57
- Polychromatic PSF, 71
- Position factor, 23
- Primary aberration
 - conic mirror, 54

- general, 11
 - plane-parallel plate, 33
 - refracting surface, 16
 - spherical mirror, 36
 - thin lens, 23
- Principal ray, 5
- Pupil function, 70
- Pupil magnification, 18
- Q*
- Quarter wave rule, 69, 80
- R*
- Radial image, 63
- Random aberration, 135
- Ray aberration, 7, 57
- Rayleigh's quarter wave rule, 80
- Reference sphere, 5
- Refracting surface, 15
- Rotational invariants, 10
- S*
- Sag
 - definition, 8
 - spherical surface, 8
 - conic surface, 50
- Sagittal image, 63
- Sagittal plane, 7
- Schmidt camera, 42
- Schmidt plate, 43
- Schmidt system, 39
- Seeing, 143
- Seidel aberrations, 11
- Sign convention, 19
- Shape factor, 23
- Snell's law, 3
- Spatial frequency, 92
- Speckles, 143
- Spherical aberration, 11, 58
 - oblique, 48
 - secondary, 48, 80, 98
- Spherical mirror, 35
- Spot diagram, 57
- Spot radius, 59
- Surface errors, 148
- Standard deviation, 76
- Strehl ratio
 - annular pupils, 119
 - circular pupils, 75
 - Gaussian pupils, 126
- Structure function
 - atmospheric turbulence, 138
 - definition, 135
 - image motion, 137
- Symmetry
 - axial irradiance, 74
 - aberrated PSF, 83
- T*
- Tangential image, 63
- Tangential plane, 7
- Tilt aberration, 9
- Thermal distortions, 149
- Thin lens, 21
- Third-order ray aberrations, 11
- Transverse chromatic aberration, 19
- Transverse magnification, 15
- Transverse ray aberration, 7
- Truncation parameter, 124
- Twyman-Green interferometer, 151
- U*
- Uniform beam
 - annular, 118
 - circular, 75
- V*
- Virtual path, 22
- Visibility, 140
- W*
- Wave aberration, 5
- Wavefront, 5
- Wavefront tilt, 9
- White light PSF, 70
- Z*
- Zernike aberrations, 82
- Zernike annular polynomials, 118
- Zernike circle polynomials, 81
- Zonal rays, 5

About the Author



Virendra N. Mahajan was born in Vihari, Pakistan, and educated in India and the United States. He received his Ph.D. degree in Optical Sciences from the Optical Sciences Center, University of Arizona, in 1974. He spent nine years at the Charles Stark Draper Laboratory in Cambridge, Massachusetts, where he started and headed an optics group. Since 1983, he has been at The Aerospace Corporation in El Segundo, California, where he works on space defense programs. He is also an adjunct professor at the University of Southern California in the electrical engineering-electrophysics department, where he teaches an advanced course in geometrical and physical optics. He was a visiting professor at the Indian Institute of Technology, New Delhi, under a grant from the United Nations Development Program during spring 1990. He has taught short courses on aberration theory at the National Central University, Chung Li, Taiwan, and at the annual meetings of the Optical Society of America and SPIE. He has published numerous papers on diffraction, aberration theory, adaptive optics, and acousto-optics. He is a member of the Optical Society of America and past chairman of its Astronomical, Aeronautical, and Space Optics technical group. He is also a member of the SPIE and a past member of its Education Committee.