

Index

- α - β filter, 369, 370
- α -LMS algorithm, 256, 257, 263
- α -LMS error-correction algorithm, 254, 255, 263
- μ -LMS steepest-descent algorithm, 253–255, 262

- a posteriori* probability, 5, 168
- a priori* knowledge, 62, 63, 66, 81, 142, 155, 156, 158, 166
- absolute temperature, 16, 17
- absorption, 4, 21, 25, 28, 32, 34, 40–42, 48, 102, 443–445
 - band, 43, 443
 - coefficient, 25, 26, 32, 40, 43, 444
- activation value, 299, 302, 308, 314, 316
- active radar, 9
- active sensor, 4, 12, 14, 36, 99, 403
- Adaline, 242–244, 247, 248, 255, 256, 262, 263
- adaptation, 241, 244, 247, 255, 256, 262
- adaptive algorithm, 243
- adaptive fuzzy neural systems, 295
- adaptive linear combiner, 240, 242, 265
- adaptive linear element, 242, 252, 263
- adaptive resonance theory, 267
- adaptive threshold element, 256
- adaptive weights, 247
- advective fog, 24, 28, 42
- aerosol atmospheric components, 32
- aerosol profile, 40–43
- agreement function, 228, 229
- aimpoint, 20

- algorithm performance, 434
- all-neighbor association, 79, 80
- alternate hypothesis, 127, 128, 136, 141
- ambiguities, 414
- AND gate, 289, 291
- Andrews, A. P., 371
- angle data, 413, 415
 - fusion, 407, 412
- angle measurements, 418
- angle tracks, 7, 405, 423–426, 429
- angular resolution, 411
- antecedent block, 300, 306, 307
- antecedent membership functions, 299, 306, 307, 313, 315
- antenna resolution, 24, 29
- apparent temperature, 16
- architecture, 98–106, 247
 - definition, 97
- artificial neural network, 4, 6, 66, 67, 71, 72, 108, 110, 165, 166, 239, 240, 242, 252, 253, 263, 265, 266
- assassin, 213, 216–219
- association, 2, 54, 70, 74, 75, 80, 97
 - metrics, 75
- associative memory, 268
- asymptotic capacity, 269
- atmospheric absorption, 13, 21
- atmospheric attenuation, 14, 21, 22, 24, 33, 444, 446
- atmospheric attenuation model, 40
- atmospheric constituents, 30
- atmospheric emission, 442
- atmospheric model, 40
- atmospheric opacity, 444, 445
- atmospheric temperature, 442, 446
 - profiles, 13

- attenuation, 30
 - coefficient, 41
 - drizzle, 22
 - fog, 22
 - particle size, 24
 - rain, 22, 25
 - snow, 22
 - attractor basins, 252
- auction algorithm, 423, 424, 429
- autocorrelation function, 255
- automatic target recognition, 17
- autonomous fusion, 98, 111
- autonomous sensors, 9
- AVIRIS, 2
- azimuth angle, 412, 423

- background temperature, 19, 442
- backpropagation algorithm, 6, 247, 257–259, 265, 322, 323
 - initial conditions, 259
 - training, 258
 - speed, 260
- backpropagation network, 244
- backscatter, 25, 28, 30, 280
 - coefficient, 28–30
- backward sweep, 258, 259
- Bar-Shalom, Y., 82, 342, 349, 362, 373, 404
- basic probability assignment, 212, 213, 264
- batch estimation, 428
- batch processing, 81
- Bayes' rule, 5, 145–148, 150, 158, 167, 178, 388
- Bayesian inference, 2, 4, 5, 61, 63, 102, 110, 145, 147, 155–157, 165, 179, 194, 195, 214, 218, 233
- Bayesian support function, 195
- belief, 189, 314, 322
- Bendat, J. S., 407
- Bhattacharyya distance, 77, 176
- binary logic, 295
- bipolar binary responses, 268
- bistatic radar configuration, 14

- blackbody objects, 441
- Blackman, S. S., 344, 361
- Bloch, I., 202
- Block samples, 119
- Blom, H. A. P., 82
- Bolon, Ph., 57
- Boltzmann's constant, 441
- Boolean algebra, 6, 69, 102, 212, 279, 292
- boundary layer, 40
- Bourgeois, F., 425
- branch-and-bound algorithm, 421, 422
- brightness temperature, 442, 443, 445
- Brusmark, B., 165
- Buckley, J. J., 323
- Buede, D. M., 197

- capability estimation, 86
- carbon dioxide, 22, 30, 43
- Carter, C. C., 407, 408
- Cartesian stereographic coordinates, 353, 355
- center of mass, 300, 307, 308, 314, 316
- central fusion processor, 429
- central limit theorem, 121, 124, 363
- central measurement fusion, 391
- central processor, 103, 406, 412
- central track file, 76, 77, 81, 111
- central track fusion, 393
- centralized architecture, 102
- centralized fusion, 98, 111
 - architecture, 7, 404, 405, 412, 429
- central-level fusion, 18, 76, 98, 102–106, 111
- central-level tracker, 76
- character recognition, 240, 265
- chi-squared statistic, 349, 424–426, 428, 429
- class membership, 252

- classical inference, 4, 61–63, 119, 136, 141, 142, 155
- classification, 57–59, 61, 70, 73, 97, 103, 108–110
 - declaration, 69
 - fusion, 102
 - space, 276
- closest-approach distance, 425
- cluster algorithms, 66, 68, 252, 267
- clustering, 72, 110
- clutter, 274, 411
- Cobb, B. R., 215, 216, 218
- cognitive-based models, 71
- coherent processing, 406, 407, 411
- coherent-receiver fusion
 - architecture, 410
- combat identification example, 219
- command and control architecture, 88
- commercial operating systems, 433
- communication channel, 410
- comparison layer, 267
- composite feature, 108
- computation time, 197
- conditional-event algebra, 58
- conditional probability, 66, 145, 146, 155, 178, 281–286, 288, 293
- confidence, 80, 102, 108, 185, 195, 275, 278, 314
 - interval, 121–126, 131–136, 140, 141, 158
 - level, 4, 121, 122, 124, 135, 136, 141, 275–277, 279–289, 292, 293, 428, 449, 450
- confidence-level space, 276, 281, 282, 293
- conjunction, 183, 292
- consequent block, 299, 307
- consequent fuzzy set, 300, 302, 307, 314, 316
- consequent membership function, 300, 307, 316
- consequent set, 302, 303, 308
- consequent values, 314
- constant acceleration target
 - kinematic model process noise, 375
- contextual interpretation, 83
- control rules, 297
- convergence, 254, 257, 268
- coordinate conversion, 342
- correction vector, 312, 315, 316
- correlation, 2, 54, 74–76, 97, 313
 - measures, 66, 71
 - metric, 75, 76, 81, 110, 423
- correlation-minimum inference, 300, 308
- correlation-product inference, 300, 302, 303
- cost
 - constraint, 419
 - function, 156, 417, 418
 - sensor, 17
- countermeasures, 4, 9, 10, 20, 36, 274, 278, 292
- counterpropagation network, 263, 268, 269
- covariance matrix, 310
- Crane, R. K., 26, 30
- cross-correlation function, 429
- cross-correlation statistic, 408, 410
- cueing, 97
- Cybenko, G., 258
- Dana, M. P., 340
- data alignment, 75, 81, 97, 110
- data and object association, 75
- data and track association, 75, 81, 82, 110
- data association, 57, 75, 76, 81, 83, 109, 110, 265, 311, 403, 405, 412, 415, 421, 429
- data classification, 71
- data correlation, 75, 76, 110, 433
- data fusion, 1, 2, 4, 10, 53, 104, 158, 324, 403, 404

- algorithms, 57, 58, 74, 75, 168
- architectures, 4, 98–109, 390–397, 403
- control, 90
- goals, 54
- issues, 436
- model, 4
- process, 110, 183
- data registration, 4, 53, 108, 109
- data validation, 312
- database management, 88, 90
- data-to-track association, 80
- DBMS, 87–90, 433
- dead zone, 262, 263
- decentralized fusion architecture, 7, 404, 405, 423, 424, 429
- decision classes, 252, 269
- decision logic, 102, 158
- decision making, 135, 136, 141
- decision rules, 69, 142, 156, 158, 184, 196
- decision-level fusion, 98, 108, 109, 112
- deferred decision, 79, 81
 - multiple-hypothesis tracking, 80
- defuzzification, 6, 73, 297, 299, 300, 301, 307, 308, 314, 316, 321, 324
- deghosting, 405
- degrees of freedom, 132–134, 426
- Dempster, R. J., 344
- Dempster's rule, 63, 183, 189–194, 211, 216, 217, 219, 224–228, 230, 234, 264, 292
- Dempster–Shafer, 63, 64, 184
 - evidential reasoning, 102, 155, 215
 - evidential theory, 4, 5, 61, 110, 155, 183, 194, 195, 233, 234, 264, 292
- Denoeux, T., 321
- desired response, 240, 241, 247, 248, 253, 254, 259, 263, 265
- detection gate, 82
- detection modes, 274, 277–280, 283, 284, 288, 292
- detection probability, 18, 109, 275, 276, 279–290, 293, 449
- detection space, 276, 293
- detection threshold, 283, 293
- deterministic capacity, 248
- deterministic pattern capacity, 244, 248
- Dezert, J., 231
- direct sensor evidence, 186, 188, 234
- direct support, 187
- direction angle, 403–405, 409, 418, 425, 429
 - measurements, 79, 406, 412–417, 423
 - track association, 424
 - tracks, 423
- direction tracking systems, 75
- disjoint, 195, 279
- disjunction, 63, 184, 185
- distributed fusion, 98, 111
- distributed measurement fusion, 394
- distributed sensor architectures, 105, 274
- distributed track fusion, 394
- Doppler shift, 406, 408, 410, 429
- double-sided test, 128, 139
- downwelling atmospheric emission, 17, 445, 446
- dubiety, 186
- Earth resource monitoring, 11, 21, 53
- Earth resource surveys, 9
- electromagnetic sensor
 - performance, 36, 37
- electromagnetic sensors, 1
- electromagnetic spectrum, 9, 12, 21, 47

- electronic support measures, 100, 197, 403
- elevation angle, 412, 423
- emission, 280, 442
- emissivity, 16, 17, 101, 443, 445
- emitters, 7, 403–408, 410–419, 421–423, 426, 427, 429, 441, 442, 445
- empty set, 183, 190, 192, 193, 194, 210, 217, 234
- enemy intent, 86, 111
- energy absorption, 13
- entropy measures, 66, 69
- EOSAEL, 40, 44–48
- error-correction algorithm, 252–255
- error-covariance matrix, 97, 311, 340, 391
- error reduction factor, 254
- error signals, 247
- error vector, 315
- Euclidean distance, 76
- event aggregation, 83
- evidential terminology, 189
- expert systems, 72, 299
- extended Kalman filter, 350, 377, 380
- extinction coefficient, 23, 32, 34–36, 40, 41, 43, 47

- false-alarm probability, 18, 150, 151, 275–282, 286, 288, 289, 293, 450
- false-alarm rejection, 18
- far-IR spectrum, 22, 35, 45
- FASCODE, 28, 40, 42
- feature vector, 68, 71, 108
- feature-level fusion, 98, 108, 112, 406
- feedforward network, 244–249, 256, 257, 263, 265, 266, 323
- feedforward signum network, 247
- field of regard, 10, 97, 99, 102
- field of view, 10, 14, 16, 17, 25, 101, 104, 108, 233, 410–412, 416, 443, 445

- figures of merit, 66, 70, 71, 76
- first-in, first-out, 425
- fixed significance level test, 129, 141
- Fixsen, D., 222, 228
- FLIR performance model, 47
- FLIR, 12, 16, 20, 37, 71, 100, 275, 284, 312
- fluctuation characteristics, 279, 281, 284, 286, 287
- focal element, 184, 212
- focal subset, 185, 222–227
- fog, 24–28, 30
- footprints, 109
- Fortmann, T. E., 349, 362, 373
- forward sweep, 258
- frame of discernment, 64, 184, 185, 188, 195–197, 208
- freeway incident detection example, 169–174
- frequency-domain, 102
- Fresnel reflection coefficient, 445
- Frieze, A. M., 418
- fusion algorithm, 57, 102, 104, 109, 275
 - selection, 434, 435
- fusion architecture, 3, 53, 98, 111, 405
- fusion logic, 274
- fusion process refinement, 53, 90, 110
- fusion processing, 17, 18, 75, 97, 110, 274
- fusion processor, 97, 98, 102, 104, 109, 111
- fuzzy associative memory, 6, 74, 299, 314, 316, 324
- fuzzy centroid, 300–303, 307, 316
- fuzzy controller, 307
- fuzzy data fusion, 321
- fuzzy input vector, 323
- fuzzy Kalman filter, 309–317

- fuzzy logic, 4, 6, 58, 72, 74, 295–299, 303, 306, 308, 311, 312, 318, 323–326
 - processing, 299–301, 317
- fuzzy neural network, 6, 322–324
- fuzzy neuron, 322, 323
- fuzzy output vector, 323
- fuzzy return processor, 312
- fuzzy set, 73, 74, 295–299, 303, 306, 322–324, 439
 - theory, 6, 71, 73, 74, 110, 295
- fuzzy state correlator, 312–316
- fuzzy system, 297, 308, 322, 324
- fuzzy tracker, 316
- fuzzy validation, 312
- fuzzy values, 300
- fuzzy weights, 322, 323
- fuzzy-valued belief assignment, 322

- Garfinkel, R., 418
- gate, 80, 81
- general position, 248
- generalization, 240, 243, 244, 248–251, 265, 414
- generalized evidence processing, 61, 64, 110, 196
- geographical atmospheric model, 40
- ghosts, 405, 406, 415, 422, 429
- Girardi, P., 197
- global centroid, 302
- global optimization, 81
 - of track association, 425, 426
- Global Positioning System, 17, 88, 426
- global track
 - file, 81, 423
 - formation, 103
- Godfather–assassin problem, 213
- Goldstein, H., 28
- gradient learning rule, 252
- gradient, 252–255, 258, 262
- graybodies, 445
- Grewal, M. S., 371

- Grossberg adaptive resonance network, 263, 269
- Grossberg layer, 268
- ground-penetrating radar, 164, 166–169, 198

- Hamming distance firing rule, 250
- hard limiter, 268
- hard-limiting quantizer, 242
- Hayashi, Y., 323
- heuristic functions, 76
- heuristic learning algorithm, 322
- hidden elements, 247–249
- hidden layer, 247, 258
 - neurons, 6, 258
- hinge angle, 423, 425–429
- Hoff, M. E., 242
- Hopfield network, 263, 269
- Horton, M. J., 316
- human visibility, 28
- human–computer interface, 90–94, 433
- hybrid fusion, 98, 103, 105, 112
 - algorithm, 103
- hypothesis, 4, 5, 62, 63, 145, 151, 155–157, 179, 183
 - space, 64, 184
 - test, 408, 410
- idempotency, 216–218, 321
- identity declaration, 66, 157, 158
- IF-THEN statements, 297, 299, 313
- image fusion example, 174
- image processing, 102
 - algorithms, 102
- impact refinement, 4, 53, 83, 84, 86, 88, 90, 110, 111
- incidence angle, 444
- inclement weather, 4, 9–11, 19, 36, 48, 274, 292
- increment adaptation rule, 262, 263
- independent signature-generation phenomena, 9–11, 17, 18, 57, 99, 102, 109, 164, 167, 278, 280, 292, 450

- inference procedures, 86
- inference processing, 299, 316
- information fusion, 57, 84, 85, 90–94, 111
- information theoretic techniques, 59, 61, 66
- infrared absorption spectra, 21
- inherent detection probability, 281, 284, 285, 287, 293
- inherent false-alarm probability, 282–285, 287, 288
- inner elements, 192
- inner product, 241
- innovation vector, 310–315
- input elements, 247, 255
- input pattern, 241, 243, 248, 254, 256, 265
 - vector, 240, 258
- input signal vector, 240
- insufficient reason principle, 212, 214, 215
- integration interval, 287
- interacting multiple models, 385, 386, 389, 399
- intersection, 183, 185, 191, 279, 280, 283, 292, 414
- inverted pendulum, 6, 303–309, 324
- infrared (IR)
 - absorption, 30
 - active sensor, 17
 - atmospheric transmittance, 30–35
 - attenuation, 34
 - detector arrays, 10
 - emissions, 59
 - extinction coefficient, 32, 35, 36
 - extinction coefficient, snow, 23
 - passive sensor, 16, 17
 - radiometer, 12, 16, 275, 284, 286
 - scattering, 30
 - sensor, 9, 14, 20, 21, 44, 102, 109, 199
 - signatures, 157
 - spectral band, 14, 16, 42
 - transmittance, 31
- IRST, 12, 16, 37, 100, 284, 404, 412
- Jacobian matrix, 355, 378
- jammer, 276, 404
- JDL data fusion model, 54, 55
- Jilkov, V. P., 376
- Joint Directors of Laboratories Data Fusion Subpanel, 2
- joint probabilistic data association (JPDA), 79
- joint probability density function, 416
- joint sensor report, 166
- Jones, R. A., 316
- Jøsang, A., 219
- JVC algorithm, 79, 425, 426
- Kalman filter, 6, 59, 81, 110, 295, 309–315, 324, 332, 335, 339, 348–350, 359, 361, 362, 365, 369, 371, 380, 386, 391, 398, 405, 423, 428
 - correction equations, 360, 361
 - equations, 359, 360
 - gain, 311, 383
 - initialization, 364–369
 - prediction equations, 360, 361
- Kalman gain, 311, 359–365, 368–371, 398
 - modification, 369–370
- kinematic parameters, 76
- Knapp, C. H., 407, 408
- knowledge source, 186, 189, 195
- knowledge-based systems, 71, 72
- Kohonen layer, 268
- Kohonen self-organizing network, 263, 269
- Kolitz, S. E., 427
- Koschmieder formula, 34

- Kosko, B., 298, 301
- Lagrange multipliers, 421
- Lagrange's equation, 304
- Lagrangian, 304, 421
- Lambert–Beer law, 30, 34
- LANDSAT, 12, 71, 106
- laser propagation, 44, 46
- laser radar, 12, 14, 37, 97, 101, 106, 108, 286
- Lasky, J. S., 418, 421
- Lassalle, J. C., 425
- law of sines, 409, 428
- Laws and Parsons drop-size distribution, 26
- layered network, 252
- learning constant, 253–255, 262
- learning rules, 239, 247
- least squares approximation, 59
- Lehr, M. A., 252
- lethality estimates, 88
- Leung, H., 197
- Level 0 processing, 54
- Level 1 processing taxonomy, 58
- Level 1 processing, 54, 57–83, 90
- Level 2 processing, 54, 56, 83–86
- Level 3 processing, 54, 86, 87
- Level 4 processing, 55, 90, 94
- Level 5 processing, 55, 90–95, 111
- Li, X. R., 376
- library fuzzy sets, 303
- Liggins II, M. E., 274
- likelihood, 62, 71, 155, 278, 292, 429
 - function, 4, 63, 80, 147–149, 155–157, 160, 162, 166, 170–174, 176, 387, 388, 417
 - ratio, 64–66, 148–151, 161, 162
 - vector, 162, 163, 196, 211
- linear adaptive element, 245
- linear classifier, 242, 248
 - capacity, 243
 - training rules, 265
- linear error, 241, 257, 263
- linear learning rules, 252
- linear output, 241, 255, 262, 263
- linearly separable, 241, 243, 256, 263
- Lippmann, R. P., 257
- LMS algorithm, 241, 254–258, 263
- local optimization of track association, 424
- logical product, 299, 300, 307
- logical templates, 71, 72
- low-level processing, 57
- LOWTRAN, 32, 34, 40–44
- Madaline, 243, 244, 247, 253, 263, 265
- Madaline I error-correction rule, 255
- Madaline II error-correction rule, 255
- Madaline III steepest-descent rule, 262
- Mahalanobis distance, 76, 424
- Mahler, R. P. S., 222, 228
- maneuver, 80, 331–334, 338–341, 363, 368, 372, 377, 385, 388, 390, 394, 396, 405, 428
- margin of error, 121, 123–125, 136
- Marshall–Palmer drop-size distribution, 30
- matrix inversion lemma, 311
- Mauris, G., 57
- maximum *a posteriori* probability, 158, 317
- maximum likelihood, 59, 80, 156, 405, 406, 415, 417
 - algorithm, 83
 - function, 416, 429
- Mays, 262
- Mays, C. H., 262, 263
- mean square error, 252–255
- measurement bias error, 341, 352

- measurement error-covariance
 - matrix, 352, 354, 355
- measurement innovation, 359
- measurement model, 309, 310, 352, 362
- measurement noise, 330, 348, 349, 352, 362, 364, 365, 369, 378, 398
 - covariance matrix, 365, 371
- measurement random error, 352
- measurement-to-track correlation, 363
 - statistic, 340, 341
- membership, 313–315
 - function, 4, 73, 296–301, 306–308, 313, 314, 318–320, 323, 324
- metal detector, 164–168, 201
- meteorological parameters, 11
- meteorological range, 32–34, 42
- methane, 22, 30, 40, 43
- microwave radar, 12
- microwave radiometers, 442
- mid-IR spectrum, 21, 35, 47
- Mie scattering, 24
- Mihaylova, L., 176
- Milisavljević, N., 202
- minimally processed data, 106
- minimax, 156
- minimizing object classification error, 264
- millimeter wave (MMW)
 - absorption, 26
 - attenuation, 24
 - extinction coefficient, 35, 36
 - radar, 12, 14, 17, 19, 25, 37, 100, 101, 108, 286
 - radiometer, 12, 17, 19, 20, 37, 100, 284, 443, 445, 446
 - scattering, 26
 - sensor, 9, 24, 44, 110
- modal detection probability, 284
- modified Dempster–Shafer evidential theory, 222
- modified polar coordinates, 428
- modified relaxation adaptation rule, 262, 263
- modified spherical coordinates, 428
- MODTRAN, 40–44
- molecular atmospheric components, 32
- molecular scattering, 30
- monostatic radar configuration, 14
- Monty Hall problem, 152–155
- M -tuple, 412–415, 421
- multi-beam antenna, 404–411, 429
- multi-beam passive receiver, 404
- multi-layer perceptron, 263, 269
- multi-perspective assessment, 87
- multiple adaptive linear element classifier, 244
- multiple-hypothesis tracking, 79, 80, 82, 103
- multiple-model maneuver, 82
- multiple-sensor system, 4, 7, 12, 17–20
- multi-scan tracks, 405
- multi-sensor configuration, 104
- multi-sensor radar tracking systems, 7
- Munkres algorithm, 79, 425, 426
- mutually exclusive hypotheses, 146

- n associations out of m scans, 423
- n out of m rule, 83
- Nakamura, K., 323
- nearest neighbor, 78
 - association, 79, 81, 105
- near-IR spectrum, 21, 35
- negation, 63, 185–188, 195, 234
- Nemhauser, G., 418
- nested confidence level, 282, 449
- neural networks, 74, 267–270
- Neyman–Pearson, 156
- Nichols, T. S., 344
- nitrous oxide, 22, 30, 40, 43
- noise figure, 25
- noise-to-maneuver ratio, 369, 370

- nonempty set, 189, 192, 193, 210, 234
- nonlinear artificial neural networks, 241, 258
- nonlinear classifier, 241, 244, 265
 - capacity, 247
- nonlinear learning rules, 252, 256, 265
- nonlinear separability, 242
- nonlinear separation boundaries, 247
- nonnested confidence levels, 276, 277, 279, 293
- nonzero elements, 192
- normalization factor, 189, 215, 217, 221, 225, 228
- normalization of input and output vectors, 260, 261
- null hypothesis, 127–130, 135, 141, 142, 156
- null set, 184, 193, 210, 283
 - intersection, 277
- object aggregation, 83
- object correlation, 75
- object discrimination, 19
- obscurant, 35, 36
- observable parameters, 66
- observation matrix, 310, 352, 354, 366, 377
- observation space, 292
- odds probability, 148–150, 158
- offensive and defensive analysis, 87
- offline experiment, 286
- opacity, 445
- operating frequency, 17
- operating modes, 274
- optical visibility, 24, 28
- optimal global solution, 421
- OR gate, 289, 291
- orthogonal sum, 190, 218, 224, 225, 230
- output element, 247
- output layer, 247, 258, 259, 267
- oxygen, 13, 21, 22, 43, 443, 444
- ozone, 22, 30, 40, 43, 444
- p* critical value, 122, 130, 138
- P*-value, 62, 63, 127–129, 133, 135, 141
- parallel sensor configuration, 273
- parameter, 119, 121, 127, 137, 140
- parametric classification, 61
- parametric techniques, 61
- parametric templates, 66, 72
- particle filter, 174–178
- passive infrared sensor, 101, 108
- passive receiver, 404, 406
- passive sensor, 4, 12, 36, 47, 99, 403, 428, 442
- passive surveillance radar, 412
- passive tracking system, 428
 - design, 403
- passively acquired data, 7 403, 405
- pattern classification, 72
- pattern recognition, 4, 66, 71, 72, 110, 239, 251
- Pattipati, K. R., 421
- Pearl, J., 161
- perceptron rule, 6, 256–258, 262, 263
- perceptron, 243, 253, 256, 257, 263
- physical models, 59, 61
- physical temperature, 441
- Pierce, J. F., 418, 421
- Piersol, A. G., 407
- pignistic level, 212
- pignistic probability, 212, 215, 218–222, 234
 - distribution, 212, 215
- pixel-level fusion, 98, 106–108, 110, 112, 406
- Planck radiation law, 441, 442
- Planck's constant, 441
- plausibility, 185–189, 220
- plausibility probability, 215–219
 - distribution, 215, 219
 - function, 215, 217

- plausibility transformation, 215, 216, 218
- plausible and paradoxical reasoning, 230–233
- plausible range, 187
- polarization, 1, 17, 29–31, 99, 100, 445
- population mean, 120–123, 127, 132, 138–140
- position, kinematic, and attribute estimation, 75, 81
- posterior probability, 145–149, 151, 154, 159, 160, 167–172, 174, 179
- power attenuation coefficient, 32
- power of a test, 136–139
- power set, 185, 197
- prediction gate, 75, 110
- prefiltering, 415, 419
- preposterior, 148, 167, 171
- principle of indifference, 158
- prior knowledge, 145, 179
- prior odds, 148–151, 161
- prior probability, 4, 5, 147, 148, 155, 160, 167–169, 171, 179, 225, 234
- probabilistic data association (PDA), 79
- probability mass, 4, 183–211, 215, 217, 220, 224–227, 230, 233, 234, 292
- probability mass functions, 197–203, 208, 234
 - from confusion matrices, 205–211
 - from GPR data, 202–205
 - from IR sensor imagery, 199–201
 - from metal detector
 - amplitudes, 201, 202
 - from sensor combinations, 205
- probability mass matrix, 190–194
- probability space, 282
- process noise, 335, 350, 359, 363, 365, 369, 370–374, 376, 378, 386, 387, 390, 398
 - covariance matrix, 351, 371
- production rule, 4, 6, 73, 86, 295–303, 306–308, 313–316, 324
- proposition, 63, 183–192, 195, 196, 233, 234, 292
- quantizer error, 256, 257
- quantizer, 242, 263
- radar, 416
 - cross-section, 28, 59, 157
 - measurements, 329, 330, 344, 346, 347, 355, 368, 392, 398
 - resolution, 28, 410, 418, 420
 - spectrum letter designations, 13
 - tracks, 330
- radial-basis function network, 265, 266
- radiance, 32, 33, 40, 45, 46, 100
- radiation fog, 24, 28, 42
- radiative transfer theory, 17, 443
- radiometer, 442, 443, 445
- rain, 22, 25, 30, 34
- random binary responses, 247
- random patterns, 243, 247, 265
- random sample, 119, 120, 128–130
- random set theory, 58
- random variable, 128, 133
- range gate, 29
- range information, 403
- Rayleigh scattering, 24
- Rayleigh–Jeans Law, 441
- real number weights, 322
- received-signal fusion, 405
 - architecture, 409
- recognition layer, 267
- recursive Bayesian updating, 159–164
- reference plane, 427

- reflectivity, 14, 17, 99
- refuting evidence, 187, 188
- registration, 109
- relational event algebra, 58
- relative humidity, 23
- relaxation algorithm, 405, 406, 415, 420–422, 429
- residual, 359, 389
- resolution cell, 29, 106
- resource management, 53, 56, 94–96, 111
- Richard, V. W., 28
- Richer, K. A., 28
- Rosenblatt, F., 256
- Rozenberg, V. I., 30
- rule-based inference, 58
- rules, 72, 87, 158, 190
- Ryde, D. and Ryde, J. W., 28

- sample mean, 120–134, 140, 141
- sample parameter, 141
- sample size, 120–124, 133, 141
- samples integrated, 281, 284, 285, 287, 288
- scan-to-scan association, 423
- scattering, 4, 21, 24, 25, 34, 40, 43, 44, 48
 - coefficient, 32, 47
 - cross-section, 101
- scene classification with fuzzy logic, 317
- scene registration, 110
- Schalkoff, R., 71
- Seagraves, M. A. and Ebersole, J. F., 23
- search algorithm, 415
- seeker definition, 10
- sensor (data) driven, 75
- sensor definition, 10
- sensor design parameters, 99
- sensor detection probability, 280, 284
- sensor detection space, 276, 281
- sensor footprints, 109
- sensor functions, 11
- sensor fusion, 4, 53, 403
 - architecture, 1
- sensor registration, 335–339, 352
- sensor resolution, 3, 14, 16, 36, 276, 415
- sensor system detection probability, 287
- sensor-level fusion, 17, 98–104, 108, 109, 111, 183, 274, 293, 406
 - architecture, 19, 102
- sensor-level tracker, 76
- sensor-level tracks, 81, 103
- separable, 241, 247
- sequential Monte Carlo estimation, 175
- sequential-probability-ratio test, 381–385, 399
- series sensor configuration, 274
- series/parallel sensor configuration, 274
- set partitioning, 415
- set-partitioning algorithm, 418
- Shafer, G., 185, 189, 195
- Shenoy, P. P., 215, 216, 218
- sigmoid, 244, 245, 248, 262
 - nonlinearity, 259
- signal processing, 10, 102–104
 - algorithm, 282
 - architecture, 239
 - gain, 282
- signal-to-clutter ratio, 279, 284
 - plus noise, 285
- signal-to-interference ratio, 276, 277, 281, 283, 449
- signal-to-noise ratio, 18, 57, 277, 287, 408
- signature-generation phenomena, 1, 2, 4, 99, 101
- significance level, 129–131, 135–138, 141
- significance test, 127, 131, 135–139, 141
- signum, 242, 244, 245, 248, 255

- similarity measure, 311–313
- similarity metric, 68
- simple pendulum, 303
- simple random sample, 119, 135
- single element, 252, 265
- single-scan association, 82
- single-sensor detection modes, 290
- single-level tracking system, 76
- singleton propositions, 193, 195
- situation assessment, 14
- situation refinement, 4, 53, 66, 80, 83–86, 88, 95, 110, 111
- smart munitions, 9, 10, 17
- Smets, P., 211, 215, 222, 321
- snow, 20, 22
- space-based sensors, 9
- sparsity, 421, 422
- spatial alignment, 109
- speed of convergence, 253–255
- spherical stereographic coordinates, 355
- spurious data, 416
- SSIM index, 177
- stability, 257
 - of convergence, 253, 254
- standard deviation, 120–126, 128, 130–134, 138–141
- standard error, 133, 135, 141
- standard normal distribution, 122, 128, 130, 131, 141
- standard normal probabilities, 129
- state error-covariance matrix, 81, 348, 350, 351, 359–361, 363, 367, 377, 379, 388, 390
- state estimate, 81, 309, 310, 312, 315, 361, 379, 387, 388, 396
- state estimation, 2, 6, 17, 54, 55, 57, 58, 59, 83, 88, 97, 110
 - architectures, 390–397, 403
 - taxonomy, 74–75
- state transition matrix, 309, 340, 350, 351, 372, 377, 387, 390
- state transition model, 309, 350
- state vector, 97, 309–311, 312
- statistic, definition, 119
- statistical capacity, 265
- statistical independence, 223
- statistical inference, 119, 135
- statistical pattern capacity, 243, 244, 247, 248
- statistical pattern recognition, 71
- steepest-descent algorithm, 252, 258
- stereographic coordinates, 343, 344, 347
- stochastic learning rule, 258
- stochastic observables, 66
- structural rules, 72
- subjective probability, 155, 156, 179
- subjective terminology, 189
- sum squared error, 259
- summing node, 242, 247
- supervised learning, 72, 251, 252, 266, 268
- supervised training, 6
- support, 63, 185–189, 195, 220
- supporting evidence, 5, 145
- surveillance radar, 403–411, 420, 429
- syntactic methods, 59
- syntactic pattern recognition, 71
- synthetic aperture radar, 12
- system detection probability, 279, 284–289, 292, 450
- system false-alarm probability, 18, 282, 285, 286
- system false-alarm requirement, 286
- system track, 83
- t* statistic, 132, 134, 141
- t*-test, 132–135
- target
 - classification, 53, 265
 - detection, 4, 110
 - discriminant, 275, 279
 - discrimination, 53, 55, 57, 286
 - driven, 75

- features, 60, 108, 275–277
- fluctuation characteristics, 281, 285
- identification, 88, 190
- maneuver, 80, 81, 428
- report, 75, 80, 109, 274–276
- signature phenomena, 20
- temperature profile, 11, 13, 442
- templating, 70, 72
- test statistic, 127, 130, 141
 - standardized, 127
- threat identification, 86
- three-sensor interaction, 276
- three-sensor system, 286
- threshold
 - function, 245, 260
 - logic device, 242, 256
 - logic element, 255
 - logic output, 244, 245
- throughput, 410, 415, 418
- time delay, 406, 408, 410, 429
- time-bandwidth product, 411
- time-domain, 102
- Tokunaga, M., 323
- track
 - association, 80, 424–426, 429
 - confidence, 423
 - estimation, 4, 53, 324
 - file, 75, 78, 80, 403
 - initiation, 83, 83, 380, 384
 - management options, 394
 - pairings, 425, 426
 - quality, 331
 - splitting, 80, 82
- track-to-track association, 75, 76, 78, 81
- tracker design, 333
- tracking algorithm taxonomy, 74
- tracking estimation, 81
- tracking filter, 81, 428
- tracking gate, 81, 109, 341, 363
- tracking systems, 7, 17, 76
- training pattern, 241, 243, 244, 252, 255, 256, 262, 263
- training process, 240, 254, 262
- training rules, 265
- training set, 243, 244, 248, 259, 263, 267
- transferable-belief model, 211–214, 219
- two-level tracking system, 76, 78
- two-sided alternative, 131
- two-sided test, 129, 131
- Type 1 error, 136, 137, 141, 150, 151
- Type 2 error, 136, 137, 141, 150, 151
- unambiguous range, 404, 412
- unbiased estimator, 120, 140
- uncertainty, 63, 72, 183, 185, 190, 191, 195
 - class, 5, 155, 156, 185, 195, 233
 - interval, 186–188, 195, 196, 233
- underground mine detection
 - example, 164–169
- union, 63, 146, 184, 185, 233, 279
- unlabeled samples, 269
- unsupervised learning, 6, 72, 252, 263, 267–269
- upper- α critical value, 131
- upward atmospheric emission, 444
- upwelling emission, 17
- Valet, L., 57
- validation gate, 311–313
- Varad, R., 427
- Venn diagram, 276, 449
- visibility, 32, 33
- visible spectrum
 - imager, 37
 - sensor, 21
- visual range, 35

- Viswanathan, R. and Varshney, P.
K., 105, 274
- von Neumann data processing
architecture, 239
- voting, 289, 291
- fusion, 4, 6, 18, 66, 69, 102,
110, 273–275, 291–293,
449
 - methods, 69
- Waltz, E. and Llinas, J., 54, 197
- water vapor, 21, 30, 40, 43
- absorption, 21
 - profiles, 11, 13
- wavelength band, 32
- weather forecasting, 1, 9, 11, 13, 21,
48, 53, 442, 443
- weather sensors, 88
- weight adaptation, 255
- weight vector, 240, 253, 254, 256,
257, 262, 263
- weighting functions, 222, 234
- weights, 6, 72, 239–245, 247, 248,
252–259, 262–267
- bias, 242, 256
- Widrow, B., 242, 252
- winner-take-all algorithm, 267
- Wu, J., 197
- Yadegar, J., 418
- Yager, R. R., 218, 321
- Yamakawa, T., 322
- z* statistic, 127, 128, 132, 138, 139,
141
- Zadeh, L., 229, 295
- zero–one integer programming, 405,
415–421, 429



Lawrence A. Klein received the B.E.E. degree from the City College of New York in 1963, the M.S. degree in electrical engineering from the University of Rochester in 1966, and the Ph.D. degree in electrical engineering from New York University in 1973 along with the Founders Day Award for outstanding academic achievement.

Dr. Klein consults in sensor and data fusion applications to aerospace and traffic management; millimeter-wave radar system development for commercial, military, and homeland defense; and conceptual design of efficient multimodal ground transportation systems.

As Director of Advanced Technology Applications at WaveBand in Irvine, CA, he led efforts to market and develop millimeter-wave sensors and data fusion techniques for aircraft, missile, and security applications. At Hughes Aircraft (now Raytheon Systems), Dr. Klein managed Intelligent Transportation System programs and developed data fusion concepts for tactical and reconnaissance systems. He worked as Chief Scientist of the smart-munitions division at Aerojet, where he designed satellite- and ground-based multiple-sensor systems. As program manager of smart-munitions programs, he developed sensor fusion hardware and signal processing algorithms for millimeter-wave and infrared radar and radiometer sensor systems. He also served as program manager of manufacturing methods and technology programs that lowered costs of GaAs monolithic microwave integrated circuit components. Before joining Aerojet, Dr. Klein was employed at Honeywell where he developed polarimetric radar and passive millimeter-wave monopulse tracking systems. His prior work at NASA Langley Research Center explored remote sensing of the Earth's surface and weather from both phenomenology and sensor development aspects.

Dr. Klein regularly teaches short courses in advanced sensors and data fusion for the SPIE, OEI-Johns Hopkins University, UCLA, and other organizations. He is a member of Eta Kappa Nu and has been a reviewer for several IEEE *Transactions* journals and foreign publications. As a member of the Freeway Operations and Highway Traffic Monitoring Committees of the Transportation Research Board, he explores concepts for analyzing traffic flow and applying data fusion to traffic management. He is a licensed professional engineer (New York). His other books are *Millimeter-Wave and Infrared Multisensor Design and Signal Processing* and *Sensor Technologies and Data Requirements for ITS*, both published by Artech House, Boston, and the 3rd edition of the *Traffic Detector Handbook*, available from the Federal Highway Administration.