Biomedical Optics

BiomedicalOptics.SPIEDigitalLibrary.org

Errata: Segmentation of nucleus and cytoplasm of a single cell in threedimensional tomogram using optical coherence tomography

Chia-Kai Chang Chien-Chung Tsai Wan-Yi Hsu Jau-Shiuh Chen Yi-Hua Liao Yi-Shuan Sheen Jin-Bon Hong Ming-Yi Lin Jeng-Wei Tjiu Sheng-Lung Huang

> Chia-Kai Chang, Chien-Chung Tsai, Wan-Yi Hsu, Jau-Shiuh Chen, Yi-Hua Liao, Yi-Shuan Sheen, Jin-Bon Hong, Ming-Yi Lin, Jeng-Wei Tjiu, Sheng-Lung Huang, "Errata: Segmentation of nucleus and cytoplasm of a single cell in three-dimensional tomogram using optical coherence tomography," *J. Biomed. Opt.* **22**(3), 039801 (2017), doi: 10.1117/1.JBO.22.3.039801.



Errata: Segmentation of nucleus and cytoplasm of a single cell in three-dimensional tomogram using optical coherence tomography

Chia-Kai Chang,^a Chien-Chung Tsai,^a Wan-Yi Hsu,^a Jau-Shiuh Chen,^b Yi-Hua Liao,^b Yi-Shuan Sheen,^b Jin-Bon Hong,^b Ming-Yi Lin,^b Jeng-Wei Tjiu,^b and Sheng-Lung Huang^a ^aNational Taiwan University, Graduate Institute of Photonics and Optoelectronics, Taipei, Taiwan

^bNational Taiwan University, Department of Dermatology, National Taiwan University Hospital and College of Medicine, Taipei, Taiwan

[DOI: 10.1117/1.JBO.22.3.039801]

This article [J. Biomed. Opt. 22(3), 036003 (2017)] was originally published online on 2 March 2017 with an error. In the last sentence on p. 3, the noise level for $\Delta I = 3$ was incorrectly defined as 0.977. It should be 0.989.

This article was corrected online on 7 March 2017. It appears correctly in print.

^{© 2017} Society of Photo-Optical Instrumentation Engineers (SPIE)