Errata: Initial results of imaging melanoma metastasis in resected human lymph nodes using photoacoustic computed tomography

Jithin Jose,^a Diederik J. Grootendorst,^a Thomas W. Vijn,^a Michel W. Wouters,^b Hester van Boven,^c Ton G. van Leeuwen,^{a,d} Wiendelt Steenbergen,^a Theo J. M. Ruers,^{b,e} and Srirang Manohar^a

^aUniversity of Twente, MIRA—Institute for Biomedical Technology and Technical Medicine, Biomedical Photonic Imaging Group, P.O. Box 217, AE Enschede, 7500 The Netherlands

^bNetherlands Cancer Institute—Antoni van Leeuwenhoek Hospital (NKI-AVL), Department of Surgical Oncology, P.O. Box 90203, BE Amsterdam, 1006 The Netherlands

^cNetherlands Cancer Institute—Antoni van Leeuwenhoek Hospital (NKI-AVL), Department of Pathology, P.O. Box 90203, BE Amsterdam, 1006 The Netherlands

^dUniversity of Amsterdam, Academic Medical Center, Biomedical Engineering and Physics, P.O. Box 22700, DE, Amsterdam, 1100 The Netherlands

^eUniversity of Twente, MIRA—Institute for Biomedical Technology and Technical Medicine, P.O. Box 217, AE Enschede, 7500 The Netherlands

[DOI: 10.1117/1.3660231]

This article [*J. Biomed. Opt.* **16**, 096021 (2011)] was originally published online on 23 September 2011 an error in the author list. A middle initial has been added to the author Michel W. Wouters, as it appears above. The article was corrected on 27 October 2011.