Errata: Initial results of imaging melanoma metastasis in resected human lymph nodes using photoacoustic computed tomography

Jithin Jose, Diederik J. Grootendorst, Thomas W. Vijn, Michel W. Wouters, Hester van Boven, Ton G. van Leeuwen, Miendelt Steenbergen, Theo J. M. Ruers, Mandhar University of Twente, MIRA—Institute for Biomedical Technology and Technical Medicine, Biomedical Photonic

Imaging Group, P.O. Box 217, AE Enschede, 7500 The Netherlands

^bNetherlands Cancer Institute—Antoni van Leeuwenhoek Hospital (NKI-AVL), Department of Surgical Oncology, P.O. Box 90203, BE Amsterdam, 1006 The Netherlands

^cNetherlands Cancer Institute—Antoni van Leeuwenhoek Hospital (NKI-AVL), Department of Pathology, P.O. Box 90203, BE Amsterdam, 1006 The Netherlands

^dUniversity of Amsterdam, Academic Medical Center, Biomedical Engineering and Physics, P.O. Box 22700, DE, Amsterdam, 1100 The Netherlands

^eUniversity of Twente, MIRA–Institute for Biomedical Technology and Technical Medicine, P.O. Box 217, AE Enschede, 7500 The Netherlands

[DOI: 10.1117/1.3660231]

This article [J. Biomed. Opt. 16, 096021 (2011)] was originally published online on 23 September 2011 an error in the author list. A middle initial has been added to the author Michel W. Wouters, as it appears above. The article was corrected on 27 October 2011.