Journal of Biomedical Optics

BiomedicalOptics.SPIEDigitalLibrary.org

Errata: Mapping optical fluence variations in highly scattering media by measuring ultrasonically modulated backscattered light

Altaf Hussain
Khalid Daoudi
Erwin Hondebrink
Wiendelt Steenbergen

SPIE.

Errata: Mapping optical fluence variations in highly scattering media by measuring ultrasonically modulated backscattered light

Altat Hussain,* Khalid Daoudi, Erwin Hondebrink, and Wiendelt Steenbergen*

University of Twente, MIRA Institute for Biomedical Technology and Technical Medicine, Biomedical Photonic Imaging Group,
P.O. Box 217, 7500, AE Enschede, The Netherlands

[DOI: [10.1117/1.JBO.19.6.069801](https://doi.org/10.1117/1.JBO.19.6.069801)]

This article [*J. Biomed. Opt.* **19**(6), 066002 (2014)] was originally published online on 2 June 2014 with a typo in the author list. The authors are correct as listed above. This article was corrected online on 6 June 2014. It appears correctly in print.

*Address all correspondence to: Altat Hussain, E-mail: a.hussain@utwente.nl;
or Wiendelt Steenbergen, E-mail: w.steenbergen@utwente.nl