Neurophotonics

Neurophotonics.SPIEDigitalLibrary.org

Publisher's note: False positives and false negatives in functional near-infrared spectroscopy: issues, challenges, and the way forward

Ilias Tachtsidis
Felix Scholkmann

SPIE.

Ilias Tachtsidis, Felix Scholkmann, "Publisher's note: False positives and false negatives in functional near-infrared spectroscopy: issues, challenges, and the way forward," *Neurophoton.* **3**(3), 039801 (2016), doi: 10.1117/1.NPh.3.3.039801.

Publisher's note: False positives and false negatives in functional near-infrared spectroscopy: issues, challenges, and the way forward

Ilias Tachtsidis^a and Felix Scholkmann^{b,*}

^aUniversity College London, Department of Medical Physics and Biomedical Engineering, Gower Street, Malet Place Engineering Building, WC1E 6BT, London, United Kingdom

^bUniversity Hospital Zurich, University of Zurich, Department of Neonatology, Biomedical Optics Research Laboratory, Frauenklinikstr. 10, 8091 Zurich, Switzerland

[DOI: [10.1117/1.NPh.3.3.039801](https://doi.org/10.1117/1.NPh.3.3.039801)]

This article [*Neurophoton.* 3(3), 030401 (2016)] was originally published with an erroneous citation identifier (CID). It was republished online with a corrected CID of 031405 on 15 March 2016. The article appears correctly in print.

*Address all correspondence to: Felix Scholkmann, E-mail: Felix.Scholkmann@usz.ch