Optical Engineering

SPIEDigitalLibrary.org/oe

Errata: Fast and precise iris localization for low-resolution facial images

Chun-Ning Meng
Tai-Ning Zhang
Pin Zhang
Sheng-Jiang Chang

Errata: Fast and precise iris localization for low-resolution facial images

Chun-Ning Meng

Tai-Ning Zhang

Pin Zhang

Sheng-Jiang Chang

Nankai University

Institute of Modern Optics

Key Laboratory of Optical Information Science and

Technology, Ministry of Education

Tianjin, 300071, China

E-mail: sjchang@nankai.edu.cn

[DOI: [10.1117/1.OE.51.11.119801](https://doi.org/10.1117/1.OE.51.11.119801)]

This article [*Opt. Eng.* **51**, 077008 (2012)] was originally published on 18 Jul. 2012 with reversed captions in Figs. 3 and 4. The corrected figures and captions are reprinted below.

The manuscript was corrected online on 20 November 2012.

Fig. 3 Scenario in which $GIPF_R$ is better than IPF_h , VPF_h , and HPF_h in capturing horizontal variation. Each grid represents a pixel or several pixels.

Fig. 4 (a) Original images, (b) GIPF_R, (c) horizontal IPF, (d) horizontal VPF, (e) horizontal HPF.