PROCEEDINGS OF SPIE

Health Monitoring of Structural and Biological Systems 2013

Tribikram Kundu Editor

11–14 March 2013 San Diego, California, United States

Sponsored by SPIE

Cosponsored by American Society of Mechanical Engineers (United States)

Cooperating Organizations Intelligent Materials Forum (Japan) Jet Propulsion Laboratory (United States) National Science Foundation (United States)

Published by SPIE

Volume 8695

Proceedings of SPIE 0277-786-786X, V. 8695

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Health Monitoring of Structural and Biological Systems 2013, edited by Tribikram Kundu, Proc. of SPIE Vol. 8695, 869501 · © 2013 SPIE · CCC code: 0277-786X/13/\$18 · doi: 10.1117/12.2028673

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book: Author(s), "Title of Paper," in *Health Monitoring of Structural and Biological Systems 2013*, edited by Tribikram Kundu, Proceedings of SPIE Vol. 8695 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X ISBN: 9780819494788

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering
- system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

Part One

- xiii Conference Committee
- xvii Introduction

GUIDED WAVES FOR SHM: COMPOSITES I

- 8695 02 **Monitoring of corrosion damage using high-frequency guided ultrasonic waves** [8695-1] P. Fromme, Univ. College London (United Kingdom)
- 8695 03 Characterization of Lamb wave attenuation mechanisms [8695-2]
 D. Schmidt, H. Sadri, A. Szewieczek, M. Sinapius, P. Wierach, German Aerospace Ctr. (DLR) (Germany); I. Siegert, A. Wendemuth, Otto-von-Guericke-Univ. Magdeburg (Germany)
- 8695 04 Structural health monitoring and damage prognosis in composite repaired structures through the excitation of guided ultrasonic waves [8695-3]
 S. Pavlopoulou, K. Worden, The Univ. of Sheffield (United Kingdom); C. Soutis, Univ. of Manchester (United Kingdom)
- 8695 05 Lamb waves in a honeycomb composite sandwich plate [8695-4]
 H. Samajder, Univ. of California, Los Angeles (United States); H. Baid, AlphaSTAR Corp. (United States); F. Ricci, Univ. degli Studi di Napoli Federico II (Italy); A. Mal, Univ. of California, Los Angeles (United States)
- 8695 06 **Detection of impact damage in composite panels using guided ultrasonic waves** [8695-6] B. I. S. Murat, P. Fromme, Univ. College London (United Kingdom)

CIVIL ENGINEERING APPLICATIONS: BRIDGES AND BUILDINGS

- 8695 07 Structural health monitoring of bridges using digital image correlation [8695-7]
 C. Nonis, C. Niezrecki, T.-Y. Yu, S. Ahmed, C.-F. Su, Univ. of Massachusetts Lowell (United States); T. Schmidt, Trilion Quality Systems (United States)
- 8695 08 **Real-time structural health monitoring of live loads on a flat commercial roof** [8695-8] O.-Y. Yu, S. Moore, Appalachian State Univ. (United States)
- Applications of inter-digitized transducers (IDTs) for structural health monitoring (SHM) of bridge structures [8695-9]
 J. K. Na, S. T. Gleeson, Edison Welding Institute (United States)

GUIDED WAVES FOR SHM: COMPOSITES II

- Bamage detection in reusable launch vehicle components using guided ultrasonic waves and 3D laser vibrometry [8695-13]
 D. Barnoncel, Astrium SAS (France); W. J. Staszewski, AGH Univ. of Science and Technology (Poland); J. Schell, Polytec GmbH (Germany); P. Peres, Astrium SAS (France)
- 8695 0E NDE of composite structures using ultrasonic guided waves [8695-15]
 A. Mal, Univ. of California, Los Angeles (United States); F. Ricci, Univ. degli Studi di Napoli Federico II (Italy); H. Samajder, Univ. of California, Los Angeles (United States); H. Baid, AlphaSTAR Corp. (United States)
- 8695 OF **Predictive modeling of PWAS-coupled shear horizontal waves** [8695-16] A. Kamal, B. Lin, V. Giurgiutiu, Univ. of South Carolina (United States)
- A new temperature compensation method for guided wave-based structural health monitoring [8695-18]
 Y. Wang, Beijing Aeronautical Science and Technology Research Institute (China) and Dalian Univ. of Technology (China); L. Qiu, Nanjing Univ. of Aeronautics and Astronautics (China); L. Gao, Beijing Aeronautical Science and Technology Research Institute (China); S. Yuan, Nanjing Univ. of Aeronautics and Astronautics (China); X. Qing, Beijing Aeronautical Science and Technology Research Institute (China); Aeronautical Science and Technology Research Institute (China);
- 8695 01 Advanced signal processing for high temperatures health monitoring of condensed water height in steam pipes [8695-130]
 S.-S. Lih, Y. Bar-Cohen, H. J. Lee, N. Takano, X. Bao, Jet Propulsion Lab. (United States)

ISSUES AND PRACTICAL CONSIDERATIONS RELATED TO SHM I

- 8695 0J **Automated extraction of damage features through genetic programming** [8695-19] D. Y. Harvey, M. D. Todd, Univ. of California, San Diego (United States)
- 8695 0K Technological challenges of developing wireless health and usage monitoring systems
 [8695-20]
 C. S. Ling, D. Hewitt, S. G. Burrow, L. Clare, D. A. W. Barton, Univ. of Bristol (United Kingdom);
 D. M. Wells, AgustaWestland (United Kingdom); N. A. J. Lieven, Univ. of Bristol (United Kingdom)
- 8695 0L Integrated nondestructive testing approach for damage detection and quantification in structural components [8695-21]
 P. A. Vanniamparambil, F. Khan, R. Carmi, S. Rajaram, E. Schwartz, A. Kontsos, I. Bartoli, Drexel Univ. (United States)
- 8695 0M Error analysis of the extended Kalman filter applied to the simultaneous localization and mapping problem [8695-22]
 R. Jaai, N. Chopra, B. Balachandran, Univ. of Maryland, College Park (United States);
 H. Karki, The Petroleum Institute (United Arab Emirates)

GUIDED WAVES FOR SHM: NONLINEAR ULTRASONICS

- 8695 OP Nonlinear guided waves in solids under constrained thermal expansion [8695-25] C. Nucera, F. Lanza di Scalea, Univ. of California, San Diego (United States)
- Monitoring ageing of alkali resistant glass fiber reinforced cement (GRC) using guided ultrasonic waves [8695-26]
 J. N. Eiras, Univ. Politècnica de València (Spain); U. Amjad, E. Mahmoudabadi, The Univ. of Arizona (United States); J. Payá, M. Bonilla, Univ. Politècnica de València (Spain); T. Kundu, The Univ. of Arizona (United States)
- 8695 OR Fatigue crack detection using guided waves nonlinear modulation [8695-27]
 H. Sohn, H. J. Lim, KAIST (Korea, Republic of); M. P. DeSimio, Univ. of Dayton Research Institute (United States); K. Brown, M. Derriso, Air Force Research Lab. (United States)
- 8695 0S **Cumulative second harmonics in weakly nonlinear plates and shells** [8695-28] Y. Liu, C. J. Lissenden, J. L. Rose, The Pennsylvania State Univ. (United States)

ISSUES AND PRACTICAL CONSIDERATION RELATED TO SHM II

- 8695 0W Numerical and experimental analysis of guided waves propagation in composite plates [8695-32] M. Carrara, M. Ruzzene, Georgia Institute of Technology (United States)
- 8695 0Z A design for autonomous self-building blocks [8695-35]
 Z. Lu, C.-L. Tsui, J. Thorn, Univ. of Washington (United States); W.-C. Wang, Univ. of Washington (United States) and National Cheng Kung Univ. (Taiwan)

OPTICAL TECHNIQUES FOR SHM

- 8695 11 Structural dynamic characterization of small-scale multipurpose payloads using conventional and fiber optic sensors [8695-37]
 R. Clemens, A. Zagrai, J. Schlavin, New Mexico Institute of Mining and Technology (United States); V. Sotoudeh, R. J. Black, J. Costa, L. Oblea, F. Faridian, B. Moslehi, Intelligent Fiber Optic Systems Corp. (United States); J. M. Oliveira, NASA Kennedy Space Ctr. (United States)
- 8695 12 Life cycle strain monitoring of composite airframe structures by FBG sensors [8695-38]
 I. Takahashi, K. Sekine, M. Kume, H. Takeya, Mitsubishi Electric Corp. (Japan); S. Minakuchi, N. Takeda, The Univ. of Tokyo (Japan); K. Enomoto, SOKEIZAI Ctr. (Japan)
- 8695 13 Structural health monitoring of concrete elements with embedded arrays of optical fibers [8695-39]
 S. Khotiaintsev, A. Beltrán-Hernández, J. González-Tinoco, H. Guzmán-Olguín,

G. Aguilar-Ramos, Univ. Nacional Autónoma de México (Mexico)

SHM FOR PIPES

- 8695 14 High temperatures health monitoring of the condensed water height in steam pipe systems [8695-40]
 H. J. Lee, Y. Bar-Cohen, S.-S. Lih, M. Badescu, X. Bao, S. Sherrit, N. Takano, P. Ostlund, J. Blosiu, Jet Propulsion Lab. (United States)
- 8695 15 Change in time-of-flight of longitudinal (axisymmetric) wave modes due to lamination in steel pipes [8695-41]
 U. Amjad, C. H. Nguyen, S. K. Yadav, E. Mahmoudabadi, T. Kundu, The Univ. of Arizona (United States)

GUIDED WAVES FOR SHM: LOCALIZATION ISSUES

8695 17 Localization of defects in irregular waveguides by dispersion compensation and pulse compression [8695-43]

L. De Marchi, A. Marzani, M. Miniaci, A. Perelli, N. Testoni, Univ. degli Studi di Bologna (Italy)

- Adaptive unscented Kalman filter (UKF) for acoustic emission (AE) source localization in noisy environment [8695-44]
 E. Dehghan Niri, A. Farhidzadeh, S. Salamone, Univ. at Buffalo (United States)
- 8695 19 Guided waves-based damage localization in riveted aircraft panel [8695-45]
 T. Wandowski, P. Malinowski, W. Ostachowicz, Institute of Fluid-Flow Machinery (Poland)
- 8695 1 A Signal processing for the inspection of immersed structures [8695-46] E. Pistone, A. Bagheri, K. Li, P. Rizzo, Univ. of Pittsburgh (United States)
- Besign of a low-power structural monitoring system to locate impacts based on dispersion compensation [8695-47]
 A. Perelli, C. Caione, L. De Marchi, Univ. degli Studi di Bologna (Italy); D. Brunelli, Univ. degli Studi di Trento (Italy); A. Marzani, L. Benini, Univ. degli Studi di Bologna (Italy)
- 8695 1C Quantitative monitoring of two-dimensional damage using envelope locating curves method [8695-48]
 C. Du, Beijing Aeronautical Science and Technology Research Institute (China) and Peking Univ. (China); Y. Wang, Beijing Aeronautical Science and Technology Research Institute (China) and Dalian Univ. of Technology (China); J. Cai, X. Qing, Beijing Aeronautical Science and Technology Research Institute (China)

SHM FOR BIOMEDICAL APPLICATIONS I

- 8695 1D Smart materials for high power applications (Invited Paper) [8695-49] S. Zhang, H. J. Lee, T. R. Shrout, The Pennsylvania State Univ. (United States)
- 8695 1H Design, fabrication, and test of a small aperture, dual frequency ultrasound transducer [8695-53]

J. Ma, Z. Wang, X. Jiang, North Carolina State Univ. (United States)

GUIDED WAVES FOR SHM: DISTRIBUTED SENSORS AND SENSOR NETWORK

- 8695 11 Implementation of a novel imaging technique in an existing structural health monitoring system [8695-54]
 P. Masson, N. Quaegebeur, A. Brunel, Univ. de Sherbrooke (Canada); N. Mrad, Defence Research and Development Canada (Canada)
- 8695 1J Guided ultrasonic wave propagation through inaccessible damage in a folded plate using sensor-actuator network [8695-55]
 G. Kolappan Geetha, D. Roy Mahapatra, S. Gopalakrishnan, Indian Institute of Science (India)
- 8695 1L Evaluation of the Lamb waves approach to detect simulated damage in orthogonal plane of the sensor network surface for corrosion detection application [8695-57]
 F. Dotta, L. B. Ceresetti, Embraer S.A. (Brazil)

SHM FOR RAILWAY TRACK, ENERGY HARVESTING, AND OTHER ISSUES

- 8695 1M On the self-powering of SHM techniques using seismic energy harvesting [8695-58]
 Y.-C. Wu, M. Lallart, L. Yan, D. Guyomar, C. Richard, Institut National des Sciences Appliquées de Lyon (France)
- Axial stress determination using Impedance-based method and its application on the thermal stresses measurement in continuous welded rail [8695-59]
 X. Zhu, R. Phillips, F. Lanza di Scalea, Univ. of California, San Diego (United States)
- 8695 10 **Experiment study on structure health monitoring with high-order resonant circuit** [8695-60] W. Zhou, Y. Wu, L. Zuo, Stony Brook Univ. (United States)
- 8695 1P Multiscale analysis of wave-damage interaction in two and three dimensional isotropic plates [8695-61]
 F. Casadei, Harvard Univ. (United States); J. J. Rimoli, M. Ruzzene, Georgia Institute of Technology (United States)

Part Two

GUIDED WAVES FOR SHM: MODELING ASPECTS

- 8695 1R **Piezoelectric coupled LISA for guided wave generation and propagation** [8695-63] K. S. Nadella, C. E. S. Cesnik, Univ. of Michigan (United States)
- 8695 1S Modeling of guided waves for detection of linear and nonlinear structural damage [8695-64]
 Y. Shen, V. Giurgiutiu, Univ. of South Carolina (United States)
- 8695 11 A coupled SAFE-BEM formulation for dispersion data extraction of leaky guided waves in waveguides of arbitrary cross-section [8695-65]
 M. Mazzotti, A. Marzani, Univ. degli Studi di Bologna (Italy); I. Bartoli, Drexel Univ. (United States); E. Viola, Univ. degli Studi di Bologna (Italy)

- Simulation of Lamb waves using the spectral cell method [8695-66]
 S. Duczek, Otto-von-Guericke-Univ. Magdeburg (Germany); M. Joulaian, A. Düster, Hamburg Univ. of Technology (Germany); U. Gabbert, Otto-von-Guericke-Univ. Magdeburg (Germany)
- 8695 1V A guided wave approach for the detection of damage in a structure having elements with periodic damage [8695-67]
 S. Mukherjee, S. Gopalakrishnan, Indian Institute of Science (India)
- Fully coupled electromechanical elastodynamic model for guided wave propagation analysis [8695-68]
 L. Borkowski, K. Liu, A. Chattopadhyay, Arizona State Univ. (United States)

NOVEL INSTRUMENTATION FOR SENSING AND ACTUATION

- A flexible insert for wireless strain sensing [8695-70]
 I. J. Oppenheim, Carnegie Mellon Univ. (United States); D. W. Greve, Carnegie Mellon Univ. (United States) and National Energy Technology Lab. (United States); A. F. Chen, Univ. of Pittsburgh (United States)
- 8695 20 Liquid viscosity measurement using super-harmonic resonance [8695-72]
 W.-C. Wang, Univ. of Washington (United States) and National Cheng Kung Univ. (Taiwan);
 C.-S. Liu, Univ. of Washington (United States)
- 8695 21 **Effects of fastener load on wave propagation through lap joint** [8695-73] J. Bao, V. Giurgiutiu, Univ. of South Carolina (United States)
- Forward light scattering method for structural characterization of electrospun fibers
 [8695-75]
 W.-C. Wang, Univ. of Washington (United States) and National Cheng Kung Univ. (Taiwan);
 C.-S. Liu, Univ. of Washington (United States); Z.-R. You, J.-J. Hu, National Cheng Kung Univ.
 (Taiwan)
- Spectroscopic ellipsometry investigation of gold nanoparticles embedded in PDMS for biosensing applications [8695-76]
 M. T. Yaseen, Academia Sinica (Taiwan) and National Tsing Hua Univ. (Taiwan);
 Y.-C. Chang, Academia Sinica (Taiwan)

SHM FOR COMPOSITE MATERIALS

- 8695 25 Guided wave propagation in carbon composite laminate using piezoelectric wafer active sensors [8695-77]
 M. Gresil, V. Giurgiutiu, Univ. of South Carolina (United States)
- 8695 26 Sensing capability for a delamination in carbon fiber reinforced polymer laminates via embedded Terfenol-D particles [8695-78]
 J. Rudd, D. Spayde, O. Myers, Mississippi State Univ. (United States)

GUIDED WAVES FOR SHM: TEMPERATURE AND TEXTURE ISSUES

- 8695 28 Nonlinear guided waves for neutral temperature measurement in continuous welded rails: results from laboratory and field tests [8695-80]
 C. Nucera, R. Phillips, P. Zhu, S. Mariani, F. Lanza di Scalea, Univ. of California, San Diego (United States); M. Fateh, G. Carr, Federal Railroad Administration (United States)
- 8695 2A **Temperature-independent localization algorithm using guided wave interrogation methods** [8695-82]

K. Hensberry, N. Kovvali, A. Chattopadhyay, Arizona State Univ. (United States)

- 8695 2B Studies of texture in nuclear graphites using laser ultrasonic line source measurements [8695-83]
 J. B. Spicer, L. R. Lindamood, The Johns Hopkins Univ. (United States)
- 8695 2C Temperature effect modelling of piezoceramic transducers used for Lamb wave propagation in damage detection applications [8695-84]
 P. Kijanka, P. Packo, W. J. Staszewski, T. Uhl, AGH Univ. of Science and Technology (Poland)
- 8695 2D Cointegration and wavelet-analysis-based approach for Lamb-wave-based structural damage detection [8695-85]
 P. B. Dao, W. J. Staszewski, AGH Univ. of Science and Technology (Poland)

SHM FOR BIOMEDICAL APPLICATIONS II

- 8695 2E In-vivo muscle length-force-joint angle relationship for quasi-static muscle action of the biceps muscle [8695-86]
 M. Zakir Hossain, Univ. of Leipzig (Germany); M. Pluta, Wrocław Univ. of Technology (Poland); W. Grill, Univ. of Leipzig (Germany) and ASI Analog Speed Instruments GmbH (Germany)
- 8695 2F A 2D piezoelectric actuated scanning image acquisition [8695-87]
 K. Gu, C.-J. Lee, Univ. of Washington (United States); C.-W. Wu, C.-H. Chien, National Cheng Kung Univ. (Taiwan); W.-C. Wang, Univ. of Washington (United States) and National Cheng Kung Univ. (Taiwan)
- 8695 2G Quantitative simulation of wave propagation in a human leg to support the ultrasonic noninvasive assessment of human bones [8695-88]
 G. Castellazzi, L. De Marchi, Univ. degli Studi di Bologna (Italy); P. Krysl, Univ. of California, San Diego (United States); A. Marzani, Univ. degli Studi di Bologna (Italy)
- 8695 21 Electromagnetic coil/inductance-based nondestructive methods for locating distal screwholes of an intramedullary interlocking-nail [8695-90]
 T.-K. Chung, H.-J. Chu, National Chiao Tung Univ. (Taiwan); T.-H. Wong, National Taiwan Univ. Hospital (Taiwan); Y.-W. Cheng, W. Hsu, M.-S. Lee, National Chiao Tung Univ. (Taiwan)

METAMATERIAL

- 8695 2J An elastic metamaterial beam for broadband vibration suppression [8695-91]
 R. Zhu, Univ. of Arkansas at Little Rock (United States); G. K. Hu, Beijing Institute of Technology (China); M. Reynolds, Univ. of Arkansas at Fort Smith (United States);
 G. L. Huang, Univ. of Arkansas at Little Rock (United States)
- 8695 2K High stiffness, high damping chiral metamaterial assemblies for low-frequency applications [8695-92]
 E. Baravelli, Georgia Institute of Technology (United States) and Univ. degli Studi di Bologna (Italy); M. Carrara, M. Ruzzene, Georgia Institute of Technology (United States)
- 8695 2L Novel split ring metamaterial for multiple band gaps and vibration control [8695-93] R. Ahmed, S. Banerjee, Univ. of South Carolina (United States)
- Actual working mechanisms of smart metamaterial structures [8695-94]
 P. F. Pai, Univ. of Missouri-Columbia (United States); M. J. Sundaresan, North Carolina A&T State Univ. (United States)
- 8695 2P Focusing flexural Lamb waves by designing elastic metamaterials bonded on a plate [8695-97]
 X. Yan, North Carolina State Univ. (United States); R. Zhu, G. L. Huang, Univ. of Arkansas at Little Rock (United States); F. G. Yuan, North Carolina State Univ. (United States)

GUIDED WAVE FOR SHM: SENSING, EXCITATION AND RELATED ISSUES

- 8695 2V
 Stability of guided wave signals from bonded piezoelectric sensors [8695-103]
 K. A. Vehorn, M. P. DeSimio, S. E. Olson, Univ. of Dayton Research Institute (United States);
 K. S. Brown, M. S. Leonard, Air Force Research Lab. (United States)
- 8695 2W Uncertainty quantification of a guided wave structural health monitoring system for composite bolted joints [8695-104]
 C. Haynes, M. Todd, Univ. of California, San Diego (United States)
- 8695 2X Pressure mapping system based on guided waves reflection [8695-105]
 N. Quaegebeur, P. Masson, L.-P. Brault, N. Beaudet, P. Sarret, Univ. de Sherbrooke (Canada)
- 8695 2Y Wavelet best basis compressed sensing of ultrasonic guided waves [8695-106]
 A. Perelli, L. De Marchi, L. Flamigni, A. Marzani, N. Speciale, Univ. degli Studi di Bologna (Italy)
- 8695 2Z Crack detection with Lamb wave wavenumber analysis [8695-107]
 Z. Tian, Univ. of South Carolina (United States); C. Leckey, M. Rogge, NASA Langley Research Ctr. (United States); L. Yu, Univ. of South Carolina (United States)

VIBRATION BASED SHM SYSTEMS

- Bolted joint loosening detection by using laser excitation [8695-109]
 F. Huda, Hokkaido Univ. (Japan) and Univ. of Riau (Indonesia); I. Kajiwara, Hokkaido Univ. (Japan); N. Hosoya, Shibaura Institute of Technology (Japan); S. Kawamura, Toyohashi Univ. of Technology (Japan)
- 8695 32 **Damage-patterns-based method to locate discontinuities in beams** [8695-110] G.-R. Gillich, Z.-I. Praisach, Univ. Effimie Murgu Resita (Romania)
- B695 33 Dynamic characteristics and vibration-based damage inspection of structures with actual fatigue cracks [8695-111]
 P. F. Pai, Univ. of Missouri-Columbia (United States); J. Liu, Northwestern Polytechnical Univ. (China); M. J. Sundaresan, North Carolina A&T State Univ. (United States)
- 8695 34 Monitoring the fracture healing of an internally fixated pelvis using vibration analysis
 [8695-112]
 L. C. Y. Wong, W. K. Chiu, Monash Univ. (Australia); M. Russ, S. Liew, The Alfred (Australia)

SIGNAL PROCESSING FOR SHM

- 8695 35 **Frequency response feature selection in a Bayesian framework** [8695-113] Z. Mao, M. Todd, Univ. of California, San Diego (United States)
- Abnormal behavior detection in the Jeremiah Morrow Bridge based on the long term measurement-data patterns [8695-114]
 M. Norouzi, V. Hunt, A. Helmicki, Univ. of Cincinnati (United States)
- 8695 37 **Multiscale characterization of damage in plates based on 2D Mexican wavelet** [8695-116] M. Cao, Institute of Fluid-Flow Machinery (Poland) and Hohai Univ. (China); M. Radzieński, Institute of Fluid-Flow Machinery (Poland); W. Ostachowicz, Institute of Fluid-Flow Machinery (Poland) and Warsaw Univ. of Technology (Poland); W. Xu, Hohai Univ. (China)
- 8695 38 The PRICONA algorithm for biological spectra normalization [8695-117]
 R. Romano, R. Canonico, F. Acernese, Univ. degli Studi di Salerno (Italy); P. L. Indovina, Univ. degli Studi di Napoli Federico II (Italy); F. Barone, Univ. degli Studi di Salerno (Italy)
- 8695 39 Detection of damage in beams using Teager energy operator [8695-118]
 W. Xu, Hohai Univ. (China); W. Ostachowicz, Institute of Fluid-Flow Machinery (Poland) and Warsaw Univ. of Technology (Poland); M. Cao, Hohai Univ. (China) and Institute of Fluid-Flow Machinery (Poland); Z. Su, The Hong Kong Polytechnic Univ. (Hong Kong, China)
- 8695 3A Phased array design for optimized directivity behavior in guided wave applications [8695-5]
 A. Dantele, PROFACTOR GmbH (Austria); H. Steiner, Austrian Academy of Sciences (Austria); J. Korak, C. Feyrer, H. Wernick, PROFACTOR GmbH (Austria)

POSTER SESSION

- 8695 3B **Tissue characterization using an acoustic wave tactile sensor array** [8695-119] K. Kim, X. Jiang, North Carolina State Univ. (United States)
- 8695 3C Sensitivity-based optimal sensor placement of multi-type sensor [8695-120] X. Sun, G. Hou, Z. Wang, Harbin Engineering Univ. (China)
- 8695 3D **Bi-probability structural risk management for container cranes** [8695-121] X. Mei, D. Dong, C. Wang, X. Wang, Shanghai Maritime Univ. (China)
- Bamage detection using vector auto-regressive models [8695-122]
 Z. Huang, G. Liu, Chongqing Univ. (China); M. Todd, Z. Mao, Univ. of California, San Diego (United States)
- Bamage detection of a prototype building structure under shaking table testing using outlier analysis [8695-125]
 J.-H. Hwang, B.-C. Joo, Y.-J. Yoo, K.-T. Park, C.-H. Lee, Korea Institute of Construction Technology (Korea, Republic of)
- 8695 31 Piezo-composites for energy harvesting from low-frequency noises [8695-126]
 Y. Zhang, X. Zhou, G. Hu, Beijing Institute of Technology (China); G. Huang, Univ. of Arkansas at Little Rock (United States)
- Bevelopment of locally resonant structures for sonic barriers [8695-131]
 A. Hall, Callaghan Innovation (New Zealand) and Univ. of Auckland (New Zealand);
 E. Calius, Callaghan Innovation (New Zealand);
 G. Dodd, Univ. of Auckland (New Zealand);
 K. L. Chan, Callaghan Innovation (New Zealand)

Author Index

Conference Committee

Symposium Chairs

Norbert Meyendorf, Fraunhofer-Institut für Zerstörungsfreie Prüfverfahren (Germany) and University of Dayton (United States) Norman Wereley, University of Maryland, College Park (United States)

Symposium Cochairs

Victor Giurgiutiu, University of South Carolina (United States) Christopher S. Lynch, University of California, Los Angeles (United States)

Conference Chair

Tribikram Kundu, The University of Arizona (United States)

Conference Cochair

Wolfgang Grill, Universität Leipzig (Germany)

Conference Program Committee

Douglas E. Adams, Purdue University (United States) Sourav Banerjee, University of South Carolina (United States) Yoseph Bar-Cohen, Jet Propulsion Laboratory (United States) Fu-Kuo Chang, Stanford University (United States) Anthony J. Croxford, University of Bristol (United Kingdom) Paul Fromme, University College London (United Kingdom) Victor Giurgiutiu, University of South Carolina (United States) Daniel Guyomar, Institut National des Sciences Appliquées de Lyon (France)

Shivan Haran, Arkansas State University (United States)
Guoliang Huang, University of Arkansas at Little Rock (United States)
Xiaoning Jiang, North Carolina State University (United States)
Sridhar Krishnaswamy, Northwestern University (United States)
Francesco Lanza di Scalea, University of California, San Diego (United States)

Jerome P. Lynch, University of Michigan (United States) Jennifer E. Michaels, Georgia Institute of Technology (United States) Won-Bae Na, Pukyong National University (Korea, Republic of) Christopher Niezrecki, University of Massachusetts Lowell (United States) Paul D. Panetta, Applied Research Associates, Inc. (United States)
Perngjin F. Pai, University of Missouri-Columbia (United States)
Xinlin P. Qing, Commercial Aircraft Corporation of China, Ltd. (China)
Henrique L. Reis, University of Illinois at Urbana-Champaign (United States)
Piervincenzo Rizzo, University of Pittsburgh (United States)
Hoon Sohn, KAIST (Korea, Republic of)
Nobuo Takeda, The University of Tokyo (Japan)
Michael D. Todd, University of Washington (United States)
Wei-Chih Wang, University of Washington (United States)
Andrei N. Zagrai, New Mexico Institute of Mining and Technology (United States)
George Zentai, Varian Medical Systems, Inc. (United States)

Session Chairs

- Guided Waves for SHM: Composites I
 Tribikram Kundu, The University of Arizona (United States)
 Wolfgang Grill, Universität Leipzig (Germany)
- 2 Civil Engineering Applications: Bridges and Buildings Irving J. Oppenheim, Carnegie Mellon University (United States)
- Guided Waves for SHM: Composites II
 Hoon Sohn, KAIST (Korea, Republic of)
 Francesco Lanza di Scalea, University of California, San Diego (United States)
- Issues and Practical Considerations Related to SHM I
 Xiaoning Jiang, North Carolina State University (United States)
 Kalyan S. Nadella, University of Michigan (United States)
- 5 Guided Waves for SHM: Nonlinear Ultrasonics
 Francesco Lanza di Scalea, University of California, San Diego (United States)
 Hoon Sohn, KAIST (Korea, Republic of)
- 6 Issues and Practical Consideration Related to SHM II Daniel Guyomar, Institut National des Sciences Appliquées de Lyon (France)
 - Andrei N. Zagrai, New Mexico Institute of Mining and Technology (United States)

- 7 Optical Techniques for SHM
 Ichiya Takahashi, Mitsubishi Electric Corporation (Japan)
 Wolfgang Grill, Universität Leipzig (Germany)
- 8 SHM for Pipes
 Paul Fromme, University College London (United Kingdom)
 Tribikram Kundu, The University of Arizona (United States)
- 9 Guided Waves for SHM: Localization Issues Shivan Haran, Arkansas State University (United States) Piervincenzo Rizzo, University of Pittsburgh (United States)
- SHM for Biomedical Applications I Xiaoning Jiang, North Carolina State University (United States) Shujun Zhang, The Pennsylvania State University (United States)
- 11 Guided Waves for SHM: Distributed Sensors and Sensor Network Jennifer E. Michaels, Georgia Institute of Technology (United States) Paul Fromme, University College London (United Kingdom)
- 12 SHM for Railway Track, Energy Harvesting, and Other Issues Francesco Lanza di Scalea, University of California, San Diego (United States)
- 13 Guided Waves for SHM: Modeling Aspects
 Hoon Sohn, KAIST (Korea, Republic of)
 X. Peter Qing, Commercial Aircraft Corporation of China, Ltd. (China)
- 14 Novel Instrumentation for Sensing and Actuation Wei-Chih Wang, University of Washington (United States) Wolfgang Grill, Universität Leipzig (Germany)
- SHM for Composite Materials
 Victor Giurgiutiu, University of South Carolina (United States)
 Sourav Banerjee, University of South Carolina (United States)
- 16 Guided Waves for SHM: Temperature and Texture Issues Sourav Banerjee, University of South Carolina (United States) Lingyu Yu, University of South Carolina (United States)
- 17 SHM for Biomedical Applications II George Zentai, Varian Medical Systems, Inc. (United States) Wei-Chih Wang, University of Washington (United States)

- 18 Metamaterial Guoliang Huang, University of Arkansas at Little Rock (United States) Xiaoming Zhou, Beijing Institute of Technology (China)
- 19 SHM based on Nonlinear Techniques Sridhar Krishnaswamy, Northwestern University (United States) Andrei N. Zagrai, New Mexico Institute of Mining and Technology (United States)
- 20 Guided Wave for SHM: Sensing, Excitation and Related Issues Lingyu Yu, University of South Carolina (United States) Jennifer E. Michaels, Georgia Institute of Technology (United States)
- 21 Vibration Based SHM Systems **Perngjin F. Pai**, University of Missouri-Columbia (United States) **Alireza Farhidzadeh**, University at Buffalo (United States)
- 22 Signal Processing for SHM **Michael D. Todd**, University of California, San Diego (United States) **Wolfgang Grill**, Universität Leipzig (Germany)

Introduction

In the year 2001 the SPIE conference (Conf. #4335) on Health Monitoring of Structural and Biological Systems brought engineers, materials scientists, medical doctors, and biologists together to exchange their ideas on this important issue. After having a positive experience at that conference, yearly conferences were organized on the same topic and the next one has been planned for the year 2014. This volume contains papers presented at the 2013 conference. Papers presented in the earlier conferences can be found in Proceedings of SPIE volumes 4335 (2001), 4702 (2002), 5047 (2003), 5394 (2004), 5768 (2005), 6177 (2006), 6532 (2007), 6935 (2008), 7295 (2009), 7650 (2010), 7984 (2011), and 8348 (2012).

The emphasis of this conference is to recognize that sensing by nondestructive evaluation, sensor array design, signal acquisition and transmission, signal processing, energy harvesting etc. are integral parts of health monitoring for both structural and biological systems. I believe that biological and physical science communities are learning from each other by coming to this conference and exchanging ideas. Some of the recent advances in the science and technology of health monitoring techniques that go beyond the traditional nondestructive testing for internal flaw detection are presented in these proceedings. New diagnosis, prognosis and rehabilitation techniques applied to engineering structures made of metal, concrete, and composites, as well as biological systems are presented. The papers published here cover a wide range of technologies. It is hoped that this conference will stimulate further interactions between physical and life science communities resulting in newer development of more innovative techniques for health monitoring applications.

I am thankful to the conference cochair, program committee members, authors, session chairs, and the SPIE staff for putting together this excellent conference.

Tribikram Kundu