PROCEEDINGS OF SPIE

Vertical-Cavity Surface-Emitting Lasers XII

Chun Lei James K. Guenter Editors

23–24 January 2008 San Jose, California, USA

Sponsored and Published by SPIE

Volume 6908

Proceedings of SPIE, 0277-786X, v. 6908

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book: Author(s), "Title of Paper," in Vertical-Cavity Surface-Emitting Lasers XII, edited by Chun Lei, James K. Guenter, Proceedings of SPIE Vol. 6908 (SPIE, Bellingham, WA, 2008) Article CID Number.

ISSN 0277-786X ISBN 9780819470836

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2008, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/08/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

- vii Conference Committee
- ix Introduction

SESSION 1 COMMERCIAL VCSELS

6908 02 LW VCSELs for SFP+ Applications (Invited Paper) [6908-01]

L. A. Graham, J. L. Jewell, K. D. Maranowski, M. V. Crom, S. A. Feld, J. M. Smith, J. G. Beltran, T. R. Fanning, M. Schnoes, M. H. Gray, D. Droege, V. Koleva, M. Dudek, J. Fiers, JDSU (USA); R. Patterson, Maxim Integrated Products (USA)

6908 03 Volume production of polarization controlled single-mode VCSELs [6908-02] M. Grabherr, R. King, R. Jäger, D. Wiedenmann, P. Gerlach, D. Duckeck, C. Wimmer, ULM Photonics GmbH (Germany)

6908 05 **Developments at Finisar AOC** [6908-04] J. Guenter, D. Mathes, B. Hawkins, J. Tatum, Finisar Advanced Optical Components Division (USA)

SESSION 2 HIGH-POWER VCSELS AND HIGH-SPEED VCSELS

- Monolithic 2D high-power arrays of long-wavelength VCSELs [6908-06]
 W. Hofmann, M. Görblich, TU München (Germany); M. Ortsiefer, VERTILAS GmbH (Germany); G. Böhm, M.-C. Amann, TU München (Germany)
- 6908 08 High-power high-efficiency 2D VCSEL arrays (Invited Paper) [6908-07] J. Seurin, C. L. Ghosh, V. Khalfin, A. Miglo, G. Xu, J. D. Wynn, P. Pradhan, L. A. D'Asaro, Princeton Optronics (USA)
- 6908 09 Development of high-speed VCSELs: 10 Gb/s serial links and beyond (Invited Paper) [6908-22]
 D. Collins, N. Li, Emcore Fiber Optics, Emcore Corp. (USA); D. Kuchta, F. Doany, C. Schow, IBM Thomas J. Watson Research Ctr. (USA); C. J. Helms, L. Yang, Emcore Fiber Optics, Emcore Corp. (USA)

SESSION 3 MICROSTRUCTURED VCSELS

- 6908 0A **Polarization-stable monolithic VCSELs (Invited Paper)** [6908-08] R. Michalzik, J. M. Ostermann, Ulm Univ. (Germany); P. Debernardi, IEIIT-CNR, Politecnico di Torino (Italy)
- 6908 OB **Endlessly single-mode photonic-crystal vertical-cavity surface-emitting lasers** [6908-09] A. M. Kasten, M. P. Tan, Univ. of Illinois at Urbana-Champaign (USA); P. O. Leisher, nLight Photonics Corp. (USA); K. D. Choquette, Univ. of Illinois at Urbana-Champaign (USA)

6908 0C Photonic crystals for long-wavelength single-mode VCSELs (Invited Paper) [6908-10]
 F. Romstad, S. Bischoff, M. Juhl, S. Jacobsen, D. Birkedal, Alight Technologies ApS (Denmark)

SESSION 4 LONGER WAVELENGTH VCSEL CHARACTERISTICS

- 6908 0D Singlemode 1.1 μm InGaAs quantum well microstructured photonic crystal VCSEL [6908-11]
 R. Stevens, P. Gilet, A. Larrue, L. Grenouillet, N. Olivier, P. Grosse, K. Gilbert, R. Teysseyre,
 A. Chelnokov, CEA-LETI MINATEC, Lab. de Photonique sur Silicium (France)
- 6908 OE Characteristics of GalnNAsSb/GaAs VCSELs operating near 1.55um [6908-12] J. A. Gupta, National Research Council of Canada (Canada); S. Calvez, N. Laurand, J. Weda, D. Burns, Univ. of Strathclyde (United Kingdom); D. Poitras, G. C. Aers, National Research Council of Canada (Canada); M. D. Dawson, Univ. of Strathclyde (United Kingdom)
- 6908 OF Spectral behavior of long wavelength VCSELs [6908-13] A. Bacou, A. Rissons, J.-C. Mollier, Univ. de Toulouse (France)

SESSION 5 VCSEL APPLICATIONS

- 6908 0G **Red vertical cavity surface emitting lasers (VCSELs) for consumer applications** [6908-14] G. Duggan, D. A. Barrow, T. Calvert, M. Maute, V. Hung, B. McGarvey, J. D. Lambkin, T. Wipiejewski, FireComms, Ltd. (Ireland)
- 6908 OH VCSEL array-based light exposure system for laser printing (Invited Paper) [6908-15] N. Mukoyama, H. Otoma, J. Sakurai, N. Ueki, H. Nakayama, Fuji Xerox Co., Ltd. (Japan)
- 6908 0I VCSEL-based miniature laser-Doppler interferometer [6908-16]
 A. Pruijmboom, M. Schemmann, J. Hellmig, J. Schutte, Philips Laser Sensor (Netherlands);
 H. Moench, Philips Research Europe (Germany); J. Pankert, Philips Lighting (Netherlands)
- 6908 0J Modeling and characterization of VCSEL-based avionics full-duplex ethernet (AFDX) gigabit links [6908-17]
 K. S. Ly, Airbus France SAS (France) and ISAE/MOSE Group (France); A. Rissons, ISAE/MOSE Group (France); E. Gambardella, Airbus France SAS (France); D. Bajon, J.-C. Mollier, ISAE/MOSE Group (France)

SESSION 6 VCSEL CHARACTERISTICS

- 6908 OL Abnormal PL spectrum in InGaN MQW surface emitting cavity [6908-19] J. T. Chu, National Chiao Tung Univ. (Taiwan); Y.-J. Cheng, Academia Sinica (Taiwan); H. C. Kuo, T. C. Lu, S. C. Wang, National Chiao Tung Univ. (Taiwan)
- 6908 0M High frequency resonance-free loss modulation in a duo-cavity VCSEL [6908-20] J. van Eisden, M. Yakimov, V. Tokranov, M. Varanasi, O. Rumyantsev, Univ. at Albany (USA); E. M. Mohammed, I. A. Young, Intel Corp. (USA); S. R. Oktyabrsky, Univ. at Albany (USA)

6908 0N GalnNAsSb/GaAs vertical cavity surface-emitting lasers (VCSELs): current challenges and techniques to realize multiple-wavelength laser arrays at 1.55 μm [6908-21] M. Gobet, H. P. Bae, T. Sarmiento, J. S. Harris, Ctr. for Integrated Systems (USA)

Author Index

Conference Committee

Symposium Chair

Ali Adibi, Georgia Institute of Technology (USA)

Symposium Cochair

James G. Grote, Air Force Research Laboratory (USA)

Program Track Chair

E. Fred Schubert, Rensselaer Polytechnic Institute (USA)

Conference Chairs

Chun Lei, Intel Corporation (USA) James K. Guenter, Finisar Corporation (USA)

Program Committee

Kent D. Choquette, University of Illinois at Urbana-Champaign (USA)
Luke A. Graham, Picolight, Inc. (USA)
Karlheinz H. Gulden, Bookham, Inc. (Switzerland)
Hong Q. Hou, EMCORE Corporation (USA)
Kevin L. Lear, Colorado State University (USA)
Duane A. Louderback, OptiComp Corporation (USA)
John G. McInerney, National University of Ireland, Cork (Ireland)
Krassimir P. Panayotov, Vrije University Brussel (Belgium)
Dieter Wiedenmann, ULM Photonics GmbH (Germany)

Session Chairs

- 1 Commercial VCSELs Chun Lei, Intel Corporation (USA)
- High-Power VCSELs and High-Speed VCSELs
 Kent D. Choquette, University of Illinois at Urbana-Champaign (USA)
- Microstructured VCSELs
 Luke A. Graham, JDS Uniphase Corporation (USA)
- 4 Longer Wavelength VCSEL Characteristics James K. Guenter, Finisar Corporation (USA)

- 5 VCSEL Applications Martin Grabherr, ULM Photonics GmbH (Germany)
- 6 VCSEL Characteristics Joachim J. Krueger, Novalux, Inc. (USA)

Introduction

2007 marked the 30th year after the first potentially realizable VCSEL was proposed, and just over a decade after the first commercial VCSEL products became available. Prior to 2007, the VCSEL commercial history had been overwhelmingly a story of data communications applications, almost all at 850 nm. Some time during 2007, however, other applications, particularly computer mice, began to use equal or greater numbers of VCSELs, and the long-predicted proliferation was officially afoot. In this, the 12th annual SPIE Photonics West conference on VCSELs, we find a wide range of current and potential VCSEL applications.

The VCSELs discussed in the presentations and in the papers in this volume cover half a dozen different wavelengths from the visible to 1.55 µm. Despite the VCSEL reputation for low maximum output power, arrays with cw power as high as 230 W in the infrared are described, as well as near-watt-level power in the blue and green through frequency doubling. In addition, results are presented for everything from single VCSEL elements to arrays of tens of thousands, and for speeds ranging from cw to 25 Gbps. The historical record of excellent VCSEL reliability was extended in the results of reliability testing of many of the variants.

In some ways the entire history of VCSELs is recapitulated in these papers, with structures both optically and electrically pumped, gain guides produced by oxidation but also by implantation, and novel structures such as coupled cavities and photonic crystals. Multiple solutions to typical problems are presented, for example four different, all successful, approaches to controlling polarization of the emission. Amazingly, all of these approaches have found or promise to find real application.

Overall, the papers in the 2008 VCSEL XII conference represent the current status of VCSEL development both in the research laboratory and in the commercial world, where VCSELs appear in tens of millions of systems each year—and growing.

James Guenter Chun Lei