

PROCEEDINGS OF SPIE

Fiber Lasers X: Technology, Systems, and Applications

Sami T. Hendow
Editor

4–7 February 2013
San Francisco, California, United States

Sponsored by
SPIE

Cosponsored by
NKT Photonics A/S (Denmark)
Fianium Ltd. (United Kingdom)
PolarOnyx, Inc. (United States)

Published by
SPIE

Volume 8601

Proceedings of SPIE 0277-786X, V.8601

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Fiber Lasers X: Technology, Systems, and Applications, edited by Sami T. Hendow, Proc. of SPIE
Vol. 8601, 860101 · © 2013 SPIE · CCC code: 0277-786X/13/\$18 · doi: 10.1117/12.2025032

Proc. of SPIE Vol. 8601 860101-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Fiber Lasers X: Technology, Systems, and Applications*, edited by Sami T. Hendow, Proceedings of SPIE Vol. 8601 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X

ISBN: 9780819493705

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

xv Conference Committee

HIGH POWER I

- 8601 03 **58 mJ burst containing ultra-short pulses with homogenous energy level from an Yb-doped fiber amplifier** [8601-2]
S. Bretkopf, Friedrich-Schiller-Univ. Jena (Germany); A. Klenke, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); T. Gottschall, H.-J. Otto, C. Jauregui, Friedrich-Schiller-Univ. Jena (Germany); J. Limpert, A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany), and Helmholtz-Institut Jena (Germany)
- 8601 06 **High efficiency cascaded Raman fiber laser with output power of 204W at 1480 nm** [8601-5]
V. R. Supradeepa, J. W. Nicholson, C. E. Headley, M. F. Yan, OFS Labs. (United States); B. Palsdottir, D. Jakobsen, OFS Fitel Denmark (Denmark)

HIGH POWER II

- 8601 07 **High order ribbon fiber modes, simulations, and experiments for high power fiber amplifiers** [8601-6]
D. Drachenberg, M. Messerly, P. Pax, A. Sridharan, J. Tassano, J. Dawson, Lawrence Livermore National Lab. (United States)
- 8601 08 **Mode instability thresholds of fiber amplifiers** [8601-7]
A. V. Smith, J. J. Smith, AS-Photonics, LLC (United States)
- 8601 09 **Analytical time-dependent theory of thermally induced modal instabilities in high power fiber amplifiers** [8601-8]
I.-N. Hu, C. Zhu, C. Zhang, A. Thomas, A. Galvanauskas, The Univ. of Michigan (United States)
- 8601 0A **Mitigation of mode instabilities by dynamic excitation of fiber modes (Best Paper Award)** [8601-9]
H.-J. Otto, C. Jauregui, F. Stutzki, F. Jansen, Friedrich-Schiller-Univ. Jena (Germany); J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)

POWER SCALING BULK SSL AND FIBER LASERS: JOINT SESSION WITH CONFERENCES 8599 AND 8601

- 8601 OF **Mode instabilities: physical origin and mitigation strategies** [8601-105]
C. Jauregui, H.-J. Otto, F. Jansen, F. Stutzki, Friedrich-Schiller-Univ. Jena (Germany);
T. Eidam, J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena
(Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena
(Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8601 OG **Design evolution, long term performance and application tests of extra large mode area (XLMA) fiber lasers** [8601-15]
A. Langner, M. Such, G. Schötz, Heraeus Quarzglas GmbH & Co. KG (Germany); F. Just,
M. Leich, S. Grimm, J. Dellith, M. Jäger, K. Schuster, Institut für Photonische Technologien
e.V. (Germany); H. Zimer, M. Kozak, B. Wedel, HIGHYAG Lasertechnologie GmbH
(Germany); G. Rehmann, C. Bachert, V. Krause, Laserline GmbH (Germany)

FIBER DESIGNS AND FABRICATION

- 8601 OH **Bismuth-doped optical fibers: a new active medium for NIR lasers and amplifiers (Invited Paper)** [8601-16]
E. M. Dianov, Fiber Optics Research Ctr. (Russian Federation)
- 8601 OI **All-glass optical fibers derived from sapphire** [8601-17]
P. D. Dragic, Univ. of Illinois at Urbana-Champaign (United States); T. Hawkins, P. Foy,
S. Morris, J. Ballato, Clemson Univ. (United States)
- 8601 OJ **Longitudinally graded optical fibers** [8601-18]
A. Evert, A. James, T. Hawkins, P. Foy, L. Dong, R. Stolen, J. Ballato, Clemson Univ. (United
States); P. Dragic, Univ. of Illinois at Urbana-Champaign (United States); R. Rice,
Dreamcatchers Consulting (United States)
- 8601 OK **Cross-correlated imaging of distributed mode filtering rod fiber** [8601-19]
M. Laurila, Technical Univ. of Denmark (Denmark) and NKT Photonics A/S (Denmark);
R. Barankov, Boston Univ. (United States); M. M. Jørgensen, S. R. Petersen, Technical Univ. of
Denmark (Denmark); T. T. Alkeskjold, NKT Photonics A/S (Denmark); J. Broeng, Technical
Univ. of Denmark (Denmark) and NKT Photonics A/S (Denmark); J. Lægsgaard, Technical
Univ. of Denmark (Denmark); S. Ramachandran, Boston Univ. (United States)
- 8601 OL **Real-time mode analysis of fiber-to-fiber coupling processes using the correlation filter method** [8601-20]
D. Flamm, P. Gelszinnis, C. Schulze, Friedrich-Schiller-Univ. Jena (Germany); S. Schröter,
Institut für Photonische Technologien e.V. (Germany); M. Duparré, Friedrich-Schiller-Univ.
Jena (Germany)

FIBER CHARACTERIZATION AND PHOTODARKENING

- 8601 OM **Nonlinear spatial mode imaging of hybrid photonic crystal fibers** [8601-21]
S. R. Petersen, Technical Univ. of Denmark (Denmark); T. T. Alkeskjold, NKT Photonics A/S (Denmark); M. Laurila, Technical Univ. of Denmark (Denmark) and NKT Photonics A/S (Denmark); T. V. Andersen, NKT Photonics A/S (Denmark); J. Lægsgaard, Technical Univ. of Denmark (Denmark)
- 8601 OP **Strong excited state absorption (ESA) in Yb-doped fiber lasers** [8601-24]
M. Engholm, S. Rydberg, K. Hammarling, Mid Sweden Univ. (Sweden)

COMPONENTS

- 8601 OQ **SESAM designs for ultrafast lasers (Invited Paper)** [8601-25]
C. J. Saraceno, C. Schriber, M. Mangold, M. Hoffmann, O. H. Heckl, C. R. E. Baer, M. Golling, ETH Zurich (Switzerland); T. Südmeyer, ETH Zurich (Switzerland) and Univ. of Neuchatel (Switzerland); U. Keller, ETH Zurich (Switzerland)
- 8601 OS **Femtosecond pulse inscription of a selective mode filter in large mode area fibers** [8601-27]
R. G. Krämer, C. Voigtländer, Friedrich-Schiller-Univ. Jena (Germany); E. Freier, A. Liem, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); J. U. Thomas, D. Richter, Friedrich-Schiller-Univ. Jena (Germany); T. Schreiber, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); A. Tünnermann, S. Nolte, Friedrich-Schiller-Univ. Jena (Germany) and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8601 OT **Fabrication of a high power Faraday isolator by direct bonding** [8601-28]
C. Rothhardt, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany) and Friedrich-Schiller-Univ. Jena (Germany); M. Rekas, G. Kalkowski, N. Haarlammert, R. Eberhardt, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); A. Tünnermann, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany) and Friedrich-Schiller-Univ. Jena (Germany)
- 8601 OU **Thermal-recovery of modal instability in rod fiber amplifiers** [8601-29]
M. M. Jørgensen, M. Laurila, Technical Univ. of Denmark (Denmark) and NKT Photonics A/S (Denmark); D. Noordegraaf, T. T. Alkeskjold, NKT Photonics A/S (Denmark); J. Lægsgaard, Technical Univ. of Denmark (Denmark)

NARROW LINE SOURCES AND FIBER NONLINEARITIES

- 8601 OW **Stimulated Brillouin scattering suppression in optical fibers by hydrogen-loading technique** [8601-31]
F. Kong, L. Dong, Clemson Univ. (United States)

- 8601 OX **Single-frequency ytterbium-doped fiber laser at 976 nm** [8601-88]
X. Zhu, NP Photonics (United States) and College of Optical Sciences, The Univ. of Arizona (United States); W. Shi, J. Zong, D. Nguyen, NP Photonics (United States); R. A. Norwood, College of Optical Sciences, The Univ. of Arizona (United States); A. Chavez-Pirson, NP Photonics (United States); N. Peyghambarian, NP Photonics (United States) and College of Optical Sciences, The Univ. of Arizona (United States)
- 8601 OY **Single-frequency, single-polarization holmium-doped ZBLAN fiber laser** [8601-33]
X. Zhu, NP Photonics (United States) and College of Optical Sciences, The Univ. of Arizona (United States); J. Zong, A. Miller, K. Wiersma, NP Photonics (United States); R. A. Norwood, College of Optical Sciences, The Univ. of Arizona (United States); N. S. Prasad, NASA Langley Research Ctr. (United States); A. Chavez-Pirson, NP Photonics (United States); N. Peyghambarian, NP Photonics (United States) and College of Optical Sciences, The Univ. of Arizona (United States)
- 8601 OZ **Pseudo-random binary sequency phase modulation in high power Yb-doped fiber amplifiers** [8601-34]
C. Robin, I. Dajani, Air Force Research Lab. (United States); C. Zernig, ZModDynamics LLC (United States); A. Flores, B. Pulford, A. Lanari, S. Naderi, Air Force Research Lab. (United States)

VISIBLE AND UV SOURCES

- 8601 11 **Pulsed blue laser source based on frequency quadrupling of a thulium fiber laser** [8601-36]
E. Honea, M. Savage-Leuchs, M. S. Bowers, T. Yilmaz, R. Mead, Lockheed Martin Maritime Systems & Sensors (United States)
- 8601 12 **Single frequency, ultra-low noise, CW, 4W 488nm fiber laser** [8601-37]
R. Dubrasquet, Azur Light Systems (France) and CELIA, Univ. Bordeaux 1 (France); J. Boullet, S. Lugan, G. Mery, M. Castaing, N. Traynor, Azur Light Systems (France); E. Cormier, CELIA, Univ. Bordeaux 1 (France)
- 8601 13 **High power industrial picosecond laser from IR to UV** [8601-38]
J. Saby, D. Sangla, S. Pierrot, P. Deslandes, F. Salin, EOLITE Systems (France)

BEAM COMBINING I

- 8601 15 **Spectrally beam combined fiber lasers for high power, efficiency, and brightness (Invited Paper)** [8601-126]
E. Honea, R. S. Afzal, M. Savage-Leuchs, N. Gitkind, R. Humphreys, J. Henrie, K. Brar, D. Jander, Lockheed Martin Aculight (United States)

BEAM COMBINING II

- 8601 19 **Passive coherent beam combination of two nanosecond fiber amplifiers by using an all-optical feedback loop** [8601-44]
H. Liu, Shanghai Institute of Optics and Fine Mechanics (China) and Graduate Univ. of the Chinese Academy of Sciences (China); J. Zhou, B. He, Q. Lou, Shanghai Institute of Optics and Fine Mechanics (China)
- 8601 1A **Active coherent superposition of five fiber amplifiers at 670W using multiplexed volume Bragg gratings** [8601-45]
C. A. Lu, A. Flores, E. Bochove, W. P. Roach, Air Force Research Lab. (United States); V. Smirnov, OptiGrate Corp. (United States); L. B. Glebov, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States)

MODE LOCKED AND ULTRAFAST FIBER SOURCES

- 8601 1D **High average power fiber laser system for attosecond science** [8601-48]
J. Rothhardt, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); S. Hädrich, S. Demmler, M. Krebs, Friedrich-Schiller-Univ. Jena (Germany); J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8601 1F **23fs pulses at 250W of average power from a FCPA with solid core nonlinear compression** [8601-50]
C. Jocher, Friedrich-Schiller-Univ. Jena (Germany); T. Eidam, S. Hädrich, J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8601 1G **Picosecond passively mode-locked mid-infrared fiber laser** [8601-51]
C. Wei, College of Optical Sciences, The Univ. of Arizona (United States) and Nankai Univ. (China); X. Zhu, R. A. Norwood, K. Kieu, N. Peyghambarian, College of Optical Sciences, The Univ. of Arizona (United States)

MID-IR SOURCES AND FREQUENCY CONVERSION

- 8601 1H **Monolithic mid-infrared fiber lasers for the 2-4 μm spectral region (Invited Paper)** [8601-52]
V. Fortin, M. Bernier, N. Caron, D. Faucher, M. El-Amraoui, Y. Messaddeq, R. Vallée, Univ. Laval (Canada)
- 8601 1J **A combined Yb-Raman fiber amplifier for generating narrow linewidth, high-power pulses in the 1100-1200 nm wavelength range and efficient nonlinear conversion into yellow** [8601-54]
E. E. Rowen, G. Vashdi, J. Lasri, E. Inbar, V-Gen Ltd. (Israel)

- 8601 1K **Dynamics of ultra-long Brillouin fiber laser** [8601-55]
A. A. Fotiadi, Univ. de Mons (Belgium), Ioffe Physico-Technical Institute (Russian Federation), and Ulyanovsk State Univ. (Russian Federation); I. Lobach, Institute of Automation and Electrometry (Russian Federation); P. Mégret, Univ. de Mons (Belgium)
- 8601 1L **Effective index numerical modelling of microstructured chalcogenide-glass fiber for frequency conversion to the mid-infrared band** [8601-56]
P. Bourdon, A. Durécu, C. Alhenc-Gelas, L. Di Bianca, G. Canat, ONERA (France); F. Druon, Lab.Charles Fabry, CNRS, Institut d'Optique, Univ. Paris-Sud (France)

PULSED FIBER LASER SOURCES

- 8601 1M **3C Yb-doped fiber based high energy and power pulsed fiber lasers (Invited Paper)** [8601-57]
T. Sosnowski, A. Kuznetsov, R. Maynard, nLIGHT Corp. (United States); X. Ma, C. Zhu, I.-N. Hu, A. Galvanauskas, The Univ. of Michigan (United States); J. J. Koponen, T. S. McComb, nLIGHT Corp. (United States)
- 8601 1N **A high-energy cladding-pumped 80 nanosecond Q-switched fiber laser using a tapered fiber saturable absorber** [8601-58]
S. W. Moore, D. B. S. Soh, S. E. Bisson, B. D. Patterson, W. L. Hsu, Sandia National Labs. (United States)
- 8601 1O **High power amplification of a tailored-pulse fiber laser** [8601-59]
J. Saby, D. Sangla, EOLITE Systems (France); S. Caplette, R. Boula-Picard, M. Drolet, B. Reid, EOLITE Lasers (Canada); F. Salin, EOLITE Systems (France)
- 8601 1P **Destructive random backscattering pulses showing Brillouin signature in MOPA fiber laser systems** [8601-60]
M. Melo, Multiwave Photonics SA (Portugal) and Univ. of Porto (Portugal); M. O. Berendt, J. M. Sousa, Multiwave Photonics SA (Portugal)

APPLICATIONS

- 8601 1Q **Applications of fiber lasers for remote sensing of atmospheric greenhouse gases (Invited Paper)** [8601-61]
J. T. Dobler, M. Braun, ITT Exelis Inc. (United States); J. Nagel, College of Optical Sciences, The Univ. of Arizona (United States) and TIPD, LLC (United States); V. L. Temyanko, TIPD, LLC (United States); T. S. Zaccaro, Atmospheric and Environmental Research, Inc. (United States); F. W. Harrison, E. V. Browell, NASA Langley Research Ctr. (United States); S. A. Kooi, SSAI (United States)
- 8601 1R **Fiber laser based high-spectral resolution lidar for earth science measurements** [8601-62]
Y. Chen, Fibertek, Inc. (United States); T. Berkoff, The Univ. of Maryland, Baltimore County (United States); F. Kimpel, M. Storm, Fibertek, Inc. (United States); R. Hoff, The Univ. of Maryland, Baltimore County (United States); S. Gupta, Fibertek, Inc. (United States)

- 8601 1S **Multi-wavelength S-band Tm:ZBLAN fiber lasers** [8601-63]
B. Frison, A. R. Sarmani, L. R. Chen, McGill Univ. (Canada); X. Gu, Ryerson Univ. (Canada); M. Saad, IRphotonics Inc. (Canada)

POSTER- SESSION

- 8601 1U **Robust single-mode all solid photonic bandgap fibers with core diameter of 50 μm** [8601-64]
L. Dong, Clemson Univ. (United States); K. Saitoh, Hokkaido Univ. (Japan); F. Kong, T. Hawkins, D. McClane, G. Gu, Clemson Univ. (United States)
- 8601 1V **Hyperspectral optical fiber refractive index measurement spanning 2.5 octaves** [8601-65]
A. D. Yablon, J. Jasapara, Interfiber Analysis LLC (United States)
- 8601 1W **Distinguishing dispersion from distributed scattering in S^2 fiber mode analysis** [8601-66]
J. Jasapara, A. D. Yablon, Interfiber Analysis LLC (United States)
- 8601 1X **A high-peak power nanosecond all-fiber MOPA system at high-repetition rate** [8601-67]
C.-L. Chang, National Taiwan Univ. (Taiwan); P.-Y. Lai, National Central Univ. (Taiwan); Y.-Y. Li, National Taiwan Univ. (Taiwan); S.-H. Chen, National Central Univ. (Taiwan); S.-L. Huang, National Taiwan Univ. (Taiwan)
- 8601 20 **Precisely tunable L-band multi-wavelength fiber laser** [8601-70]
X. Qin, Z. Wang, C. Gao, M. Sang, D. Jia, T. Yang, Tianjin Univ. (China)
- 8601 21 **Fundamental mode evolution in long, large-core ($>100\ \mu\text{m}$) adiabatic tapers** [8601-71]
J. Kerttula, V. Filippov, Tampere Univ. of Technology (Finland); Y. Chamorovskii, V. Ustimchik, Institute of Radio Engineering and Electronics (Russian Federation); O. G. Okhotnikov, Tampere Univ. of Technology (Finland)
- 8601 23 **Modal instability of rod fiber amplifiers: a semi-analytic approach** [8601-73]
M. M. Jørgensen, K. R. Hansen, Technical Univ. of Denmark (Denmark); M. Laurila, Technical Univ. of Denmark (Denmark) and NKT Photonics A/S (Denmark); T. T. Alkeskjold, NKT Photonics A/S (Denmark); J. Lægsgaard, Technical Univ. of Denmark (Denmark)
- 8601 24 **Graphene thickness-dependent Er-doped Q-switched optical fiber laser** [8601-74]
X. Wang, M. Sang, P. Zhu, K. Liu, T. Yang, Tianjin Univ. (China)
- 8601 25 **System technology for laser-assisted milling with tool integrated optics** [8601-75]
J.-P. Hermani, M. Emonts, C. Brecher, Fraunhofer-Institut für Produktionstechnologie (Germany)
- 8601 26 **Yb-doped phosphate double-cladding optical fiber for high-power laser applications** [8601-76]
E. Mura, G. C. Scarpignato, Politecnico di Torino (Italy); J. Lousteau, Istituto Superiore Mario Boella (Italy); N. G. Boetti, Politecnico di Torino (Italy); S. Abrate, Istituto Superiore Mario Boella (Italy); D. Milanese, Politecnico di Torino (Italy)
- 8601 28 **Experimental and theoretical study of gain switched Yb-doped fiber laser** [8601-78]
R. Petkovšek, V. Agrež, The Univ. of Ljubljana (Slovenia); F. Bammer, Vienna Univ. of Technology (Austria); P. Jakopič, B. Lenardič, Optacore d.o.o. (Slovenia)

- 8601 29 **Heating power feedback control for CO₂ laser fusion splicers** [8601-79]
W. Zheng, H. Sugawara, T. Mizushima, W. Klimowich, Air Force Research Lab. (United States)
- 8601 2A **Investigation of temperature influence on output performances of high-power cladding-pumped Er,Yb co-doped fiber laser** [8601-80]
W. Chen, J. Sha, Y. Wang, D. Shen, Fudan Univ. (China)
- 8601 2B **Mode coupling in large-diameter multi-mode silica optical fibers** [8601-81]
C. Ye, J. Koponen, V. Aallos, T. Kokki, nLIGHT Corp., Lohja (Finland)
- 8601 2C **Tunable actively Q-switched fiber laser based on fiber Bragg grating** [8601-82]
A. González-García, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico) and Instituto Tecnológico Superior de Guanajuato (Mexico); B. Ibarra-Escamilla, E. A. Kuzin, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico); M. Durán-Sánchez, Univ. Tecnológica de Puebla (Mexico); O. Pottiez, Ctr. de Investigaciones en Óptica, A.C. (Mexico); F. Maya-Ordoñez, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico)
- 8601 2D **Sm³⁺ effects in the Tm³⁺ doped tellurite glass for S-band amplification** [8601-83]
M. P. Belançon, J. Ferez, E. Chilcote, L. C. Barbosa, Univ. Estadual de Campinas (Brazil)
- 8601 2F **Spectroscopic investigation of the glass system TeO₂-WO₃-Na₂O-Nb₂O₅ for mid-infrared amplifiers** [8601-85]
M. P. Belançon, L. C. Barbosa, Univ. Estadual de Campinas (Brazil)
- 8601 2G **Dual-wavelength fiber laser based on fine adjustment of cavity loss by a fiber optical loop mirror** [8601-86]
M. Durán Sánchez, Univ. Tecnológica de Puebla (Mexico); E. A. Kuzin, B. Ibarra-Escamilla, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico); A. González-García, Instituto Nacional de Astrofísica, Óptica y Electrónica (Mexico) and Instituto Tecnológico Superior de Guanajuato (Mexico); J. L. Cruz, M. V. Andrés, Univ. de València (Spain); O. Pottiez, Ctr. de Investigaciones en Óptica, A.C. (Mexico)
- 8601 2H **All-fiber highly chirped dissipative soliton oscillator and its scaling** [8601-87]
D. S. Kharenko, Institute of Automation and Electrometry (Russian Federation) and Novosibirsk State Univ. (Russian Federation); E. V. Podvilov, Institute of Automation and Electrometry (Russian Federation); A. A. Apolonskiy, Institute of Automation and Electrometry (Russian Federation) and Ludwig-Maximilians-Univ. München (Germany); S. A. Babin, Institute of Automation and Electrometry (Russian Federation) and Novosibirsk State Univ. (Russian Federation)
- 8601 2I **1.3 μ m flat-gain optical amplification with bi doped silica fiber** [8601-90]
S. Kobayash, K. Matsuda, T. Fujii, H. Yamane, Chitose Institute of Science and Technology (Japan); Y. Fujii, Photonic Science Technology, Inc. (Japan)
- 8601 2J **Impact of P2 scribe geometry on monolithic series interconnected CIGS modules** [8601-91]
M. Rekow, EOLite Lasers, Inc. (Canada); D. Bartl, Robert Bosch GmbH (Germany); C. Sandfort, Bosch Solar CISTech GmbH (Germany); A. Letsch, Robert Bosch GmbH (Germany)

- 8601 2L **Picosecond supercontinuum laser with consistent emission parameters over variable repetition rates from 1 to 40 MHz** [8601-93]
T. Schönau, T. Siebert, R. Härtel, D. Klemme, K. Lauritsen, R. Erdmann, PicoQuant GmbH (Germany)
- 8601 2O **Thermal effect-resilient design of large mode area double-cladding Yb-doped photonic crystal fibers** [8601-96]
E. Coscelli, F. Poli, Univ. degli Studi di Parma (Italy); M. M. Jørgensen, Technical Univ. of Denmark (Denmark); T. T. Alkeskjold, L. Leick, NKT Photonics A/S (Denmark); J. Broeng, Technical Univ. of Denmark (Denmark); M. Sozzi, A. Candiani, A. Cucinotta, S. Selleri, Univ. degli Studi di Parma (Italy)
- 8601 2P **Chirped pulse amplification in Tm doped fiber using a chirped Bragg grating** [8601-97]
R. A. Sims, P. Kadwani, L. Shah, M. Richardson, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States)
- 8601 2Q **Design and demonstration of tunable Q-switched fiber laser** [8601-98]
M. Srivastava, D. Venkitesh, B. Srinivasan, Indian Institute of Technology Madras (India)
- 8601 2R **Microstructured cladding elements to enhance the performance of large mode area leakage channel fibers** [8601-99]
S. Dasgupta, J. R. Hayes, C. Baskiotis, D. J. Richardson, Univ. of Southampton (United Kingdom)
- 8601 2S **Robust 1550-nm single-frequency all-fiber ns-pulsed fiber amplifier for wind-turbine predictive control by wind lidar** [8601-100]
F. Beier, Friedrich-Schiller-Univ. Jena (Germany); O. de Vries, T. Schreiber, R. Eberhardt, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany) and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); C. Bollig, P. G. Hofmeister, J. Schmidt, R. Reuter, Carl von Ossietzky Univ. Oldenburg (Germany)
- 8601 2T **Pulsed Yb: fiber system capable of >250kW peak power with tunable pulses in the 50ps to 1.5ns range** [8601-101]
T. S. McComb, T. L. Lowder, V. Leadbetter, M. Reynolds, M. J. Saracco, J. Hutchinson, J. Green, D. McCal, G. Burkholder, T. Kutscha, A. Dittli, C. Hamilton, D. A. V. Kliner, M. Randall, G. Fanning, J. Bell, nLIGHT Corp. (United States)
- 8601 2U **Compact 17W average power, 100kW peak power, nanosecond fiber laser system** [8601-102]
M. J. Saracco, D. Logan, J. Green, D. Balsley, M. Nelson, J. Small, S. Mettlen, T. L. Lowder, T. S. McComb, T. Kutscha, G. Burkholder, M. R. Smith, D. A. V. Kliner, M. Randall, G. Fanning, J. Bell, nLIGHT Corp. (United States)
- 8601 2V **On the SBS threshold of optical pulse shapes compensated for gain saturation** [8601-103]
L. Desbiens, V. Roy, M. Deladurantaye, Y. Taillon, INO (Canada)

- 8601 2W **Polarization dependent nonlinear limitations in continuous-wave high power fiber amplifiers** [8601-104]
N. Haarlammert, M. Rekas, O. de Vries, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); A. Kliner, Friedrich-Schiller-Univ. Jena (Germany); A. Liem, T. Schreiber, R. Eberhardt, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); A. Tünnermann, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany) and Friedrich-Schiller-Univ. Jena (Germany)
- 8601 2X **Novel Y₂O₃-codoped Yb/Tm-doped picosecond fiber laser** [8601-106]
V. V. Dvoyrin, D. Klimentov, Norwegian Univ. of Science and Technology (Norway); A. Halder, M. C. Paul, M. Pal, S. K. Bhadra, Central Glass and Ceramic Research Institute (India); A. V. Kir'yanov, Ctr. de Investigaciones en Óptica, A.C. (Mexico); I. T. Sorokina, Norwegian Univ. of Science and Technology (Norway)
- 8601 2Y **Peak power scaling in Tm doped fiber lasers to MW-level** [8601-107]
C. Gaida, M. Gebhardt, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States) and Friedrich-Schiller-Univ. Jena (Germany); P. Kadwani, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States); L. Leick, J. Broeng, NKT Photonics A/S (Denmark); L. Shah, M. Richardson, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States)
- 8601 2Z **Crystal fibers for high power lasers** [8601-108]
W. Kim, U.S. Naval Research Lab. (United States); C. Florea, Sotera Defense Solutions, Inc. (United States); D. Gibson, U.S. Naval Research Lab. (United States); J. Peele, Sotera Defense Solutions, Inc. (United States); C. Askins, B. Shaw, S. Bowman, S. O'Connor, S. Bayya, U.S. Naval Research Lab. (United States); I. Aggarwal, Sotera Defense Solutions, Inc. (United States); J. S. Sanghera, U.S. Naval Research Lab. (United States)
- 8601 30 **Cascade scheme of FM pulse amplification in length-inhomogeneous active waveguides with normal dispersion** [8601-109]
Ch. Borisova, I. Zolotovskii, D. Korobko, D. Sementsov, Ulyanovsk State Univ. (Russian Federation); A. Sysoliatin, Fiber Optics Research Ctr. (Russian Federation); M. Yavtushenko, Ulyanovsk State Univ. (Russian Federation)
- 8601 31 **Multi-kW cw fiber oscillator pumped by wavelength stabilized fiber coupled diode lasers** [8601-110]
F. Becker, B. Neumann, L. Winkelmann, S. Belke, S. Ruppik, U. Hefter, ROFIN-SINAR Laser GmbH (Germany); B. Köhler, P. Wolf, J. Biesenbach, DILAS Diodenlaser GmbH (Germany)
- 8601 32 **Compact mid-IR source based on a DFB diode, fiber amplifier, and PPLN** [8601-111]
I. V. Mel'nikov, A. A. Machnev, P. B. Novozhylov, A. A. Poimanov, M. Yu. Postnikova, National Research Univ. of Electronic Engineering (Russian Federation)
- 8601 33 **Pulsed thulium doped fiber laser at 1.94 μ m based on a seed diode** [8601-112]
E. Balliu, M. Olivero, A. Braglia, A. Califano, G. Perrone, Politecnico di Torino (Italy)

- 8601 35 **Passively stabilized Brillouin fiber lasers with doubly resonant cavities** [8601-114]
V. V. Spirin, The Univ. of Mons (Belgium) and Ctr. de Investigación Científica y de Educación Superior de Ensenada (Mexico); C. A. López-Mercado, Ctr. de Investigación Científica y de Educación Superior de Ensenada (Mexico); D. Kinet, P. Mégret, The Univ. of Mons (Belgium); I. O. Zolotovskiy, Ulyanovsk State Univ. (Russian Federation); A. A. Fotiadi, Ctr. de Investigación Científica y de Educación Superior de Ensenada (Mexico), Ioffe Physico-Technical Institute (Russian Federation), and Ulyanovsk State Univ. (Russian Federation)
- 8601 37 **Synchronized ps fiber lasers with pulse durations (25, 50, 100-2000ps) and repetition rates (100kHz-150MHz) continuously tunable over three orders of magnitude** [8601-116]
A. Dupuis, B. Burgoyne, G. Pena, A. Archambault, D. Lemieux, V. Solomonean, M. Duong, A. Villeneuve, Genia Photonics Inc. (Canada)
- 8601 38 **156 micro-J ultrafast Thulium-doped fiber laser** [8601-117]
P. Wan, L.-M. Yang, J. Liu, PolarOnyx, Inc. (United States)
- 8601 39 **High-efficiency (6+1)x1 combiner for high power fiber lasers and amplifiers** [8601-118]
D. Neugroschl, J. Park, M. Wlodawski, J. Singer, V. I. Kopp, Chiral Photonics Inc. (United States)
- 8601 3C **Photobleaching investigation of photo-darkened fiber using 633nm irradiation: evidence of color center time evolution and losses mitigation** [8601-121]
H. Gebavi, S. Taccheo, Swansea Univ. (United Kingdom); D. Mechin, D. Tregoeat, A. Monteville, PERFOS (France); B. Cadier, T. Robin, ixFiber SAS (France)
- 8601 3D **Forced air cooling of volume Bragg gratings for spectral beam combination** [8601-122]
B. Anderson, S. Kaim, G. Venus, J. Lumeau, V. Smirnov, B. Zeldovich, L. Glebov, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States)
- 8601 3F **Numerical studies of modal instabilities in high-power fiber amplifiers** [8601-125]
S. Naderi, I. Dajani, T. Madden, Air Force Research Lab. (United States); B. Ward, United States Air Force Academy (United States); C. Robin, J. Grosek, Air Force Research Lab. (United States)

Author Index

Conference Committee

Symposium Chairs

Bo Gu, Bos Photonics (United States)

Andreas Tünnermann, Fraunhofer-Institut für Angewandte Optik und
Feinmechanik (Germany) and Friedrich-Schiller-Universität Jena
(Germany)

Symposium Cochairs

Friedhelm Dorsch, TRUMPF Werkzeugmaschinen GmbH + Co. KG
(Germany)

Alberto Piqué, U.S. Naval Research Laboratory (United States)

Program Track Chair

Gregory J. Quarles, Optoelectronics Management Network
(United States)

Conference Chair

Sami T. Hendow, Adaptive Laser Processing (United States)

Conference Cochair

Siddharth Ramachandran, Boston University (United States)

Conference Program Committee

Paulo Almeida, Fianium Ltd. (United Kingdom)

John Ballato, Clemson University (United States)

Jes Broeng, NKT Photonics A/S (Denmark)

Adrian Carter, Nufern (United States)

Jay W. Dawson, Lawrence Livermore National Laboratory
(United States)

Fabio Di Teodoro, The Aerospace Corporation (United States)

Mark Dubinskii, U.S. Army Research Laboratory (United States)

Almantas Galvanauskas, University of Michigan (United States)

Clifford Headley III, OFS Laboratories (United States)

Eric C. Honea, Lockheed Martin Aculight (United States)

Florian Jansen, Friedrich-Schiller-Universität Jena (Germany)

Yoonchan Jeong, Seoul National University (Korea, Republic of)

John D. Minelly, Coherent, Inc. (United States)

Peter F. Moulton, Q-Peak, Inc. (United States)

Martin H. Muendel, JDSU (United States)
Craig Robin, Air Force Research Laboratory (United States)
L. Brandon Shaw, U.S. Naval Research Laboratory (United States)
Daniel B. Soh, Sandia National Laboratories, California (United States)
Sergei K. Turitsyn, Aston University (United Kingdom)
Ji Wang, Corning Incorporated (United States)
Frank W. Wise, Cornell University (United States)
David E. Zelmon, Air Force Research Laboratory (United States)
Mikhail N. Zervas, University of Southampton (United Kingdom)

Session Chairs

- 1 High Power I
Mikhail N. Zervas, SPI Lasers (United Kingdom)
- 2 High Power II
John D. Minelly, Coherent, Inc. (United States)
- 3 Fiber Laser Markets
Siddharth Ramachandran, The Boston University Photonics Center (United States)
- 4 Power Scaling Bulk SSL and Fiber Lasers: Joint Session with Conferences 8599 and 8601
Eric C. Honea, Lockheed Martin Aculight (United States)
W. Andrew Clarkson, University of Southampton (United Kingdom)
- 5 Fiber Designs and Fabrication
Adrian Carter, Nufern (United States)
- 6 Fiber Characterization and Photodarkening
John Ballato, Clemson University (United States)
E. J. Friebele, U.S. Naval Research Laboratory (United States)
- 7 Components
Paulo Almeida, Fianium Ltd. (United Kingdom)
- 8 Narrow Line Sources and Fiber Nonlinearities
Sami T. Hendow, Adaptive Laser Processing (United States)
- 9 Visible and UV Sources
Fabio Di Teodoro, The Aerospace Corporation (United States)
- 10 Beam Combining I
Peter F. Moulton, Q-Peak, Inc. (United States)

- 11 Beam Combining II
Peter F. Moulton, Q-Peak, Inc. (United States)
- 12 Mode Locked and Ultrafast Fiber Sources
Sami T. Hendow, Adaptive Laser Processing (United States)
- 13 Mid-IR Sources and Frequency Conversion
Daniel B. Soh, Sandia National Laboratories, California (United States)
- 14 Pulsed Fiber Laser Sources
Sami T. Hendow, Adaptive Laser Processing (United States)
- 15 Applications
Clifford Headley III, OFS Laboratories (United States)

